


Ausführungsvarianten für Muffe Innenrohr








A (1 : 2)

M 1:5 (Ø150-Ø120)



ØA - ØC ≤ 20mm : 1-teilig
ØA - ØC > 20mm : 3-teilig

Ø	130			140								150										160									
A	130			140								150										160									
C	115	120	125	80	90	100	110	115	120	125	129	130	80	90	100	109	110	115	119	120	125	130	140	80	90	100	110	115	120	125	130	140	149
D	40																																
ti	0,6																																
tA	0,8																																
kg	0,4			0,5								0,4										0,5									

Ø	80	90	100		107	110		113	115						120						124	125					130				
A	80	90	100		107	110		113	115						120						124	125					130				
C	60	70	80	60	70	80	90	80	60	80	90	100	110	60	65	80	90	100	110	60	80	90	100	110	115	90	60	80	100	115	120	60	80	90	100	110
D	40																																
ti	0,6																																
tA	0,8																																
kg	0,2	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,4	0,3	0,4	0,3	0,4	0,3	0,3	0,4														

notes:

DIN ISO 13920 Tolerances B

revisions-no. A1 | mm / kg

	date	name
drawn by	23.06.2020	KSA
checked by		
approved by		
modified by		

jeremias® CHIMNEY SYSTEMS

description: Reduzierung

code: **EWR**

drawing-no.: **01-01-20-3350-000**


scale: 1:3


format: A4


sheet: 1 of 1

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.

Ausführungsvarianten für Muffe Innenrohr








A (1 : 2)

M 1:5 (Ø150-Ø120)



ØA - ØC ≤ 20mm : 1-teilig
ØA - ØC > 20mm : 3-teilig

Ø	200				202	210				220		225											230				240	250				
A	200				202	210				220		225											230				240	250				
C	160	170	180	190	178	80	125	170	178	80	200	90	100	110	115	120	130	140	150	160	180	200	150	180	200	225	180	80	90	100	110	115
D	40				100	40				100	40	100											40					100				
ti	0,6																															
tA	0,8																															
kg	0,6		0,7	0,6		0,7			0,6	0,8	0,7	0,8		0,9		0,7					0,8	0,7	0,8		0,7	0,8	0,9				

Ø	160	170			180															190			200										
A	160	170			180															190			200										
C	150	130	150	160	80	90	100	110	115	120	124	125	130	140	150	160	170	177	130	150	180	80	90	100	110	115	120	124	125	130	140	150
D	40				100	40														100			40										
ti	0,6																															
tA	0,8																															
kg	0,5	0,6	0,5		0,6	0,5		0,6									0,5	0,6			0,7	0,8		0,6								0,7	

notes:

DIN ISO 13920 Tolerances B

revisions-no. A1 | mm / kg

	date	name
drawn by	23.06.2020	KSA
checked by		
approved by		
modified by		

jeremias® CHIMNEY SYSTEMS

description: Reduzierung

code: **EWR**

drawing-no.: **01-01-20-3350-000**


scale: 1:3


format: A4


sheet: 1 of 1

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.

Ausführungsvarianten für Muffe Innenrohr








A (1 : 2)

M 1:5 (Ø150-Ø120)



ØA - ØC ≤ 20mm : 1-teilig
ØA - ØC > 20mm : 3-teilig

Ø	350	360	400	450	500	550	600	610	630	650	700	750	760
A	350	360	400	450	500	550	600	610	630	650	700	750	760
C	320 330 350	150 200 250 300 350	225 300 350 400	250 350 400 450	400 450 500	200 350 400 450 500 550	600	500 550 600	550 600 650	500	700 750		
D	40	100	40	100	40	100	40	100	40	100	40	100	40
ti	0,8												
tA	1,0												
kg	1,4	1,8	2,2	2,5	2,6	2,0	2,8	2,9	3,2	2,5	3,7	3,6	3,5	2,8	3,9	3,8	3,0	4,2	3,2	4,8	3,5	3,2

Ø	250	255	260	265	280	300	350
A	250	255	260	265	280	300	350
C	120 125 130 140 150 160 170 180 200 220 225 230	130	180	250		100 120 150 160 180 200 225 250 265 280	150 200 225 250 300
D	100	40	100	40		100	40	100	40
ti	0,6						0,8
tA	0,8						1,0
kg	1,0	0,8	1,0	0,8	1,0	0,8	1,0	1,1	1,2	1,0	0,9	1,0	1,6	1,8	1,9	1,6

notes:

DIN ISO 13920 Tolerances B

revisions-no. A1 | mm / kg

	date	name
drawn by	23.06.2020	KSA
checked by		
approved by		
modified by		

jeremias® CHIMNEY SYSTEMS

description: Reduzierung

code: **EWR**

drawing-no.: **01-01-20-3350-000**

scale: 1:3

format: A4

sheet: 1 of 1

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.