








Ausführung Wandplatte bis Ø550:




Ausführung Wandplatte ab Ø565:





M1:8 (Ø215)



Ø	255	260	265	275	280	285	290	295	300	315	325	340	345	350	365	400	415	450	465	500	515	550	565	600	615	650	665
B	256	261	266	276	281	286	291	296	301	316	326	341	346	351	366	401	416	451	466	501	516	551	566	601	616	651	666
E	80																										
F	40																										
G	320	325	330	340	345	350	355	360	365	380	390	405	410	415	430	465	480	515	530	565	580	615	630	665	680	715	730
kg	4	4	4,1	4,1	4,2	4,2	4,2	4,2	4,3	4,4	4,4	4,5	4,5	4,6	4,8	4,9	5,1	5,2	5,4	5,5	5,7	5,8	6	6,1	6,3	6,4	6

Ø	95	110	115	125	130	145	150	160	165	170	175	180	185	190	195	200	205	210	215	220	225	230	235	240	245	250
B	96	111	116	126	131	146	151	161	166	171	176	181	186	191	196	201	206	211	216	221	226	231	236	241	246	251
E	80																									
F	40																									
G	160	175	180	190	195	210	215	225	230	235	240	245	250	255	260	265	270	275	280	285	290	295	300	305	310	315
kg	3,2	3,3	3,3	3,4	3,4	3,5	3,5	3,6	3,6	3,6	3,6	3,6	3,7	3,7	3,7	3,8	3,8	3,8	3,8	3,8	3,9	3,9	3,9	4	4	4

notes:

DIN ISO 13920 Tolerances B

revisions-no. A2 | mm / kg

	date	name
drawn by	02.05.2019	SME
checked by		
approved by		
modified by	26.02.2020	NGR

jeremias® CHIMNEY SYSTEMS

description: statischer Wandhalter, starr, WA 50-250mm (Typ CS)

code: **XXX-ZUAC47**


drawing-no.: **01-07-04-0273-000**


scale: 1:7


format: A4

sheet: 1 of 3


© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.









DETAIL A (1 : 5)





DETAIL B (1 : 5)

M1:15 (Ø715)



Ø	700	715	750	765	800	815	850	865	900	915	950	965
B	701	716	751	766	801	816	851	866	901	916	951	966
E	100											
F	50											
G	765	780	815	830	865	880	915	930	965	980	1015	1030
kg	8,4	8,8	8,9	9,2	9,3	9,6	9,7	10,1	10,2	10,5	10,6	10,6

notes:

DIN ISO 13920 Tolerances B

revisions-no. A2 | mm / kg

	date	name
drawn by	02.05.2019	SME
checked by		
approved by		
modified by	26.02.2020	NGR

jeremias® CHIMNEY SYSTEMS

description: statischer Wandhalter, starr, WA 50-250mm (Typ CS)

code: **XXX-ZUAC47**


drawing-no.: **01-07-04-0273-000**


scale: 1:15


format: A4

sheet: 2 of 3


© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.








DETAIL A (1 : 6)




ACHTUNG:
Ø1000 + Ø1015 ohne Ringsteife!



DETAIL B (1 : 5)

M1:20 (Ø1065)



Ø	1000	1015	1050	1065	1100	1115	1150	1165	1200	1215	1250	1265	1300	1315
B	1001	1016	1051	1066	1101	1116	1151	1166	1201	1216	1251	1266	1301	1316
E	160													
F	80													
D	1065	1080	1115	1130	1165	1180	1215	1230	1265	1280	1315	1330	1365	1380
kg	13,2	13,6	20	20,3	20,9	21,2	21,8	22,1	22,7	23	23,7	24	24,6	24,9

notes:

DIN ISO 13920 Tolerances B

revisions-no. A2 | mm / kg

	date	name
drawn by	02.05.2019	SME
checked by		
approved by		
modified by	26.02.2020	NGR

jeremias® CHIMNEY SYSTEMS

description: statischer Wandhalter, starr, WA 50-250mm (Typ CS)

code: **XXX-ZUAC47**

drawing-no.: **01-07-04-0273-000**

scale: 1:20

format: A4

sheet: 3 of 3

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.