











Ausführung Wandplatte bis Ø400:



Ausführung Wandplatte ab Ø450:



M1:10 (Ø100)



Ø	140		150	160				180		200		225			250		300		350		400		450		500		550
B	256		266	276				296		316		341			366		416		466		516		566		616		666
E	80																										
F	40																										
G	320		330	340				360		380		405			430		480		530		580		630		680	715	730
kg	4		4,1	4,1				4,2		4,4		4,5			4,8		5,1		5,4		5,7		6		6,3	6,4	6

Ø															80				100		110	115	120	125	130	
B															196				216		226	231	236	241	246	
E	80																									
F	40																									
G															260				280		290	295	300	305	310	
kg															3,7				3,8		3,9	3,9	3,9	4	4	

notes:

DIN ISO 13920 Tolerances B

revisions-no. A2 | mm / kg

	date	name
drawn by	09.05.2019	SME
checked by		
approved by		
modified by	16.01.2026	NMA

jeremias® CHIMNEY SYSTEMS

description: statischer Wandhalter, starr, WA 50-360mm (Typ DS)
passend für Isolierstärke 57,5 mm

code: **302-DW48 / DWVG48 / DWPW48**


drawing-no.: **01-07-04-0275-000**


scale: 1:7


format: A4

sheet: 1 of 3


© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.









DETAIL A (1 : 5)





DETAIL B (1 : 5)

M1:20 (Ø600)



Ø		600		650		700		750		800		850
B		716		766		816		866		916		966
E	100											
F	50											
G		780		830		880		930		980		1030
kg		8,8		9,2		9,6		10,1		10,5		10,6

notes:

DIN ISO 13920 Tolerances B

revisions-no. A2 | mm / kg

	date	name
drawn by	09.05.2019	SME
checked by		
approved by		
modified by	16.01.2026	NMA

jeremias® CHIMNEY SYSTEMS

description: statischer Wandhalter, starr, WA 50-360mm (Typ DS)
passend für Isolierstärke 57,5 mm

code: **302-DW48 / DWVG48 / DWPW48**


drawing-no.: **01-07-04-0275-000**


scale: 1:15


format: A4

sheet: 2 of 3


© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.








DETAIL A (1 : 6)




ACHTUNG:
Ø1000 + Ø1015 ohne Ringsteife!



DETAIL B (1 : 5)

M1:25 (Ø950)



Ø	900	950	1000	1050	1100	1150	1200
B	1016	1066	1116	1166	1216	1266	1316
E	160						
F	80						
G	1080	1130	1180	1230	1280	1365	1380
kg	13,6	20,3	21,2	22,1	23	24	24,9

notes:

DIN ISO 13920 Tolerances B

revisions-no. A2 | mm / kg

	date	name
drawn by	09.05.2019	SME
checked by		
approved by		
modified by	16.01.2026	NMA

jeremias® CHIMNEY SYSTEMS

description: statischer Wandhalter, starr, WA 50-360mm (Typ DS)
passend für Isolierstärke 57,5 mm

code: **302-DW48 / DWVG48 / DWPW48**

drawing-no.: **01-07-04-0275-000**

scale: 1:20

format: A4

sheet: 3 of 3

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.