


(NL) Nutzlänge / usable length



notes:

DIN ISO 13920 Tolerances B

revisions-no. A1

mm / kg

	date	name
drawn by	28.01.2026	USC
checked by		
approved by		
modified by		

jeremias® CHIMNEY SYSTEMS

description **Revisionselement (bis 120°C/P1), runde Öffnung für PPFLEX**

code **PPFLEX 30 080**


drawing-no.

scale 1:10


format A4

sheet 1 of 1

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.



M 1:5 (Ø080)





Ø	060		100
A	60		100
C	56		96
D	58		59
E	85		139
F	51		59
G	194		257
H	97		129
I	71		71
J	121		141

material: inside/outside: PP/EPDM/St	surface: inside/outside: Weiß	DIN ISO 13920 Tolerances B	jeremias® CHIMNEY SYSTEMS	scale: 1:3
		revisions-no.: A2 / mm / kg		format: A4
notes:		description: Reinigungselement rund, 600°C/N1		sheet: 1 of 2
		code: PPFLEX30		
		drawing-no.: 01-71-1652-000		


	date	name
drawn by	22.03.2018	KAB
checked by		
approved by		
modified by	28.01.2026	USC

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.





M 1:6 (Ø110)



Ø	110	125	160
A	110	125	160
C	105	105	119
D	57	67	92
E	172	156	170
F	57	67	92
G	286	290	354
H	143	155	184
I	100	100	200
J	164	170	287

material: inside/outside: PP/EPDM/St	surface: inside/outside: Weiß	DIN ISO 13920 Tolerances B	jeremias® CHIMNEY SYSTEMS	scale: 1:3
		revisions-no.: A2	mm / kg	format: A4
notes:		description: Reinigungselement rund, 600°C/N1		sheet: 2 of 2
		code: PPFLEX30		
		drawing-no.: 01-71-1652-000		

	date	name
drawn by	22.03.2018	KAB
checked by		
approved by		
modified by	24.05.2018	KAB

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.