






M 1:2 (Ø140)



Ø	080	100	115	120	130	140
C	79	99	114	119	129	139
kg	0,04	0,06	0,07	0,07	0,08	0,09

notes:

DIN ISO 13920 Tolerances B

revisions-no. A3 | mm / kg

	date	name
drawn by	07.12.2022	OPA
checked by		
approved by		
modified by	28.04.2025	API

jeremias® CHIMNEY SYSTEMS

description: Russtopf klappbar (bis Ø150)

code: **000-ZUAC2278**


drawing-no.: **07-04-1198-000**


scale: 1:2

format: A4


sheet: 1 of 1

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.





M 1:3 (Ø150)



Ø	**150**
C	149
D	139
kg	0,15

notes:

DIN ISO 13920 Tolerances B

revisions-no. A3 | mm / kg

	date	name
drawn by	07.12.2022	OPA
checked by		
approved by		
modified by	28.04.2025	API

jeremias® CHIMNEY SYSTEMS

description: Russtopf klappbar (Ø150mm)

code: **000-ZUAC2278**


drawing-no.: **07-04-1198-000**


scale: 1:2

format: A4


sheet: 1 of 1

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.





M 1:3 (Ø180)



Ø	160	180	200	225	250
C	159	179	199	224	249
D	149	169	189	214	239
E	63	71	79	89	99
kg	0,2	0,23	0,27	0,32	0,39

notes:

DIN ISO 13920 Tolerances B

revisions-no. A3 | mm / kg

	date	name
drawn by	07.12.2022	OPA
checked by		
approved by		
modified by	28.04.2025	API

jeremias® CHIMNEY SYSTEMS

description: Russtopf klappbar (ab Ø160)

code: **000-ZUAC2278**

drawing-no.: **07-04-1198-000**

scale: 1:2

format: A4

sheet: 1 of 1

© jeremias GmbH. All rights reserved, also regarding any disposal, exploitation, editing, distribution, as well as in the event of applications for industrial property rights.