

# PRICELIST 2026

System  
**DW-GREY**



# System DW-GREY

## DESCRIPTION

Black matt powder-coated double wall system made of stainless steel for all standard fireplaces in negative pressure operation, in dry or wet operation

## MATERIAL

Inside: L99

Outside: Elo-galvanized

## FINISHING

Grey powder-coated (RAL 7016 matt)

Colours:

DW-GREY (RAL 7016 matt)

## WALL THICKNESS

Inside / outside each 0.5 mm

## INSIDE DIAMETER

130 - 200 mm

## INSULATION

Mineral insulation with 25 mm thickness

## CONNECTION

Plug connection socket / bead with clamping band

## LOCKING BAND


Included

## ORDER CODE

The article code for your order results from:

Article code + Ø (Ex: 28-290-DWETN05130).

Please refer to the respective code for deviations.



## CHARACTERISTICS

- Inexpensive grey matt powder-coated exhaust system
- 70 mm wide, recessed locking band
- Resistant to soot fire or moisture

## APPLICATION AREAS

- Standard fireplaces for oil, gas and solid fuels (natural wood, coke, peat, coal\*)

\* excluding anthracite coal from Ibbenbüren, Germany

## CE MARK NUMBER

0036 CPR 9174 137

## CE CLASSIFICATION ACC. TO DIN EN 1856-1

T450 - N1 - W - V2 - L99050 - G80

## CONNECTING PIPE

### CE MARK NUMBER

0036 CPR 9174 138

### CE-CLASSIFICATION ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L99050 - G170 M

## CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-GREY & DW-WHITE

Total length of the wall support 350 mm


Total length of the wall support 500 mm

Total length of the wall support 750 mm

Component length (e.g. 350 mm Typ I) - 15 mm - ( $\varnothing$  inside + 50 mm) = max. wall distance

28-DW391	28-DW392	28-DW393	DW- GREY
47-DW391	47-DW392	47-DW393	DW-WHITE

Inner tube $\varnothing$	max. wall clearance in mm	Inner tube $\varnothing$	max. wall clearance in mm	Inner tube $\varnothing$	max. wall clearance in mm
130	155	130	305	130	555
150	135	150	285	150	535
180	108	180	255	180	505
200	85	200	235	200	485



Cantilevers type I 350mm

Cantilevers type II 500mm

Cantilevers Type III 750mm

Base plate with condensate drain at the bottom and 1/2" nipple

Base plate for intermediate support

Base plate for mounting on a bracket with side drain and 1/2" threaded nipple

Closing cap plastic for drain 1/2" (up to 200°C)



28-DW391	28-DW392	28-DW393	28-290-DWETN05Ø	28-290-DWETN07Ø	28-290-DWETN66Ø	750ADK1/2
134,00 €	151,00 €	185,00 €	130 109,00 €	130 113,00 €	130 132,00 €	5,00 €
			150 113,00 €	150 125,00 €	150 151,00 €	
			180 129,00 €	180 142,00 €	180 176,00 €	
			200 135,00 €	200 150,00 €	200 185,00 €	

Base plate for chimney raise 450°C/ N1 (round insert sleeve), max. height from base plate 1,5m

Inspection length (up to 450°C/N1)

Inspection length (up to 600°C/N1) square door 210x140mm

Inspection length extruded (up to 600°C/N1), square door 210x140mm


T-90°

Length 1000mm

Length 500mm



28-290-DWETN08Ø	28-290-DWETN2747Ø	28-205-DWETN10Ø	28-205-DWETN2942Ø	28-290-DWETN2866Ø	28-290-DWETN13Ø	28-290-DWETN14Ø
130 113,00 €	130 256,00 €	130 320,00 €	130 272,00 €	130 215,00 €	130 167,00 €	130 100,00 €
150 127,00 €	150 312,00 €	150 337,00 €	150 287,00 €	150 249,00 €	150 190,00 €	150 110,00 €
180 147,00 €	180 334,00 €	180 348,00 €	180 297,00 €	180 273,00 €	180 217,00 €	180 129,00 €
200 154,00 €	200 399,00 €	200 365,00 €	200 311,00 €	200 337,00 €	200 242,00 €	200 135,00 €



# System DW-GREY



Length 250mm

Length 500mm with integrated wall sleeve shortenable for FERRO

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Elbow 90°



28-290-DWETN150		28-290-DWETN16610		28-290-DWETN160		28-290-DWETN170		28-290-DWETN180		28-290-DWETN640		28-290-DWETN600	
130	71,00 €	130	171,00 €	130	96,00 €	130	101,00 €	130	109,00 €	130	221,00 €	130	221,00 €
150	77,00 €	150	188,00 €	150	108,00 €	150	111,00 €	150	113,00 €	150	227,00 €	150	227,00 €
180	86,00 €	180	195,00 €	180	117,00 €	180	123,00 €	180	125,00 €	180	248,00 €	180	248,00 €
200	99,00 €	200	221,00 €	200	123,00 €	200	129,00 €	200	140,00 €	200	254,00 €	200	254,00 €

Elbow 90° with inspection door

End cap (up to 450°C/NI)

End pipe for DW-GREY

Rain cap

Storm collar

Adaptor EW/DW-GREY

Adaptor DW-GREY/EW



28-205-DWETN190		28-205-DWETN320		28-205-DWETN29040		28-215-DWECO330		28-390-DWECO310		28-290-DWETN370		28-205-DWETN37A0	
130	328,00 €	130	52,00 €	130	198,00 €	130	74,00 €	130	31,00 €	130	59,00 €	130	59,00 €
150	338,00 €	150	57,00 €	150	222,00 €	150	79,00 €	150	34,00 €	150	61,00 €	150	61,00 €
180	356,00 €	180	59,00 €	180	248,00 €	180	83,00 €	180	36,00 €	180	64,00 €	180	65,00 €
200	394,00 €	200	61,00 €	200	271,00 €	200	96,00 €	200	38,00 €	200	67,00 €	200	67,00 €

Adaptor DW-GREY/EW-FU with female socket

Adaptor EW/DW-GREY with integrated wall sleeve straight for FERRO

Wall bracket 50mm

Adjustable wall bracket 50-150mm, single-braced

Adjustable wall bracket 50-250mm, single-braced

Adjustable wall bracket 250-360mm, single-braced

Wall and head piece for wall bracket, wall distance min 250mm



28-205-DWETN37AM0		28-290-DWETN37GWF0		28-DWECO210		28-DWECO220		28-DWECO230		28-DWECO240		28-DWECO200	
130	66,00 €	130	106,00 €	130	52,00 €	130	93,00 €	130	111,00 €	130	150,00 €	130	108,00 €
150	67,00 €	150	111,00 €	150	58,00 €	150	95,00 €	150	114,00 €	150	151,00 €	150	109,00 €
180	69,00 €	180	116,00 €	180	61,00 €	180	98,00 €	180	116,00 €	180	154,00 €	180	111,00 €
200	74,00 €	200	125,00 €	200	63,00 €	200	99,00 €	200	122,00 €	200	161,00 €	200	113,00 €

Extension  
30x30mm for  
28-DWECO20  
single-braced  
l=1000mm



28-DW86
90,00 €

Extension  
30x30mm for  
28-DWECO20  
single-braced  
l=500mm



28-DW85
66,00 €

Flashing kit 5-15°  
with FastFlash plate  
elastomer black and  
storm collar



28-DWECO2556-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 5-15°  
with FastFlash plate  
elastomer red and  
storm collar



28-DWECO2556-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 5-15°  
with FastFlash plate  
elastomer grey and  
storm collar



28-DWECO2556-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-25°  
with FastFlash plate  
elastomer collar  
black and storm  
collar



28-DWECO2558-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-25°  
with FastFlash plate  
elastomer collar red  
and storm collar



28-DWECO2558-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-35°  
with FastFlash plate  
elastomer collar  
grey and storm  
collar



28-DWECO2558-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°  
with FastFlash plate  
elastomer collar  
black and storm  
collar



28-DWECO2557-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°  
with FastFlash plate  
elastomer collar red  
and storm collar



28-DWECO2557-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°  
with FastFlash plate  
elastomer collar  
grey and storm  
collar



28-DWECO2557-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°  
with FastFlash plate  
elastomer black and  
storm collar



28-DWECO2551-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°  
with FastFlash plate  
elastomer red and  
storm collar



28-DWECO2551-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°  
with FastFlash plate  
elastomer grey and  
storm collar



28-DWECO2551-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Ventilated ceiling  
plate, 1-65°, one-  
piece



28-DWECO71Ø
130 90,00 €

Ventilated ceiling  
plate, 1-65°, one-  
piece



28-DWECO71Ø
150 95,00 €
180 100,00 €
200 102,00 €

Ceiling plate 0°  
two-piece



28-DWECO74Ø
130 95,00 €
150 109,00 €
180 111,00 €
200 126,00 €

Ceiling plate 1-65°  
two-piece



28-DWECO75Ø
130 102,00 €
150 121,00 €
180 123,00 €
200 139,00 €

Ventilated ceiling  
plate, 0°, one-piece



28-DWECO70HLØ
130 125,00 €
150 129,00 €
180 132,00 €
200 136,00 €

Ventilated ceiling  
plate, 1-65°, one-  
piece



28-DWECO71HLØ
130 134,00 €
150 136,00 €
180 140,00 €
200 144,00 €

Ventilated split  
ceiling plate 0°,  
two-piece



28-DWECO74HLØ
130 136,00 €
150 149,00 €
180 160,00 €
200 168,00 €



# System DW-GREY



Ventilated split ceiling plate 1-65°, two-piece

Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ceiling plate 31-45°, two-piece

Ceiling plate 0-30°, two-piece

Locking band 2.0

Adjustable rafter bracket, 500-900mm



28-DWECO75HLØ		28-DWECO99VØ		28-DWECO98VØ		28-DWECO98VHLØ		28-DWECO99VHLØ		28-DWECO989Ø		28-DWECO55Ø	
130	144,00 €	130	76,00 €	130	90,00 €	130	132,00 €	130	118,00 €	130	22,00 €	130	170,00 €
150	162,00 €	150	79,00 €	150	95,00 €	150	136,00 €	150	122,00 €	150	23,00 €	150	183,00 €
180	165,00 €	180	83,00 €	180	100,00 €	180	139,00 €	180	125,00 €	180	26,00 €	180	193,00 €
200	182,00 €	200	90,00 €	200	102,00 €	200	144,00 €	200	132,00 €	200	29,00 €	200	221,00 €

3-point guy wire bracket

Spray can replacement colour RAL7016M, 400ml



28-DWECO42Ø		28-LACK-DOSE	
130	46,00 €		11,00 €
150	47,00 €		
180	50,00 €		
200	51,00 €		

GERMANY

**Jeremias Abgastechnik GmbH**

Opfenrieder Str. 12  
D-91717 Wassertrüdingen  
Phone: +49 9832 6868-50  
E-Mail: [info@jeremias.de](mailto:info@jeremias.de)  
[www.jeremias.de/en](http://www.jeremias.de/en)

POLAND

[www.jeremias.pl](http://www.jeremias.pl)

USA

[www.jeremiasinc.com](http://www.jeremiasinc.com)

SPAIN

[www.jeremias.es](http://www.jeremias.es)

CROATIA

[www.jeremias.hr](http://www.jeremias.hr)

ITALY

[www.jeremias.it](http://www.jeremias.it)

CZECH REPUBLIC

[www.jeremias.cz](http://www.jeremias.cz)

FINLAND

[www.jeremias.fi](http://www.jeremias.fi)

FRANCE

[www.jeremias.fr](http://www.jeremias.fr)

UNITED KINGDOM

[www.jeremias.uk](http://www.jeremias.uk)

Jeremias high quality products to be installed only by selected experts.

The expert in your area: