



System DW-POWER 57

DESCRIPTION

Double wall, pressure-tight stainless steel exhaust system with gaskets in the outer casing, which allow stress-free thermal expansion of the inner tube hence no compensators needed.

MATERIAL

Inside: 1.4404 (316L)

Outside: 1.4301 (304)

FINISHING

Highly polished

Optional: matt

WALL THICKNESS

Inside: 0.5 mm

Outside: 0.6 mm

INSIDE DIAMETER

100 - 600 mm

INSULATION

Mineral insulation 57.5 mm thick

Optional: DW-POWER 32 = 32.5 mm insulation

CONNECTION

Push-fit connection (outer pipe)


LOCKING BAND

Included

ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: DWPW05250)



CHARACTERISTICS

- Easy to install and disassemble
- For high temperatures up to 600°C
- Pressure-tight up to 5000 Pa
- Saltwater-resistant components
(available for an additional charge)
- Gaskets in the outer casing
- Stress-free thermal expansion of the inner tube possible
- Not suitable for condensing operation
- Not suitable for condensing operation (e.g. CHP)

APPLICATION AREAS

- Gas and diesel generators (without heat exchanger)
- Emergency generators / emergency power systems
- Industrial processes

CE MARK NUMBER

0036 CPR 9174 085

CE CLASSIFICATION - DIN EN 1856-1

T600 - H1 - D - V2 - L50050 - Oxx

xx = Clearances to flammable materials depend on the diameter, see performance declaration

CE MARK NUMBER

0036 CPR 9174 088

CE CLASSIFICATION - DIN EN 1856-2

T600 - H1 - D - V2 - L50050 - O100M



System DW-POWER 57



Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 060-1020mm
with side drain and
1/2" threaded nipple



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



*1



DW391	DW392	DW393	DW407	DWPW1144Ø	DWPW03Ø	DWPW04Ø
122,00 €	137,00 €	167,00 €	274,00 €	100 153,00 €	100 254,00 €	100 347,00 €
				130 165,00 €	130 261,00 €	130 356,00 €
				150 166,00 €	150 268,00 €	150 358,00 €
				180 169,00 €	180 302,00 €	180 380,00 €
				200 171,00 €	200 323,00 €	200 388,00 €
				250 206,00 €	250 325,00 €	250 391,00 €
				300 228,00 €	300 495,00 €	300 524,00 €
				350 262,00 €	350 499,00 €	350 540,00 €
				400 310,00 €	400 511,00 €	400 550,00 €
				450 366,00 €	450 532,00 €	450 629,00 €
				500 423,00 €	500 545,00 €	500 711,00 €
				600 423,00 €	600 645,00 €	600 886,00 €

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-POWER 57

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 115 mm)
= max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
100	120	100	270	100	520	100	800
130	90	130	240	130	490	130	770
150	70	150	220	150	470	150	750
		180	190	180	440	180	720
		200	170	200	420	200	700
		250	120	250	370	250	650
				300	320	300	600
				350	270	350	550
				400	220	400	500
				450	170	450	450
				500	120	500	400
				600	20	600	300



- ^{*1} Can be flexibly extended downwards with length elements
- ^{*2} Not suitable for use in the maritime sector

Base plate with 1/2" threaded nipple and condensate drain at the bottom

Base plate for intermediate support



Base plate with plug-in ring for bracket with support

Inspection length with round opening (up to 600°C/ NI)

T-90°

T-45°

Length 1000mm

						
DWPW05Ø	DWPW07Ø	DWPW2803Ø	DWPW10HTDØ	DWPW317Ø	DWPW12Ø	DWPW13Ø
100 102,00 €	100 110,00 €	100 79,00 €	100 605,00 €	100 251,00 €	100 379,00 €	100 179,00 €
130 110,00 €	130 124,00 €	130 83,00 €	130 615,00 €	130 261,00 €	130 405,00 €	130 193,00 €
150 114,00 €	150 140,00 €	150 84,00 €	150 678,00 €	150 307,00 €	150 435,00 €	150 219,00 €
180 133,00 €	180 163,00 €	180 85,00 €	180 756,00 €	180 334,00 €	180 468,00 €	180 246,00 €
200 139,00 €	200 169,00 €	200 86,00 €	200 776,00 €	200 410,00 €	200 615,00 €	200 274,00 €
250 153,00 €	250 219,00 €	250 92,00 €	250 883,00 €	250 519,00 €	250 761,00 €	250 363,00 €
300 165,00 €	300 232,00 €	300 99,00 €	300 916,00 €	300 624,00 €	300 870,00 €	300 445,00 €
350 268,00 €	350 260,00 €	350 103,00 €	350 968,00 €	350 669,00 €	350 944,00 €	350 587,00 €
400 334,00 €	400 384,00 €	400 135,00 €	400 1.204,00 €	400 877,00 €	400 1.317,00 €	400 665,00 €
450 395,00 €	450 447,00 €	450 170,00 €	450 1.273,00 €	450 949,00 €	450 1.382,00 €	450 721,00 €
500 472,00 €	500 502,00 €	500 172,00 €	500 1.323,00 €	500 1.039,00 €	500 1.569,00 €	500 770,00 €
600 571,00 €	600 579,00 €	600 187,00 €	600 1.468,00 €	600 1.148,00 €	600 1.742,00 €	600 881,00 €

DW-POWER 57

Length 500mm

Length 250mm



Length 1000mm shortable

Wall bracket 50mm

Adjustable wall bracket 50-150mm

Adjustable wall bracket 50-150mm, double-braced

Wall bracket adjustable 50-250mm

						
DWPW14Ø	DWPW15Ø	DWPW2946Ø	DWPW21Ø	DWPW22Ø	DWPW22Ø	DWPW23Ø
100 100,00 €	100 74,00 €	100 179,00 €	100 57,00 €	100 87,00 €	200 101,00 €	100 103,00 €
130 110,00 €	130 78,00 €	130 193,00 €	130 58,00 €	130 90,00 €		130 105,00 €
150 124,00 €	150 87,00 €	150 219,00 €	150 61,00 €	150 93,00 €		150 109,00 €
180 145,00 €	180 99,00 €	180 246,00 €	180 66,00 €	180 99,00 €		180 111,00 €
200 153,00 €	200 114,00 €	200 274,00 €	200 67,00 €			
250 195,00 €	250 145,00 €	250 363,00 €				
300 252,00 €	300 196,00 €	300 445,00 €				
350 317,00 €	350 217,00 €	350 587,00 €				
400 441,00 €	400 354,00 €	400 665,00 €				
450 475,00 €	450 381,00 €	450 722,00 €				
500 500,00 €	500 401,00 €	500 770,00 €				
600 571,00 €	600 450,00 €	600 881,00 €				



System DW-POWER 57



Wall bracket adjustable 50-250mm, double-braced

Adjustable wall bracket 250-360mm

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm

Wall and head piece for wall bracket, wall distance min 250mm, double-braced

Extension 30x30mm for TW20 l=500mm

Extension 30x30mm for TW20 l=1000mm



DWPW23Ø		DWPW24Ø		DWPW24Ø		DWPW20Ø		DWPW20Ø		DW85	DW86
200	114,00 €	100	137,00 €	200	150,00 €	100	101,00 €	200	120,00 €	59,00 €	81,00 €
		130	139,00 €			130	103,00 €				
		150	145,00 €			150	105,00 €				
		180	147,00 €			180	116,00 €				

Wall bracket static, 50mm





Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Adjustable wall bracket 250-360mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece



DWPW45Ø		DWPW46Ø		DWPW47Ø		DWPW48Ø		for Ø		ZUAC2246
100	98,00 €	100	181,00 €	100	204,00 €	100	224,00 €	250	ZUAC2245-2	83,00 €
130	99,00 €	130	205,00 €	130	206,00 €	130	233,00 €	500	ZUAC2245-5	129,00 €
150	107,00 €	150	205,00 €	150	209,00 €	150	250,00 €	600	ZUAC2245-6	130,00 €
180	122,00 €	180	218,00 €	180	222,00 €	180	259,00 €	300-350	ZUAC2245-3	85,00 €
200	126,00 €	200	227,00 €	200	233,00 €	200	275,00 €	400-450	ZUAC2245-4	127,00 €
250	140,00 €	250	230,00 €	250	251,00 €	250	277,00 €			
300	155,00 €	300	238,00 €	300	252,00 €	300	284,00 €			
350	183,00 €	350	256,00 €	350	269,00 €	350	306,00 €			
400	228,00 €	400	284,00 €	400	300,00 €	400	343,00 €			
450	240,00 €	450	310,00 €	450	324,00 €	450	374,00 €			
500	258,00 €	500	334,00 €	500	347,00 €	500	404,00 €			
600	470,00 €	600	470,00 €	600	487,00 €	600	594,00 €			


- ^{*1} Not suitable for use in the maritime sector

Mat for sound de-coupling suitable for DW45 DW46, DW47 and DW48, 1 piece



Fig. ZUAC

Elbow 15°




Elbow 30°




Elbow 45°




Elbow 90°



Elbow 87° with support



Elbow 90° with support



ZUAC2247	DWPW16Ø		DWPW17Ø		DWPW18Ø		DWPW60Ø		DWPW57Ø		DWPW1993Ø	
81,00 €	100	100,00 €	100	105,00 €	100	111,00 €	100	222,00 €	100	269,00 €	100	269,00 €
	130	105,00 €	130	110,00 €	130	116,00 €	130	230,00 €	130	285,00 €	130	285,00 €
	150	115,00 €	150	122,00 €	150	123,00 €	150	239,00 €	150	332,00 €	150	332,00 €
	180	127,00 €	180	129,00 €	180	131,00 €	180	262,00 €	180	358,00 €	180	358,00 €
	200	132,00 €	200	138,00 €	200	153,00 €	200	270,00 €	200	447,00 €	200	447,00 €
	250	139,00 €	250	146,00 €	250	176,00 €	250	307,00 €	250	567,00 €	250	567,00 €
	300	189,00 €	300	209,00 €	300	250,00 €	300	381,00 €	300	680,00 €	300	680,00 €
	350	239,00 €	350	262,00 €	350	298,00 €	350	472,00 €	350	756,00 €	350	756,00 €
	400	321,00 €	400	352,00 €	400	372,00 €	400	505,00 €	400	863,00 €	400	863,00 €
	450	383,00 €	450	422,00 €	450	452,00 €	450	606,00 €	450	966,00 €	450	966,00 €
	500	459,00 €	500	507,00 €	500	547,00 €	500	726,00 €	500	1.079,00 €	500	1.079,00 €
	600	528,00 €	600	584,00 €	600	634,00 €	600	968,00 €	600	1.296,00 €	600	1.295,00 €

DW-POWER 57


Coupling elbow 90° with inspection, suitable for DWPW07



Elbow 90° with inspection door (251-600°/H1)




End cap



End cap with deflector hood and inspection door (up to 600°C/H1)




Storm collar



Storm collar with edge



Storm collar „Special“



DWPW63HTDØ		DWPW19HTDØ		DWPW32Ø		DWPW34Ø		DWPW31Ø		DWPW307Ø		DWPW80Ø	
100	576,00 €	100	497,00 €	100	90,00 €	100	508,00 €	100	27,00 €	100	40,00 €	100	151,00 €
130	589,00 €	130	506,00 €	130	99,00 €	130	537,00 €	130	31,00 €	130	45,00 €	130	159,00 €
150	639,00 €	150	550,00 €	150	109,00 €	150	572,00 €	150	32,00 €	150	45,00 €	150	171,00 €
180	712,00 €	180	616,00 €	180	110,00 €	180	615,00 €	180	34,00 €	180	46,00 €	180	180,00 €
200	764,00 €	200	656,00 €	200	115,00 €	200	664,00 €	200	34,00 €	200	47,00 €	200	183,00 €
250	871,00 €	250	762,00 €	250	137,00 €	250	737,00 €	250	43,00 €	250	67,00 €	250	226,00 €
300	999,00 €	300	894,00 €	300	163,00 €	300	980,00 €	300	53,00 €	300	83,00 €	300	254,00 €
350	1.143,00 €	350	1.028,00 €	350	194,00 €	350	1.087,00 €	350	70,00 €	350	110,00 €	350	308,00 €
400	1.417,00 €	400	1.306,00 €	400	226,00 €	400	1.222,00 €	400	75,00 €	400	116,00 €	400	354,00 €
450	1.560,00 €	450	1.433,00 €	450	284,00 €	450	1.491,00 €	450	93,00 €	450	143,00 €	450	401,00 €
500	1.722,00 €	500	1.522,00 €	500	347,00 €	500	1.849,00 €	500	105,00 €	500	165,00 €	500	409,00 €
600	1.909,00 €	600	1.783,00 €	600	526,00 €	600	2.679,00 €	600	166,00 €	600	260,00 €	600	566,00 €



System DW-POWER 57



Storm collar
„Special“ with rear
ventilation

Flashing kit 5-15°
with storm collar








Flashing kit 16-25°
with storm collar

Flashing kit 26-35°
with storm collar

Flashing kit 36-45°
with storm collar

Flat flashing with
storm collar

Cylindrical flat
flashing with storm
collar



DWPW80HLØ		DWPW81Ø		DWPW82Ø		DWPW39Ø		DWPW83Ø		DWPW52Ø		DWPW52ØZY	
100	155,00 €	100	220,00 €	100	244,00 €	100	265,00 €	100	290,00 €	100	124,00 €	100	124,00 €
130	166,00 €	130	246,00 €	130	262,00 €	130	285,00 €	130	308,00 €	130	138,00 €	130	138,00 €
150	176,00 €	150	285,00 €	150	295,00 €	150	306,00 €	150	315,00 €	150	170,00 €	150	170,00 €
180	185,00 €	180	313,00 €	180	317,00 €	180	323,00 €	180	333,00 €	180	179,00 €	180	179,00 €
200	193,00 €	200	329,00 €	200	336,00 €	200	330,00 €	200	352,00 €	200	193,00 €	200	193,00 €
250	232,00 €	250	354,00 €	250	363,00 €	250	372,00 €	250	383,00 €	250	235,00 €	250	235,00 €
300	262,00 €	300	448,00 €	300	468,00 €	300	472,00 €	300	511,00 €	300	298,00 €	300	298,00 €
350	316,00 €	350	802,00 €	350	816,00 €	350	828,00 €	350	843,00 €	350	380,00 €	350	380,00 €
400	365,00 €	400	891,00 €	400	903,00 €	400	916,00 €	400	932,00 €	400	438,00 €	400	438,00 €
450	413,00 €	450	970,00 €	450	1.013,00 €	450	1.026,00 €	450	1.066,00 €	450	502,00 €	450	500,00 €
500	423,00 €	500	1.081,00 €	500	1.119,00 €	500	1.158,00 €	500	1.200,00 €	500	563,00 €	500	563,00 €
600	598,00 €	600	1.514,00 €	600	1.550,00 €	600	1.586,00 €	600	1.625,00 €	600	807,00 €	600	767,00 €

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar





Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Ceiling plate 0-30°
two-piece

Ceiling plate 0-30°
two-piece

Ventilated ceiling
plate 0-30°, two-
piece



DWPW53Ø		DWPW59Ø		DWPW38Ø		DWPW54Ø		DWPW99VØ		DWPW98VØ		DWPW99VHLØ	
100	195,00 €	100	195,00 €	100	212,00 €	100	212,00 €	100	72,00 €	100	85,00 €	100	110,00 €
130	204,00 €	130	204,00 €	130	227,00 €	130	227,00 €	130	75,00 €	130	87,00 €	130	114,00 €
150	232,00 €	150	232,00 €	150	254,00 €	150	254,00 €	150	81,00 €	150	93,00 €	150	120,00 €
180	249,00 €	180	249,00 €	180	258,00 €	180	258,00 €	180	93,00 €	180	107,00 €	180	131,00 €
200	261,00 €	200	261,00 €	200	261,00 €	200	261,00 €	200	105,00 €	200	116,00 €	200	142,00 €
250	265,00 €	250	265,00 €	250	265,00 €	250	265,00 €	250	124,00 €	250	137,00 €	250	162,00 €
300	269,00 €	300	269,00 €	300	269,00 €	300	269,00 €	300	153,00 €	300	165,00 €	300	193,00 €
350	277,00 €	350	277,00 €	350	277,00 €	350	277,00 €	350	159,00 €	350	172,00 €	350	200,00 €
400	321,00 €	400	321,00 €	400	321,00 €	400	321,00 €	400	172,00 €	400	185,00 €	400	212,00 €
450	347,00 €	450	364,00 €	450	358,00 €	450	345,00 €	450	188,00 €	450	203,00 €	450	226,00 €
500	402,00 €	500	402,00 €	500	402,00 €	500	402,00 €	500	201,00 €	500	213,00 €	500	238,00 €
600	643,00 €	600	643,00 €	600	643,00 €	600	643,00 €	600	278,00 €	600	297,00 €	600	312,00 €

- *1 Other flanges possible on customer request, prices on request

Ventilated ceiling plate 31-45°, two-piece

Adaptor EW-KL/
DW-POWER



Adaptor DW-POWER/
ER/EW-KL

Adaptor DW-POWER/
ER/Flange

Adaptor Flange/
DW-POWER

Adaptor DW-KL/
DW-POWER

Adaptor DW-POWER/
ER/DW-KL



DWPW98VHLØ		DWPW37Ø		DWPW37AØ		DWPW856AØ		DWPW856Ø		DWPW2005Ø		DWPW2006Ø	
100	124,00 €	100	63,00 €	100	63,00 €	100	170,00 €	100	170,00 €	100	140,00 €	100	140,00 €
130	127,00 €	130	64,00 €	130	64,00 €	130	201,00 €	130	201,00 €	130	150,00 €	130	150,00 €
150	131,00 €	150	64,00 €	150	64,00 €	150	228,00 €	150	228,00 €	150	170,00 €	150	170,00 €
180	145,00 €	180	73,00 €	180	73,00 €	180	262,00 €	180	262,00 €	180	185,00 €	180	185,00 €
200	155,00 €	200	81,00 €	200	81,00 €	200	289,00 €	200	289,00 €	200	218,00 €	200	218,00 €
250	174,00 €	250	94,00 €	250	94,00 €	250	340,00 €	250	340,00 €	250	275,00 €	250	275,00 €
300	195,00 €	300	109,00 €	300	109,00 €	300	401,00 €	300	401,00 €	300	378,00 €	300	378,00 €
350	212,00 €	350	124,00 €	350	124,00 €	350	460,00 €	350	460,00 €	350	417,00 €	350	417,00 €
400	224,00 €	400	146,00 €	400	146,00 €	400	524,00 €	400	524,00 €	400	689,00 €	400	689,00 €
450	239,00 €	450	157,00 €	450	158,00 €	450	569,00 €	450	569,00 €	450	718,00 €	450	719,00 €
500	250,00 €	500	174,00 €	500	174,00 €	500	627,00 €	500	627,00 €	500	776,00 €	500	776,00 €
600	356,00 €	600	220,00 €	600	221,00 €	600	844,00 €	600	844,00 €	600	929,00 €	600	929,00 €

DW-POWER 57

Length 250mm
with test point, 1/2"
female socket and
screw

Length 500mm with
2 test points 1" (90°
radially offset) and
2 test points 3" (90°
radially offset) incl.
locking band


Length 250mm
with drain ring and
1/2" nozzle with
screw

Removable soot
collector with
condensate drain
and locking band
2.0, assembly on
DWPW07

Adjustable rafter
bracket 500-
900mm

Ceiling suspen-
sion with sound
absorbing layer for
threaded rod M8,
up to max. 23 kg

Support 800-
1200mm



DWPW51Ø		DWPW2637Ø		DWPW1494Ø		DWPW44Ø		DWPW55Ø		DWPW61VØ		DWPW40Ø	
100	124,00 €	150	404,00 €	100	229,00 €	100	191,00 €	100	172,00 €	100	93,00 €	100	110,00 €
130	135,00 €	180	424,00 €	130	254,00 €	130	203,00 €	130	194,00 €	130	98,00 €	130	111,00 €
150	139,00 €	200	433,00 €	150	268,00 €	150	222,00 €	150	217,00 €	150	98,00 €	150	114,00 €
180	158,00 €	250	459,00 €	180	300,00 €	180	244,00 €	180	229,00 €	180	99,00 €	180	116,00 €
200	167,00 €	300	492,00 €	200	316,00 €	200	273,00 €	200	246,00 €	200	100,00 €	200	116,00 €
250	209,00 €	350	536,00 €	250	381,00 €	250	341,00 €	250	256,00 €	250	111,00 €	250	132,00 €
300	264,00 €	400	564,00 €	300	458,00 €	300	419,00 €	300	329,00 €	300	123,00 €	300	138,00 €
350	323,00 €	450	606,00 €	350	539,00 €	350	482,00 €	350	354,00 €	350	137,00 €	350	142,00 €
400	441,00 €	500	648,00 €	400	678,00 €	400	664,00 €	400	397,00 €	400	156,00 €	400	154,00 €
450	488,00 €	600	709,00 €	450	731,00 €	450	730,00 €	450	440,00 €	450	181,00 €	450	160,00 €
500	495,00 €			500	775,00 €	500	797,00 €	500	486,00 €	500	206,00 €	500	174,00 €
600	564,00 €			600	887,00 €	600	956,00 €	600	694,00 €	600	298,00 €	600	233,00 €



System DW-POWER 57



Support with joint
800-1200mm, sing-
le-bracedd

Support with joint
800-1200mm, sing-
le-bracedd




3-point guy wire
bracket

Lightning protec-
tion clamp

Locking band

Elbow 90° with
diagonal cut 45°
including bird pro-
tection grid


Elbow 135° with 45°
diagonal cut and
bird guard



DWPW40MGØ		DWPW40MGØ		DWPW42Ø		DWPW69Ø		DWPW989Ø		DWPW863Ø		DWPW1021Ø	
100	224,00 €	200	230,00 €	100	42,00 €	100	42,00 €	100	20,00 €	100	554,00 €	100	658,00 €
130	226,00 €	250	249,00 €	130	43,00 €	130	43,00 €	130	20,00 €	130	581,00 €	130	687,00 €
150	228,00 €	300	253,00 €	150	44,00 €	150	44,00 €	150	20,00 €	150	600,00 €	150	712,00 €
180	229,00 €	350	256,00 €	180	45,00 €	180	45,00 €	180	21,00 €	180	656,00 €	180	776,00 €
		400	269,00 €	200	45,00 €	200	45,00 €	200	21,00 €	200	679,00 €	200	819,00 €
		450	275,00 €	250	61,00 €	250	61,00 €	250	21,00 €	250	772,00 €	250	934,00 €
		500	291,00 €	300	72,00 €	300	72,00 €	300	23,00 €	300	959,00 €	300	1.191,00 €
		600	397,00 €	350	75,00 €	350	75,00 €	350	26,00 €	350	1.256,00 €	350	1.533,00 €
				400	78,00 €	400	78,00 €	400	31,00 €	400	1.343,00 €	400	1.695,00 €
				450	86,00 €	450	85,00 €	450	34,00 €	450	1.622,00 €	450	2.051,00 €
				500	92,00 €	500	92,00 €	500	36,00 €	500	1.942,00 €	500	2.459,00 €
				600	131,00 €	600	131,00 €	600	52,00 €	600	2.330,00 €	600	2.949,00 €

Lubricant silicone
fitting grease, tube
60g

Insulation Cutter



750GLEI2815-2	TLDE102
6,00 €	113,00 €

TLDE102

-The correct use of the
insulation cutter-

Scan the QR code and watch
the video:



[Click here to open the video](#)

