

# PRICELIST 2026

System  
**DW-WHITE**



# System DW-WHITE

## DESCRIPTION

White matt powder-coated double wall system made of stainless steel for all standard fireplaces in negative pressure operation, in dry or wet operation

## MATERIAL

Inside: L99

Outside: Elo-galvanized

## FINISHING

White powder-coated (RAL 9010 matt)

Colours:

DW-WHITE (RAL 9010 matt)

## WALL THICKNESS

Inside / outside each 0.5 mm

## INSIDE DIAMETER

130 - 200 mm

## INSULATION

Mineral insulation with 25 mm thickness

## CONNECTION

Plug connection socket / bead with clamping band

## LOCKING BAND


Included

## ORDER CODE

The article code for your order results from:

Article code + Ø (Ex: 47-290-DWETN05130).

Please refer to the respective code for deviations.



## CHARACTERISTICS

- Inexpensive white matt powder-coated exhaust system
- 70 mm wide, recessed locking band
- Resistant to soot fire or moisture

## APPLICATION AREAS

- Standard fireplaces for oil, gas and solid fuels (natural wood, coke, peat, coal\*)

\* excluding anthracite coal from Ibbenbüren, Germany

## CE MARK NUMBER

0036 CPR 9174 137

## CE CLASSIFICATION ACC. TO DIN EN 1856-1

T450 - N1 - W - V2 - L99050 - G80

## CONNECTING PIPE

### CE MARK NUMBER

0036 CPR 9174 138

### CE-CLASSIFICATION ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L99050 - G170 M



# System DW-WHITE



Cantilevers type I  
350mm

Cantilevers type II  
500mm


Cantilevers Type III  
750mm

Base plate with  
condensate drain at  
the bottom and 1/2"  
nipple

Base plate for inter-  
mediate support

Base plate for  
mounting on a brack-  
et with side drain  
and 1/2" threaded  
nipple

Closing cap plastic  
for drain 1/2" (up to  
200°C)



47-DW391	47-DW392	47-DW393	47-290-DWETN05Ø	47-290-DWETN07Ø	47-290-DWETN66Ø	750ADK1/2
134,00 €	151,00 €	185,00 €	130 109,00 €	130 113,00 €	130 132,00 €	5,00 €
			150 113,00 €	150 125,00 €	150 151,00 €	
			180 129,00 €	180 142,00 €	180 176,00 €	
			200 135,00 €	200 150,00 €	200 185,00 €	

Base plate for chim-  
ney raise 450°C/  
NI (round insert  
sleeve), max. height  
from base plate  
1,5m

Inspection length  
(up to 450°C/NI)

Inspection length  
(up to 600°C/  
NI) square door  
210x140mm

Inspection length  
extruded (up to  
600°C/NI), square  
door 210x140mm

T-90°

Length 1000mm

Length 500mm



47-290-DWETN08Ø	47-290-DWETN2747Ø	47-205-DWETN10Ø	47-205-DWETN2942Ø	47-290-DWETN2866Ø	47-290-DWETN13Ø	47-290-DWETN14Ø
130 113,00 €	130 256,00 €	130 320,00 €	130 272,00 €	130 215,00 €	130 167,00 €	130 100,00 €
150 127,00 €	150 312,00 €	150 337,00 €	150 287,00 €	150 249,00 €	150 190,00 €	150 110,00 €
180 147,00 €	180 334,00 €	180 348,00 €	180 297,00 €	180 273,00 €	180 217,00 €	180 129,00 €
200 154,00 €	200 399,00 €	200 365,00 €	200 311,00 €	200 337,00 €	200 242,00 €	200 135,00 €

Length 250mm

Length 500mm  
with integrated wall  
sleeve shortenable  
for FERRO

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Elbow 90°



47-290-DWETN15Ø	47-290-DWETN1661Ø	47-290-DWETN16Ø	47-290-DWETN17Ø	47-290-DWETN18Ø	47-290-DWETN64Ø	47-290-DWETN60Ø
130 71,00 €	130 171,00 €	130 96,00 €	130 101,00 €	130 109,00 €	130 221,00 €	130 221,00 €
150 77,00 €	150 188,00 €	150 108,00 €	150 111,00 €	150 113,00 €	150 227,00 €	150 227,00 €
180 86,00 €	180 195,00 €	180 117,00 €	180 123,00 €	180 125,00 €	180 248,00 €	180 248,00 €
200 99,00 €	200 221,00 €	200 123,00 €	200 129,00 €	200 140,00 €	200 254,00 €	200 254,00 €



# System DW-WHITE



Elbow 90° with inspection door

End cap (up to 450°C/NI)

End pipe for DW-WHITE

Rain cap

Storm collar

Adaptor EW/DW-WHITE

Adaptor DW-WHITE/EW



47-205-DWETN19Ø	47-205-DWETN32Ø	47-205-DWETN2904Ø	47-215-DWECO33Ø	47-390-DWECO31Ø	47-290-DWETN37Ø	47-205-DWETN37AØ
130 328,00 €	130 52,00 €	130 198,00 €	130 74,00 €	130 31,00 €	130 59,00 €	130 59,00 €
150 338,00 €	150 57,00 €	150 222,00 €	150 79,00 €	150 34,00 €	150 61,00 €	150 61,00 €
180 356,00 €	180 59,00 €	180 248,00 €	180 83,00 €	180 36,00 €	180 64,00 €	180 65,00 €
200 394,00 €	200 61,00 €	200 271,00 €	200 96,00 €	200 38,00 €	200 67,00 €	200 67,00 €

Adaptor DW-WHITE/EW-FU with female socket

Adaptor EW/DW-WHITE with integrated wall sleeve straight for FERRO

Wall bracket 50mm

Adjustable wall bracket 50-150mm, single-braced

Adjustable wall bracket 50-250mm, single-braced

Adjustable wall bracket 250-360mm, single-braced

Wall and head piece for wall bracket, wall distance min 250mm



47-205-DWETN37AMØ	47-290-DWETN37GWFO	47-DWECO21Ø	47-DWECO22Ø	47-DWECO23Ø	47-DWECO24Ø	47-DWECO20Ø
130 66,00 €	130 106,00 €	130 52,00 €	130 93,00 €	130 111,00 €	130 150,00 €	130 108,00 €
150 67,00 €	150 111,00 €	150 58,00 €	150 95,00 €	150 114,00 €	150 151,00 €	150 109,00 €
180 69,00 €	180 116,00 €	180 61,00 €	180 98,00 €	180 116,00 €	180 154,00 €	180 111,00 €
200 74,00 €	200 125,00 €	200 63,00 €	200 99,00 €	200 122,00 €	200 161,00 €	200 113,00 €

Extension 30x30mm for 47-DWECO20 single-braced l=1000mm

Extension 30x30mm for 47-DWECO20 single-braced l=500mm

Flashing kit 5-15° with FastFlash plate elastomer black and storm collar

Flashing kit 5-15° with FastFlash plate elastomer red and storm collar

Flashing kit 5-15° with FastFlash plate elastomer grey and storm collar

Flashing kit 16-25° with FastFlash plate elastomer collar black and storm collar

Flashing kit 16-25° with FastFlash plate elastomer collar red and storm collar



47-DW86	47-DW85	47-DWECO2556-1Ø	47-DWECO2556-2Ø	47-DWECO2556-3Ø	47-DWECO2558-1Ø	47-DWECO2558-2Ø
90,00 €	66,00 €	130 247,00 €	130 247,00 €	130 247,00 €	130 247,00 €	130 247,00 €
		150 269,00 €	150 269,00 €	150 269,00 €	150 269,00 €	150 269,00 €
		180 287,00 €	180 287,00 €	180 287,00 €	180 287,00 €	180 287,00 €
		200 295,00 €	200 295,00 €	200 295,00 €	200 295,00 €	200 295,00 €

Flashing kit 16-35° with FastFlash plate elastomer collar grey and storm collar

Flashing kit 26-35° with FastFlash plate elastomer collar black and storm collar

Flashing kit 26-35° with FastFlash plate elastomer collar red and storm collar

Flashing kit 26-35° with FastFlash plate elastomer collar grey and storm collar

Flashing kit 36-45° with FastFlash plate elastomer black and storm collar

Flashing kit 36-45° with FastFlash plate elastomer red and storm collar

Flashing kit 36-45° with FastFlash plate elastomer grey and storm collar



47-DWECO2558-3Ø	47-DWECO2557-1Ø	47-DWECO2557-2Ø	47-DWECO2557-3Ø	47-DWECO2551-1Ø	47-DWECO2551-2Ø	47-DWECO2551-3Ø
130 247,00 €	130 247,00 €	130 247,00 €	130 247,00 €	130 247,00 €	130 247,00 €	130 247,00 €
150 269,00 €	150 269,00 €	150 269,00 €	150 269,00 €	150 269,00 €	150 269,00 €	150 269,00 €
180 287,00 €	180 287,00 €	180 287,00 €	180 287,00 €	180 287,00 €	180 287,00 €	180 287,00 €
200 295,00 €	200 295,00 €	200 295,00 €	200 295,00 €	200 295,00 €	200 295,00 €	200 295,00 €

Ventilated ceiling plate, 1-65°, one-piece

Ceiling plate 0° two-piece

Ceiling plate 1-65° two-piece

Ventilated ceiling plate, 0°, one-piece

Ventilated ceiling plate, 1-65°, one-piece

Ventilated split ceiling plate 0°, two-piece

Ventilated split ceiling plate 1-65°, two-piece



47-DWECO71Ø	47-DWECO74Ø	47-DWECO75Ø	47-DWECO70HLØ	47-DWECO71HLØ	47-DWECO74HLØ	47-DWECO75HLØ
130 90,00 €	130 95,00 €	130 102,00 €	130 125,00 €	130 134,00 €	130 136,00 €	130 144,00 €
150 95,00 €	150 109,00 €	150 121,00 €	150 129,00 €	150 136,00 €	150 149,00 €	150 162,00 €
180 100,00 €	180 111,00 €	180 123,00 €	180 132,00 €	180 140,00 €	180 160,00 €	180 165,00 €
200 102,00 €	200 126,00 €	200 139,00 €	200 136,00 €	200 144,00 €	200 168,00 €	200 182,00 €

Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ceiling plate 31-45°, two-piece

Ceiling plate 0-30°, two-piece

Locking band 2.0

Adjustable rafter bracket, 500-900mm

3-point guy wire bracket



47-DWECO99VØ	47-DWECO98VØ	47-DWECO98VHLØ	47-DWECO99VHLØ	47-DWECO989Ø	47-DWECO55Ø	47-DWECO42Ø
130 76,00 €	130 90,00 €	130 132,00 €	130 118,00 €	130 22,00 €	130 170,00 €	130 46,00 €
150 79,00 €	150 95,00 €	150 136,00 €	150 122,00 €	150 23,00 €	150 183,00 €	150 47,00 €
180 83,00 €	180 100,00 €	180 139,00 €	180 125,00 €	180 26,00 €	180 193,00 €	180 50,00 €
200 90,00 €	200 102,00 €	200 144,00 €	200 132,00 €	200 29,00 €	200 221,00 €	200 51,00 €



# System DW-WHITE



Spray can re-  
placement colour  
RAL9010M, 400ml



47-LACK-DOSE

11,00 €

GERMANY

**Jeremias Abgastechnik GmbH**

Opfenrieder Str. 12  
D-91717 Wassertrüdingen  
Phone: +49 9832 6868-50  
E-Mail: [info@jeremias.de](mailto:info@jeremias.de)  
[www.jeremias.de/en](http://www.jeremias.de/en)

POLAND  
[www.jeremias.pl](http://www.jeremias.pl)

USA  
[www.jeremiasinc.com](http://www.jeremiasinc.com)

SPAIN  
[www.jeremias.es](http://www.jeremias.es)

CROATIA  
[www.jeremias.hr](http://www.jeremias.hr)

ITALY  
[www.jeremias.it](http://www.jeremias.it)

CZECH REPUBLIC  
[www.jeremias.cz](http://www.jeremias.cz)

FINLAND  
[www.jeremias.fi](http://www.jeremias.fi)

FRANCE  
[www.jeremias.fr](http://www.jeremias.fr)

UNITED KINGDOM  
[www.jeremias.uk](http://www.jeremias.uk)

Jeremias high quality products to be installed only by selected experts.

The expert in your area: