



System ISO-LINE

DESCRIPTION

Double wall connecting pipe for stoves and use as a visible element in living rooms, dry operation mode

MATERIAL

1.4404 (316L) / 1.4301 (304)

FINISHING

Heat-resistant senotherm paint

Brushed stainless steel
Black 702.284
Cast grey 702.288

WALL THICKNESS

Inside / Outside each 0.6 mm

INSIDE DIAMETER

130 mm and 150 mm

INSULATION


Ceramic insulation 15 mm thick

CONNECTION

Plug-and-socket connection with slip-on connector ends

ORDER CODE

The article code for your order results from:
System + article code + Ø (e.g.: 15-ISO460130)
If you require a different color, please use instead
15-ISO (black) the article code 25-ISO (cast gray)



CHARACTERISTICS

- Decreases the required clearance to flammable components from 400 mm to 200 mm (compared to normal stovepipes)

APPLICATION AREAS

- Standard heating applications for solid fuels (natural wood, coke, peat, coal*)
- Stoves

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER


0036 CPR 9174 038

CE CLASSIFICATIONS - DIN EN 1856 - 2

T450 - N1 - D - V3 - L50060 - G200M



System ISO-LINE BLACK



Elbow 15° with door Elbow 30° with door Elbow 45° with door Elbow 90° with door Elbow 15° without door Elbow 30° without door Elbow 45° without door



15-ISO4600		15-ISO4610		15-ISO4090		15-ISO0190		15-ISO0160		15-ISO0170		15-ISO0180	
130	187,00 €	130	197,00 €	130	197,00 €	130	299,00 €	130	115,00 €	130	120,00 €	130	120,00 €
150	194,00 €	150	204,00 €	150	204,00 €	150	322,00 €	150	119,00 €	150	124,00 €	150	124,00 €

Elbow 90° without door

Elbow with door and **starter kit** throttle valve, vertical inspection, damper, sleeve storm collar and adaptor 700mm, horizontal 500mm

Length 1000mm

Length 750mm



15-ISO0600		15-ISO4150		15-ISO4990		15-ISO0130		15-ISO4020	
130	251,00 €	130	372,00 €	130	556,00 €	130	214,00 €	130	168,00 €
150	260,00 €	150	387,00 €	150	579,00 €	150	222,00 €	150	173,00 €

Length 500mm

Length 330mm

Length 250mm

Length 150mm

Length 1000mm with throttle valve and door (retracted)

Length 500mm with throttle valve and door (retracted)

Length 300mm with throttle valve



15-ISO0140		15-ISO2220		15-ISO0150		15-ISO2240		15-ISO4500		15-ISO4510		15-ISO4180	
130	120,00 €	130	102,00 €	130	87,00 €	130	61,00 €	130	343,00 €	130	213,00 €	130	197,00 €
150	124,00 €	150	105,00 €	150	89,00 €	150	63,00 €	150	356,00 €	150	221,00 €	150	204,00 €

Inspection length
150mm with conden-
sate ring (retracted)

Adaptor stove/ISO-
Line

Adaptor ISO Line/
EW (wall sleeve)

Adjustable wall bra-
cket up to 250mm,
single-braced

Storm collar 55mm

Storm collar wide
85mm



15-ISO465Ø		15-ISO037Ø		15-ISO37AØ		15-ISO387Ø		15-ISO422Ø		15-ISO423Ø	
130	99,00 €	130	60,00 €	130	60,00 €	130	117,00 €	130	20,00 €	130	27,00 €
150	102,00 €	150	61,00 €	150	61,00 €	150	120,00 €	150	21,00 €	150	29,00 €



System ISO-LINE BRUSHED



Elbow 15° with door Elbow 30° with door Elbow 45° with door Elbow 90° with door Elbow 15° without door Elbow 30° without door Elbow 45° without door

350-ISO460Ø	350-ISO461Ø	350-ISO409Ø	350-ISO019Ø	350-ISO016Ø	350-ISO017Ø	350-ISO018Ø
130 170,00 €	130 176,00 €	130 176,00 €	130 282,00 €	130 107,00 €	130 111,00 €	130 111,00 €
150 174,00 €	150 187,00 €	150 187,00 €	150 303,00 €	150 110,00 €	150 115,00 €	150 115,00 €

Elbow 90° without door Elbow with door and **starter kit** throttle valve, vertical inspection, damper, sleeve storm collar and adaptor 700mm, horizontal 500mm Length 1000mm Length 750mm

350-ISO060Ø	350-ISO415Ø	350-ISO499Ø	350-ISO013Ø	350-ISO402Ø
130 229,00 €	130 336,00 €	130 509,00 €	130 196,00 €	130 152,00 €
150 237,00 €	150 349,00 €	150 529,00 €	150 202,00 €	150 160,00 €

Length 500mm Length 330mm Length 250mm Length 150mm Length 1000mm with throttle valve and door (retracted) Length 500mm with throttle valve and door (retracted) Length 300mm with throttle valve

350-ISO014Ø	350-ISO222Ø	350-ISO015Ø	350-ISO224Ø	350-ISO450Ø	350-ISO451Ø	350-ISO418Ø
130 111,00 €	130 89,00 €	130 81,00 €	130 58,00 €	130 291,00 €	130 172,00 €	130 176,00 €
150 115,00 €	150 95,00 €	150 83,00 €	150 59,00 €	150 316,00 €	150 184,00 €	150 187,00 €

Inspection length
130mm with conden-
sate ring (retracted)

Adaptor stove/ISO-
Line

Adaptor ISO Line/
EW (wall sleeve)

Adjustable wall bra-
cket up to 250mm,
single-braced

Storm collar 55mm

Storm collar wide
85mm



350-ISO4650		350-ISO0370		350-ISO37A0		350-ISO3870		350-ISO4220		350-ISO4230	
130	88,00 €	130	56,00 €	130	56,00 €	130	107,00 €	130	18,00 €	130	26,00 €
150	94,00 €	150	57,00 €	150	57,00 €	150	110,00 €	150	19,00 €	150	27,00 €