



System PELLET-LINE

DESCRIPTION

Connecting pipe made of stainless steel with internal gasket for connecting to pellet stoves and use as a visible element in living rooms

MATERIAL

Stainless steel 1.4404 (316L)

FINISHING

Heat-resistant silicon paint

Colours:

Unpainted

Black RAL-SI-TS70030020

Cast grey RAL-FEYCOSIL242

WALL THICKNESS

0.4 mm

INSIDE DIAMETER

80 - 100 mm

Others on request

CONNECTION

Push-fit connection retracted with special internal gasket


ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: 15-EWPV013080)

If you require a different color, please use instead

15-EWPV (black) the article code 25-EWPV (cast gray)



CHARACTERISTICS

- Resistant to soot fires and moisture
- Pressure tight up to 200 Pa

APPLICATION AREAS

- Connecting pipe to pellet stoves

CE MARK NUMBER

0036 CPR 9174 072

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

Without radiation protection

T200 - N1 - D - V2 - L50040 - G400M (without coating)

T200 - P1 - W - V2 - L50040 - O50M (without coating)

Distances with radiation protection G200



System PELLET-LINE BLACK



Length 1000mm

Length 500mm

Length 250mm

Adjustable length
080-420mm

Length 500mm
with inspection
door

Elbow 15°

Elbow 30°



15-EWPV013Ø

15-EWPV014Ø

15-EWPV015Ø

15-EWPV2416Ø

15-EWPV725Ø

15-EWPV016Ø

15-EWPV017Ø

|080 51,00 €
|100 53,00 €

|080 35,00 €
|100 40,00 €

|080 28,00 €
|100 34,00 €

|080 39,00 €
|100 46,00 €

|080 63,00 €
|100 64,00 €

|080 32,00 €
|100 34,00 €

|080 32,00 €
|100 34,00 €

Elbow 45°

Elbow 90°

Elbow 90° with
inspection door

Knee elbow 90°

Elbow 90° with fe-
male socket (boiler
adaptor)

T-90° with remo-
vable condensate
collector, outlet
with female socket
(boiler adaptor)

T-90° with FU-female
outlet and removable
condensate collec-
tor without drain
(smooth/without
beads on top)



15-EWPV018Ø

15-EWPV060Ø

15-EWPV019Ø

15-EWPV1288Ø

15-EWPV673Ø

15-EWPV557Ø

15-EWPV557BØ

|080 32,00 €
|100 34,00 €

|080 43,00 €
|100 45,00 €

|080 67,00 €
|100 70,00 €

|080 39,00 €
|100 40,00 €

|080 45,00 €
|100 51,00 €

|080 74,00 €
|100 76,00 €

|080 74,00 €
|100 76,00 €

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

Device adaptor
with female socket
and test point

Device adaptor
with female socket
and test point

Device adaptor
with female socket

Device adaptor
with double female

Storm collar



15-EWPV1419Ø

15-EWPV1419BØ

15-EWPV674Ø

15-EWPV674BØ

15-EWPV675Ø

15-EWPV675BØ

15-ZUWA676Ø

|080 98,00 €
|100 101,00 €

|080 98,00 €
|100 101,00 €

|080 58,00 €
|100 59,00 €

|080 58,00 €
|100 59,00 €

|080 32,00 €
|100 38,00 €

|080 32,00 €
|100 38,00 €

|080 23,00 €
|100 26,00 €

- *1 For your order please specify the type of the wall sleeve

Storm collar 80mm (closed)



15-ZUWA2159-1Ø		
080	27,00 €	
100	31,00 €	

Stove connection band with threaded socket



15-ZUWA677Ø		
080	32,00 €	
100	34,00 €	

Stainless steel wall sleeve, airtight



EWPV1154Ø		
080	40,00 €	
100	42,00 €	

Gasket silicone up to 200°C



EWPV026Ø		
060	21,00 €	
072	21,00 €	

Heat radiation shield elbow 90°, vertical



15-EWEC497Ø		
080	42,00 €	
100	45,00 €	

Heat radiation shield elbow 90°, horizontal



15-EWEC498Ø		
080	42,00 €	
100	45,00 €	

Heat radiation shield l=1000mm



15-EWEC961Ø		
080	125,00 €	
100	133,00 €	

Heat radiation shield l=500mm



15-EWEC483Ø		
080	67,00 €	
100	72,00 €	

Heat radiation shield l=250mm



15-EWEC959Ø		
080	38,00 €	
100	43,00 €	

Adaptor EW-PV/ DW-ECO 2.0




15-205-DWETN37PVØ		
080	86,00 €	
100	90,00 €	

Adaptor EW-PV/ DW-FU



15-DW37PVØ		
080	91,00 €	
100	92,00 €	

Connection piece with integrated wall sleeve



*1

EWPV757Ø-Ø							
A 100	79,00 €	A 130	81,00 €	A 160	86,00 €	A 200	90,00 €
B 080		B 080		B 080		B 080	
A 115	79,00 €	A 130	83,00 €	A 160	87,00 €	A 200	92,00 €
B 080		B 100		B 100		B 100	
A 120	81,00 €	A 150	84,00 €	A 180	86,00 €		
B 080		B 080		B 080			
A 120	83,00 €	A 150	84,00 €	A 180	87,00 €		
B 100		B 100		B 100			



System PELLET-LINE UNPAINTED



Length 1000mm

Length 500mm

Length 250mm

Adjustable length
080-420mm

Length 500mm
with inspection
door

Elbow 15°

Elbow 30°



EWPV013Ø

EWPV014Ø

EWPV015Ø

EWPV2416Ø

EWPV725Ø

EWPV016Ø

EWPV017Ø

 080	43,00 €	 080	28,00 €	 080	21,00 €	 080	34,00 €	 080	54,00 €	 080	23,00 €	 080	27,00 €
 100	45,00 €	 100	34,00 €	 100	27,00 €	 100	38,00 €	 100	58,00 €	 100	26,00 €	 100	28,00 €

Elbow 45°

Elbow 90°

Elbow 90° with
inspection door

Knee elbow 90°

Elbow 90° with fe-
male socket (boiler
adaptor)

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

T-90° with FU-female
outlet and removable
condensate collec-
tor without drain
(smooth/without
beads on top)



EWPV018Ø

EWPV060Ø

EWPV019Ø

EWPV1288Ø

EWPV673Ø

EWPV557Ø

EWPV557BØ

 080	31,00 €	 080	36,00 €	 080	62,00 €	 080	32,00 €	 080	39,00 €	 080	66,00 €	 080	66,00 €
 100	32,00 €	 100	39,00 €	 100	64,00 €	 100	35,00 €	 100	42,00 €	 100	69,00 €	 100	69,00 €

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

Device adaptor
with female socket
and test point

Device adaptor
with female socket
and test point

Device adaptor
with female socket

Device adaptor
with double female

Storm collar



EWPV1419Ø

EWPV1419BØ

EWPV674Ø

EWPV674BØ

EWPV675Ø

EWPV675BØ

ZUWA676Ø

 080	91,00 €	 080	91,00 €	 080	52,00 €	 080	54,00 €	 080	23,00 €	 080	23,00 €	 080	21,00 €
 100	93,00 €	 100	93,00 €	 100	53,00 €	 100	57,00 €	 100	31,00 €	 100	31,00 €	 100	22,00 €

- *1 For your order please specify the type of the wall sleeve

Storm collar 80mm (closed)



ZUWA2159-1Ø		
Ø80	23,00 €	
100	27,00 €	

Stove connection band with threaded socket



ZUWA677Ø		
Ø80	23,00 €	
100	26,00 €	

Stainless steel wall sleeve, airtight



EWPV1154Ø		
Ø80	40,00 €	
100	42,00 €	

Gasket silicone up to 200°C




EWPV026Ø		
Ø60	21,00 €	
Ø72	21,00 €	

Heat radiation shield elbow 90°, vertical



EWEC497Ø		
Ø80	35,00 €	
100	39,00 €	

Heat radiation shield elbow 90°, horizontal



EWEC498Ø		
Ø80	35,00 €	
100	39,00 €	

Heat radiation shield l=1000mm



EWEC961Ø		
Ø80	118,00 €	
100	126,00 €	

Heat radiation shield l=500mm




EWEC483Ø		
Ø80	61,00 €	
100	64,00 €	

Heat radiation shield l=250mm




EWEC959Ø		
Ø80	31,00 €	
100	36,00 €	

Adaptor EW-PV/ DW-ECO 2.0




205-DWETN37PVØ		
Ø80	58,00 €	
100	59,00 €	

Adaptor EW-PV/ DW-FU



DW37PVØ		
Ø80	61,00 €	
100	62,00 €	

Connection piece with integrated wall sleeve



*1

EWPV757Ø-Ø									
A 100	79,00 €	A 130	81,00 €	A 160	86,00 €	A 200	90,00 €		
B 080		B 080		B 080		B 080			
A 115	79,00 €	A 130	83,00 €	A 160	87,00 €	A 200	92,00 €		
B 080		B 100		B 100		B 100			
A 120	81,00 €	A 150	84,00 €	A 180	86,00 €				
B 080		B 080		B 080					
A 120	83,00 €	A 150	84,00 €	A 180	87,00 €				
B 100		B 100		B 100					