



# System PELLET-LINE

## DESCRIPTION

Connecting pipe made of stainless steel with internal gasket for connecting to pellet stoves and use as a visible element in living rooms

## MATERIAL

Stainless steel 1.4404 (316L)

## FINISHING

Heat-resistant silicon paint

Colours:

Unpainted

Black RAL-SI-TS70030020

Cast grey RAL-FEYCOSIL242

## WALL THICKNESS

0.4 mm

## INSIDE DIAMETER

80 - 100 mm

Others on request

## CONNECTION

Push-fit connection retracted with special internal gasket


## ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: 15-EWPV013080)

If you require a different color, please use instead

15-EWPV (black) the article code 25-EWPV (cast gray)



## CHARACTERISTICS

- Resistant to soot fires and moisture
- Pressure tight up to 200 Pa

## APPLICATION AREAS

- Connecting pipe to pellet stoves

## CE MARK NUMBER

0036 CPR 9174 072

## CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

T200 - N1 - D - V2 - L50040 - G400M (without coating)

T200 - N1 - D - V2 - L50040 - GxxNM (with coating)

T200 - P1 - W - V2 - L50040 - O50M (without coating)

xx = Clearances in relation to flammable materials depend on the diameter, see declaration of performance



# System PELLET-LINE BLACK



Length 1000mm

Length 500mm

Length 250mm

Adjustable length  
080-420mm

Length 500mm with  
inspection door

Elbow 15°

Elbow 30°



15-EWVP013Ø		15-EWVP014Ø		15-EWVP015Ø		15-EWVP2416Ø		15-EWVP725Ø		15-EWVP016Ø		15-EWVP017Ø	
080	49,00 €	080	33,00 €	080	27,00 €	080	37,00 €	080	60,00 €	080	30,00 €	080	30,00 €
100	51,00 €	100	38,00 €	100	32,00 €	100	44,00 €	100	61,00 €	100	32,00 €	100	32,00 €

Elbow 45°

Elbow 90°

Elbow 90° with  
inspection door

Knee elbow 90°

Elbow 90° with  
female socket (boiler  
adaptor)

T-90° with remo-  
vable condensate  
collector, outlet with  
female socket (boiler  
adaptor)

T-90° with FU-female  
outlet and removable  
condensate collec-  
tor without drain  
(smooth/without  
beads on top)



15-EWVP018Ø		15-EWVP060Ø		15-EWVP019Ø		15-EWVP1288Ø		15-EWVP673Ø		15-EWVP557Ø		15-EWVP557BØ	
080	30,00 €	080	41,00 €	080	64,00 €	080	37,00 €	080	43,00 €	080	71,00 €	080	71,00 €
100	32,00 €	100	43,00 €	100	67,00 €	100	38,00 €	100	49,00 €	100	73,00 €	100	73,00 €

T-90° with cleaning  
opening, outlet with  
female socket (boiler  
adaptor)

T-90° with cleaning  
opening, outlet with  
female socket (boiler  
adaptor)

Device adaptor with  
female socket and  
test point

Device adaptor with  
female socket and  
test point

Device adaptor with  
female socket

Device adaptor with  
double female

Storm collar



15-EWVP1419Ø		15-EWVP1419BØ		15-EWVP674Ø		15-EWVP674BØ		15-EWVP675Ø		15-EWVP675BØ		15-ZUWA676Ø	
080	94,00 €	080	94,00 €	080	56,00 €	080	56,00 €	080	30,00 €	080	30,00 €	080	22,00 €
100	97,00 €	100	97,00 €	100	57,00 €	100	57,00 €	100	36,00 €	100	36,00 €	100	25,00 €

• \*1 For your order please specify the type of the wall sleeve

Storm collar 80mm (closed)

Stove connection band with threaded socket

Stainless steel wall sleeve, airtight

Gasket silicone up to 200°C

Heat radiation shield elbow 90°, vertical

Heat radiation shield elbow 90°, horizontal

Heat radiation shield l=1000mm



15-ZUWA2159-1Ø		15-ZUWA677Ø		EWPV1154Ø		ALB126Ø		15-EWEC497Ø		15-EWEC498Ø		15-EWEC961Ø	
Ø80	26,00 €	Ø80	30,00 €	Ø80	38,00 €	Ø60	20,00 €	Ø80	40,00 €	Ø80	40,00 €	Ø80	120,00 €
Ø100	29,00 €	Ø100	32,00 €	Ø100	40,00 €	Ø72	20,00 €	Ø100	43,00 €	Ø100	43,00 €	Ø100	128,00 €

Heat radiation shield l=500mm

Heat radiation shield l=250mm


Adaptor EW-PV/DW-ECO 2.0

Adaptor EW-PV/DW-FU



15-EWEC483Ø		15-EWEC959Ø		15-205-DWETN37PVØ		15-DW37PVØ	
Ø80	64,00 €	Ø80	36,00 €	Ø80	83,00 €	Ø80	87,00 €
Ø100	69,00 €	Ø100	41,00 €	Ø100	86,00 €	Ø100	88,00 €

Connection piece with integrated wall sleeve



\*1

EWPV757Ø-Ø							
A 100	76,00 €	A 130	78,00 €	A 160	83,00 €	A 200	86,00 €
B 080		B 080		B 080		B 080	
A 115	76,00 €	A 130	80,00 €	A 160	84,00 €	A 200	88,00 €
B 080		B 100		B 100		B 100	
A 120	78,00 €	A 150	81,00 €	A 180	83,00 €		
B 080		B 080		B 080		B 080	
A 120	80,00 €	A 150	81,00 €	A 180	84,00 €		
B 100		B 100		B 100		B 100	



# System PELLET-LINE UNPAINTED



Length 1000mm

Length 500mm

Length 250mm

Adjustable length  
080-420mm

Length 500mm with  
inspection door

Elbow 15°

Elbow 30°



EWPV013Ø		EWPV014Ø		EWPV015Ø		EWPV2416Ø		EWPV725Ø		EWPV016Ø		EWPV017Ø	
080	41,00 €	080	27,00 €	080	20,00 €	080	32,00 €	080	52,00 €	080	22,00 €	080	26,00 €
100	43,00 €	100	32,00 €	100	26,00 €	100	36,00 €	100	56,00 €	100	25,00 €	100	27,00 €

Elbow 45°

Elbow 90°

Elbow 90° with  
inspection door

Knee elbow 90°

Elbow 90° with  
female socket (boiler  
adaptor)

T-90° with cleaning  
opening, outlet with  
female socket (boiler  
adaptor)

T-90° with FU-female  
outlet and removable  
condensate collec-  
tor without drain  
(smooth/without  
beads on top)



EWPV018Ø		EWPV060Ø		EWPV019Ø		EWPV1288Ø		EWPV673Ø		EWPV557Ø		EWPV557BØ	
080	29,00 €	080	34,00 €	080	59,00 €	080	30,00 €	080	37,00 €	080	63,00 €	080	63,00 €
100	30,00 €	100	37,00 €	100	61,00 €	100	33,00 €	100	40,00 €	100	66,00 €	100	66,00 €

T-90° with cleaning  
opening, outlet with  
female socket (boiler  
adaptor)

T-90° with cleaning  
opening, outlet with  
female socket (boiler  
adaptor)

Device adaptor with  
female socket and  
test point

Device adaptor with  
female socket and  
test point

Device adaptor with  
female socket

Device adaptor with  
double female

Storm collar



EWPV1419Ø		EWPV1419BØ		EWPV674Ø		EWPV674BØ		EWPV675Ø		EWPV675BØ		ZUWA676Ø	
080	87,00 €	080	87,00 €	080	50,00 €	080	52,00 €	080	22,00 €	080	22,00 €	080	20,00 €
100	89,00 €	100	89,00 €	100	51,00 €	100	55,00 €	100	29,00 €	100	29,00 €	100	21,00 €

• \*1 For your order please specify the type of the wall sleeve

Storm collar 80mm (closed)

Stove connection band with threaded socket


Stainless steel wall sleeve, airtight

Gasket silicone up to 200°C

Heat radiation shield elbow 90°, vertical

Heat radiation shield elbow 90°, horizontal l=1000mm

Heat radiation shield l=1000mm





ZUWA2159-1Ø		ZUWA677Ø		EWPV1154Ø		ALB126Ø		EWEC497Ø		EWEC498Ø		EWEC961Ø	
080	22,00 €	080	22,00 €	080	38,00 €	060	20,00 €	080	33,00 €	080	33,00 €	080	114,00 €
100	26,00 €	100	25,00 €	100	40,00 €	072	20,00 €	100	37,00 €	100	37,00 €	100	121,00 €

Heat radiation shield l=500mm

Heat radiation shield l=250mm


Adaptor EW-PV/DW-ECO 2.0

Adaptor EW-PV/DW-FU



EWEC483Ø		EWEC959Ø		205-DWETN37PVØ		DW37PVØ	
080	58,00 €	080	29,00 €	080	56,00 €	080	58,00 €
100	61,00 €	100	34,00 €	100	57,00 €	100	59,00 €

Connection piece with integrated wall sleeve



\*1

EWPV757Ø-Ø							
A 100	76,00 €	A 130	78,00 €	A 160	83,00 €	A 200	86,00 €
B 080		B 080		B 080		B 080	
A 115	76,00 €	A 130	80,00 €	A 160	84,00 €	A 200	88,00 €
B 080		B 100		B 100		B 100	
A 120	78,00 €	A 150	81,00 €	A 180	83,00 €		
B 080		B 080		B 080			
A 120	80,00 €	A 150	81,00 €	A 180	84,00 €		
B 100		B 100		B 100			