

PRICELIST 2026

TABLE OF CONTENT


10



SINGLE WALL SYSTEMS

OVERVIEW	11
EW-FU Exhaust system made of stainless steel 0.6 mm	13
EW-ALBI Pressure-tight exhaust system made of stainless steel 0.6 mm	27
EW-SILVER Condensate acid-resistant exhaust system made of stainless steel	34
EW-LINE FLEX FU Flexible exhaust system made of stainless steel	44
EW-LINE FLEX AL Pressure-tight, flexible exhaust system made of stainless steel	48
EW-KL Conical sealing exhaust system made of stainless steel	53
EW-PPS Pressure-tight exhaust system made of plastic	62
EW-PP-FLEX Pressure-tight, flexible exhaust system made of plastic	72


76



CONCENTRIC SYSTEMS

OVERVIEW	77
TWIN-GAS Concentric exhaust system for decorative gas fireplaces	78
TWIN-PL Pressure-tight, concentric connecting line	83
TWIN-P Pressure-tight, concentric exhaust system	90


99



DOUBLE-WALL SYSTEMS

OVERVIEW	100
DW-FU Exhaust system made of stainless steel with 32.5 mm insulation	102
DW-AL Pressure-tight exhaust system made of stainless steel with 32.5 mm insulation	120
DW-SILVER Condensate-acid-resistant exhaust system made of stainless steel with 32.5 mm insulation	134
DW-ECO 2.0 Exhaust system made of stainless steel with 25 mm insulation	148
DW-ECO 2.0 AL Pressure-tight exhaust system made of stainless steel with 25 mm insulation	162
DW-BLACK Powder-coated exhaust system made of stainless steel with 25 mm insulation	173
DW-KL Conical sealing exhaust system made of stainless steel Conical sealing connection line DW-KH	179 194
DW-VISION Clamp band-free exhaust system made of stainless steel with 32.5 mm insulation	205
DW-POWER 32 DW-POWER 57 Double-walled, pressure-tight system exhaust system made of stainless steel with seal in the outer casing	205 213

222



LIGHTWEIGHT SHAFTS


OVERVIEW	223
FURADO-F shaft system for solid fuel fireplaces	224
• Shaft elements	226
• Components EW-FU	231
• Components DW-FU above roof	234
• Components DW-ECO 2.0 above roof	236
• Chimney covering	238
• Shaft sealing	239
• Package suggestions	240
FURADO-F-LAS Concentric shaft system for solid fuel fireplaces	246
FURADO-A shaft system for oil/gas fireplaces	248
• Shaft elements	250
• Components EW-ALBI	253
• Components EW-KL	254
• Components EW-PPS / EW-PP-FLEX	255
• Components room air independent via roof	257
• Components room air dependent via roof	258
• Chimney covering	259
• Shaft sealing	260
• Mounting examples	261

FIRE PROTECTION PENETRATIONS

LUX-NOVA	264
LUX-ECO	269




271



STOVE PIPES

OVERVIEW	272
FERRO-LUX Connecting line made of sheet steel	274
ISO-LINE Insulated connecting pipe made of stainless steel	279
ZULUFTSYSTEME	284
PELLET-LINE Pressure-tight connecting line made of stainless steel	285


290



ACCESORIES

OVERVIEW	290
CHIMNEY RISERS	291
CHIMNEY TERMINALS	293
CHIMNEY HOODS	297
FIREPLACE COVER PLATES	298
CHIMNEY COVERING	300
FINE DUST PARTICLE SEPARATOR	302
MOTORIZED EXHAUST DAMPERS	304
PRESSURE RELIEF DAMPERS	311

312



EXHAUST SILENCERS

OVERVIEW	313
SILENCERS	
• for boiler	318
• for boiler and chp	321
• for chp	322
• for emergency generator	323
• for biomass	324
• Accesories	324

330



INDUSTRIAL

CONTACT	330
---------	-----

YOUR PARTNER JEREMIAS


The Jeremias Group, headquartered in Wassertrüdingen (Bavaria), is one of the world's leading manufacturers of flue systems and chimney systems in all areas of heat and power generation for industrial and residential applications.


Strong, open and international – that's how we have been presenting ourselves for more than 50 years. Worldwide production sites and sales offices represent entrepreneurial success, ambitious visions and healthy growth.

With innovative products, outstanding service and highly qualified employees, we want to inspire our customers every day and achieve the goal of sustainable joint success.

Currently, our product range includes more than 100 different CE-certified systems for private and commercial applications as well as free-standing steel chimneys with a diameter of up to four meters.

This pricelist provides you with a comprehensive overview of characteristics, application and installation of Airtight sealing solutions for exhaust systems.





SERVICE

- Highly flexible production
- Individual solutions according to customer request
- Planning support and design consultation
- Chimney cross-section calculation
- Verifiable chimney statics
- Country-specific approvals
- Excellent customer service
- Free software solutions



QUALITY

- More than 100 CE certified systems
- CNC laser- and punching technology
- Special stainless steel alloys
- Polished weld seams impervious to condensate / gas
- 25 year warranty
- ISO 9001 certified



INNOVATION

- Largest range of products on the market
- Joint system developments with boiler, CHP plant and stove manufacturers
- Inhouse development of manufacturing machines
- Own test bench for stainless steel chimney systems and silencers
- Computer-based simulations



HOW TO CONTACT US



HOTLINE

Tel. + 49 9832 68 68 - 50

e-Mail info@jeremias.de

DEPARTMENT	CONTACT	TEL +49 9832 68 68-	E-MAIL
QUOTATION		8001	anfrage@jeremias.de
ORDERS		8008	bestellung@jeremias.de
QUALITY CONTROL		97013	qualitaetssicherung@jeremias.de
SHIPMENT TRACKING		9703	sendungsverfolgung@jeremias.de
RETURNS		97013	rueckholung@jeremias.de
PAYMENTS	Anita Ihm	621	anita.ihm@jeremias.de



LEGEND

Oil



Gas



Solid Fuels



Negative pressure



Overpressure up to



Condensing operation mode




Dry operation mode



Temperature up to



Wall thickness
in mm



Flex wall thickness
in mm



Double wall,
Insulation in mm



Room air independent
operation



Discount group



Net price




25 years warranty



BimSchV (German law)



Simply click on the
product image to open the
component drawing



SHIPPING OPTIONS

Within Germany, we deliver free of charge from a net order value of €600, below which we charge €60 per pallet. For shipments by parcel service, the shipping costs per package are 15 €, from a net order value of 350 € the delivery is free of charge.

Should you need not specially marked items from our range for an urgent order, we can organize express delivery by parcel service or a forwarding agent.

In this case, please contact our order department in Wassertrüdingen, Tel. +49 9832 68 68 - 8008.

OUR PRICES FOR EXPRESS SHIPMENTS:

DELIVERY	FORWARDING AGENT	PARCEL SERVICE
Next Day	50,00 €	20,00 €
until 12:00 Clock	90,00 €	50,00 €
until 10:00 Clock	120,00 €	70,00 €
By Night Express	-	Depends on weight
Telephone notification	15,00 €	-
Mail / SMS Avis (standard)	10,00 €	-

Deliveries to private recipients can only be sent with notification by telephone.

For certain postcode areas and islands, not all variants may be possible. For late deliveries despite proper and timely handover of the goods to the carrier / parcel service we do not accept any liability.

DIRECT DELIVERY TO CONSTRUCTION SITES

For direct deliveries from 7 pallets with a fixed unloading date, required lifting platform or other special requirements, we charge a flat rate of € 450.00

DELIVERIES BY FORWARDING AGENCY

In general, we assume a parking permit for forwarding deliveries, the risk of liability for damage and loss is transferred to you as the recipient when the goods are parked. If you do not agree to this, you can submit your objection to this regulation by e-mail to pia.meyer@jeremias.de.

All prices quoted are valid only for deliveries within Germany, other countries on request!



RETURNS & RETURNS SHIPPING

We want to make returning goods as easy as possible for you.

Please note the following information:

Returns are possible for all components that are marked accordingly in our current PDF price list (scan here or visit www.jeremias.de/en/downloads):



Condensate collector with drain l=250mm 1/2 „threaded nipple towards bottom



FU94BØ	
080	68,00 €
100	69,00 €
115	70,00 €
120	72,00 €
130	74,00 €
140	75,00 €

| **Blue:** 25% restocking fee

| **Yellow:** 30% restocking fee

Unfortunately, all unmarked items and custom-made products cannot be returned.

HOW IT WORKS – STEP BY STEP

1. Please send a brief enquiry in advance to rueckholung@jeremias.de, stating the order or invoice number and listing the items.
2. After reviewing your enquiry, we will send you a return delivery note. Please enclose this with your return shipment so that we can ensure prompt and smooth processing.

IMPORTANT:

We kindly ask you to return the components to us promptly after receiving our return delivery note. We can only accept returns if the goods are received by us complete and in perfect, undamaged condition.

COLLECTION BY US (WITHIN GERMANY)

- 80 € per pallet for collection by a forwarding agent
- 25 € per parcel for return shipment via parcel service

RETURNS FROM ABROAD

We will agree the collection costs with you individually – please feel free to contact us!

RETURNS AT YOUR OWN EXPENSE

You can, of course, also return the goods to us at your own expense.



SINGLE WALL SYSTEMS



At a glance

SINGLE WALL SYSTEMS

At Jeremias you get high-quality, single wall flue systems made of stainless steel or polypropylene for the relining of existing (bricked) chimneys or as a connection line from the fireplace to the chimney. We offer you the right system solution for every conceivable application, a variety of diameters, materials and surfaces.

ALL OUR SINGLE WALL FLUE SYSTEMS ARE CHARACTERIZED BY:

- CE certification or building authority approval
- Simple assembly thanks to precisely fitting elements and plug connections
- No welding required on the construction site
- Stainless steel: TIG inert gas welded and passivated longitudinal seams for the highest possible level of protection against corrosion
- Polypropylene (PP): heating element butt welded seam according to DVS 2207 T11
- Condensate and gas tight
- For overpressure systems we use high-quality sealing materials for a long service life

SURCHARGES FOR DIFFERENT DESIGNS:

MATERIAL

- 1.4539 Resistant to condensate acid up to 600 °C (see EW-SILVER system)
- 1.4828 operating temperature up to 1000 °C, price on request
- Others on request

VARIANTS

- Oval +20%
- Reinforced design of molded parts +25%

WALL THICKNESS EW-FU AND EW-ALBI

- 0,8 mm Price 0,6 mm +30%
- 1,0 mm

System	Oil	Gas	SF	Working Temp.	Material	Wall Thickness	TIG	Pressure	Certification	Classification
EW-FU	✓	✓	✓	≤ 400 °C ≤ 600 °C	1.4571/ 1.4404	0,6 mm	✓	N1	0036 CPR 9174 006	T400 - N1 - D - V2 - L50060 - Gxx T400 - N1 - W - V2 - L50060 - Oxx T600 - N1 - D - V2 - L50060 - Gxx T600 - N1 - W - V2 - L50060 - Oxx T600 - N1 - D - V3 - L50060 - Gxx ¹ ¹ with 25 mm Insulation
EW-FU Connection pipe	✓	✓	✓	≤ 400 °C ≤ 600 °C	1.4571/ 1.4404	0,6 mm	✓	N1	0036 CPR 9174 026	Without radiation protection T400 - N1 - D - V2 - L50060 - G400M T400 - N1 - W - V2 - L50060 - O400M T600 - N1 - D - V2 - L50060 - G400M Distances with radiation protection according to DIN 18160-1/EN 15287**
EW-AL-B (Sealing outside)	✓	✓		≤ 200 °C	1.4571/ 1.4404	0,6 mm	✓	P1 200 Pa	0036 CPD 9174 016	T200 - P1 - W - V2 - L50060 - O00 T200 - N1 - W - V2 - L50060 - O00
EW -ALBI (Sealing inside)	✓	✓		≤ 120 °C ≤ 200 °C	1.4571/ 1.4404	0,6 mm	✓	P1 200 Pa	0036 CPR 9174 012	With EPDM -Sealing T120 - P1 - W - V2 - L50060 - O00 T120 - N1 - W - V2 - L50060 - O00 With Silicone -Sealing T200 - P1 - W - V2 - L50060 - O00 T200 - N1 - W - V2 - L50060 - O00
EW-ALBI Connection pipe	✓	✓		≤ 120 °C ≤ 200 °C	1.4571/ 1.4404	0,6 mm	✓	P1 200 Pa	0036 CPR 9174 052	With EPDM -Sealing T120 - P1 - W - V2 - L50060 - O50M T120 - N1 - W - V2 - L50060 - O50M With Silicone -Sealing T200 - P1 - W - V2 - L50060 - O50M T200 - N1 - W - V2 - L50060 - O50M
EW-SILVER	✓	✓	✓	≤ 400 °C ≤ 600 °C	1.4539	0,6 mm	✓	N1	Z - 7.1 - 3374	T400 - N1 - W2 - G50 - L00 T600 - N1 - W2 - G100 - L00
EW-SILVER Connection pipe	✓	✓	✓	≤ 400 °C ≤ 600 °C	1.4539	0,6 mm	✓	N1	Z - 7.1 - 3374	Without radiation protection T600 - N1 - W2 - G400M Distances with radiation protection according to DIN 18160-1/EN 15287**
EW-LINE FLEX FU	✓	✓	✓	≤ 200 °C ≤ 400 °C ≤ 600 °C	1.4404	0,08 mm / 0,16 mm		N1	0036 CPR 9174 013	Flex single layer T200 - N1 - W - V2 - L50008 - O T400 - N1 - W - V2 - L50008 - G T600 - N1 - W - V2 - L50008 - G Flex two-layer (2 x 0,08 mm = 0,16 mm) T200 - N1 - W - V2 - L50008 - O T400 - N1 - W - V2 - L50008 - G T600 - N1 - W - V2 - L50008 - G Rigid inner pipes EW-FU T200 - N1 - W - V2 - L50060 - O T400 - N1 - W - V2 - L50060 - G T600 - N1 - W - V2 - L50060 - G
EW-LINE FLEX AL	✓	✓		≤ 120 °C ≤ 200 °C	1.4404	0,08 mm / 0,16 mm		P1 200 Pa	0036 CPR 9174 013	Flex single layer With Silicone sealant T120 - P1 - W - V2 - L50008 - O T200 - P1 - W - V2 - L50008 - O Flex two-layer (2 x 0,08 mm = 0,16 mm) With Silicone sealant T120 - P1 - W - V2 - L50008 - O T200 - P1 - W - V2 - L50008 - O Rigid inner pipes EW-ALBI With EPDM -Sealing T120 - P1 - W - V2 - L50060 - O With Silicone -Sealing T200 - P1 - W - V2 - L50060 - O
EW-KL	✓	✓	✓	≤ 200 °C ≤ 400 °C ≤ 450 °C ≤ 600 °C	1.4571/ 1.4404	0,6 mm	✓	H1 5000 Pa	0036 CPR 9174 004	T200 - P1 - W - V2 - L50060 - O00 T200 - H1 - W - V2 - L50060 - Oxx T400 - N1 - D - V2 - L50060 - Gxx T400 - P1 - W - V2 - L50060 - Oxx T450 - H1 - W - V2 - L50060 - Oxx T600 - N1 - D - V3 - L50060 - Gxx ¹ T600 - P1 - W - V2 - L50060 - Oxx T600 - H1 - W - V2 - L50060 - Gxx ¹ with 25 mm Insulation
EW-KL Verbindungsleitung	✓	✓	✓	≤ 200 °C ≤ 400 °C	1.4571/ 1.4404	0,6 mm	✓	H1 5000 Pa	0036 CPR 9174 042	Without radiation protection T200 - P1 - W - V2 - L50060 - O50M T200 - H1 - W - V2 - L50060 - O50M T400 - H1 - W - V2 - L50060 - G500M T400 - N1 - D - V2 - L50060 - G400M Distances with radiation protection according to DIN 18160-1/EN 15287**
EW-PPS < DN 200	✓	✓		≤ 120 °C	Poly- propylene	2,0 mm		H1 5000 Pa	0036 CPR 9174 043	T120 - H1 - W2 - O20 - LI - E - U
EW-PPS ≥ DN 200	✓	✓		≤ 120 °C	Poly- propylene	2,0 mm		P1 200 Pa	0036 CPR 9174 043	T120 - P1 - W2 - O20 - LI - E - U
EW-PP-FLEX DN 60- 100	✓	✓		≤ 120 °C	Poly- propylene	1,0 mm at Ø 080 1,2 mm at Ø 100		H1 5000 Pa	0036 CPR 9174 043	T120 - H1 - W2 - O00 - LI - E - U0
EW-PP-FLEX > DN 100-160	✓	✓		≤ 120 °C	Poly propylen	1,0 mm at Ø 080 1,2 mm at Ø 100		P1 - 200 Pa	0036 CPR 9174 043	T120 - P1 - W2 - O00 - LI - E - U0

NOTE

xx = The distances to combustible components depend on the diameter.

** = Until DN130 = G200, DN140 = G210, DN150 = G225, DN160 = G240, DN180 = G270, >DN200 = G300

We therefore refer to our declaration of performance and installation instructions, which you can download from our homepage.

DESCRIPTION

Single wall flue system made of stainless steel for the modernization and cross-section reduction of existing domestic chimneys or for use as a connecting pipe

MATERIAL

1.4404(316L) / 1.4571 (316Ti)
1.4828 possible for a surcharge
Others on request

FINISHING

Matt

WALL THICKNESS

0.6 mm
Others on request: 0.8mm (+30%), 1.0mm

INSIDE DIAMETER

80 - 600 mm
Others on request up to 1200 mm

INSULATION


Insulating shells available as an option

CONNECTION

Socket / bead

ORDER CODE

The article code for your order results from:
Article code + Ø (Ex: FU0602130).
Please refer to the respective code for deviations.



CHARACTERISTICS

- Resistant to soot fire or moisture
- Lightweight material for fast assembly and simple offset
- Optional fixation with locking bands
- Optionally available as an oval tube, ideal for narrow and multiple chimneys
- Large variety of systems and extensive range of accessories

APPLICATION AREAS

- Standard heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 006

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T400 - N1 - D - V2 - L50060 - Gxx
T400 - N1 - W - V2 - L50060 - Oxx
T600 - N1 - D - V2 - L50060 - Gxx
T600 - N1 - W - V2 - L50060 - Oxx
T600 - N1 - D - V3 - L50060 - Gxx¹

¹ with 25 mm insulation

xx = Clearances to flammable materials depend on the diameter, see performance declaration

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 026

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

Without radiation protection

T400 - N1 - D - V2 - L50060 - G400M
T400 - N1 - W - V2 - L50060 - O400M
T600 - N1 - D - V2 - L50060 - G400M

Distances with radiation protection according to DIN 18160-1/EN 15287 until DN130 = G200, DN140 = G210, DN150 = G225, DN160 = G240, DN180 = G270, >DN200 = G300

Condensate collector with drain l=250mm and 1/2" threaded nipple

Closing cap plastic for drain 1/2" (up to 200°C)

Condensate collector with drain l=250mm 1/2" threaded nipple towards bottom

Condensate collector without drain

Inspection length with lid 210x140mm (up to 600°C/N1)

Inspection length with box 210x140mm (up to 600°C/N1)

Inspection length with box and lid 210x140mm (up to 600°C/N1)



FU01BØ	750ADK1/2	FU94BØ	FU95BØ	FU0607Ø	EW0607Ø	FU0607KØ
080 68,00 €	5,00 €	080 68,00 €	080 63,00 €	080 77,00 €	080 77,00 €	080 132,00 €
100 69,00 €		100 69,00 €	100 64,00 €	100 78,00 €	100 78,00 €	100 133,00 €
115 70,00 €		115 70,00 €	115 66,00 €	115 79,00 €	115 79,00 €	115 135,00 €
120 72,00 €		120 72,00 €	120 67,00 €	120 81,00 €	120 81,00 €	120 137,00 €
130 74,00 €		130 74,00 €	130 68,00 €	130 83,00 €	130 83,00 €	130 138,00 €
140 75,00 €		140 75,00 €	140 69,00 €	140 85,00 €	140 85,00 €	140 139,00 €
150 76,00 €		150 76,00 €	150 70,00 €	150 87,00 €	150 87,00 €	150 142,00 €
160 77,00 €		160 77,00 €	160 72,00 €	160 92,00 €	160 92,00 €	160 147,00 €
180 78,00 €		180 78,00 €	180 74,00 €	180 99,00 €	180 99,00 €	180 153,00 €
200 81,00 €		200 81,00 €	200 76,00 €	200 113,00 €	200 113,00 €	200 166,00 €
225 87,00 €		225 87,00 €	225 83,00 €	225 116,00 €	225 116,00 €	225 170,00 €
250 93,00 €		250 93,00 €	250 87,00 €	250 130,00 €	250 130,00 €	250 183,00 €
300 102,00 €		300 102,00 €	300 98,00 €	300 153,00 €	300 153,00 €	300 205,00 €
350 116,00 €		350 116,00 €	350 110,00 €			
400 137,00 €		400 137,00 €	400 130,00 €			
450 159,00 €		450 159,00 €	450 155,00 €			
500 167,00 €		500 167,00 €	500 162,00 €			
600 224,00 €		600 224,00 €	600 219,00 €			

Inspection length with lid 300x150mm (up to 600°C/N1)

Inspection length with box and lid 300x150mm (up to 600°C/N1)

Inspection length with round opening (up to 600°C/ N1)

Inspection element 93° (up to 600°C/N1) with round opening, including sealing cover

Stainless steel chimney door 210x140mm without holes and 4 side lugs, incl. door key

Stainless steel chimney door 210x140mm with 4 holes and 2 side lugs incl. door key

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key



*1

FU0608Ø	FU0608KØ	FU0607RØ	FU063055Ø	FU13	FU13B	FU0960
080 99,00 €	080 165,00 €	080 153,00 €	350 308,00 €	67,00 €	67,00 €	84,00 €
100 100,00 €	100 166,00 €	100 154,00 €	400 371,00 €			
115 101,00 €	115 167,00 €	115 157,00 €	450 448,00 €			
120 102,00 €	120 169,00 €	120 158,00 €	500 629,00 €			
130 103,00 €	130 170,00 €	130 170,00 €	600 754,00 €			
140 107,00 €	140 172,00 €	140 172,00 €				
150 109,00 €	150 174,00 €	150 173,00 €				
160 114,00 €	160 181,00 €	160 182,00 €				
180 120,00 €	180 189,00 €	180 193,00 €				
200 137,00 €	200 205,00 €	200 205,00 €				
225 145,00 €	225 213,00 €	225 218,00 €				
250 162,00 €	250 228,00 €	250 227,00 €				
300 189,00 €	300 256,00 €	300 235,00 €				
		350 276,00 €				
		400 322,00 €				
		450 360,00 €				
		500 397,00 €				
		600 472,00 €				

- ^{*1} Extension of the sliding nozzle. Price per cm

Extension l=150mm
for FU13 and FU13B



FU11150

35,00 €

Extension l=500mm
for FU13 and FU13B



FU11500

114,00 €

Extension
l=1000mm for FU13
and FU13B



FU111000

227,00 €

Stainless steel chim-
ney door 210x140mm
with adj. Nozzle and
insert 150mm, incl.
door key



FU09150

111,00 €

Stainless steel chim-
ney door
210x140mm with
soot protection,
incl. door key



FU55

250,00 €

Stainless steel chim-
ney door 210x140mm
with soot protection
and insert 60mm,
incl. door key



FU5560

268,00 €

Stainless steel chim-
ney door 210x140mm
with soot protection
and insert 150mm,
incl. door key



FU55150

294,00 €

Stainless steel
chimney door
300x150mm wit-
hout holes and 4
lugs, incl. door key



FU14

114,00 €

Stainless steel
chimney door
300/150mm with
4 holes and 2 side
lugs incl. door key



FU14B

114,00 €

Stainless steel
chimney door
300x150mm with
inclined insert
60mm, incl. door
key



FU1060

139,00 €

Extension l=150mm
for FU14 and FU14B



FU12150

47,00 €

Extension l=500mm
for FU14 and FU14B



FU12500

156,00 €

Extension
l=1000mm for FU14
and FU14B



FU121000

301,00 €

Stainless steel chim-
ney door 300x150mm
with adj. nozzle
150mm



FU10150

176,00 €

Stainless steel chimney door 300x200mm without holes and 4 lugs, incl. door key



Stainless steel chimney door 300x200mm with inclined insert 60mm, incl. door key



*1

*1

Stainless steel wall sleeve



Stainless steel wall sleeve, suitable for 2mm stove pipe



Stainless steel wall sleeve, suitable for 2mm stove pipe, l=500mm, insert 60mm



NEW

Stainless steel wall sleeve, suitable for 2mm stove pipe, l=250mm, insert 60mm



NEW

Stainless steel wall sleeve suitable insert length 150mm, suitable for FERRO



FU116	FU116060	FU42Ø	FU42FØ	FU2614FØ-500	FU2614FØ-250	FU42E15Ø
125,00 €	158,00 €	080 40,00 € 100 42,00 € 115 44,00 € 120 45,00 € 130 47,00 € 140 51,00 € 150 52,00 € 160 53,00 € 180 54,00 € 200 57,00 € 225 63,00 € 250 68,00 € 300 75,00 € 350 87,00 € 400 111,00 € 450 132,00 € 500 163,00 €	080 45,00 € 100 46,00 € 115 47,00 € 120 51,00 € 130 53,00 € 140 54,00 € 150 57,00 € 160 58,00 € 180 61,00 € 200 62,00 € 225 69,00 € 250 74,00 €	080 110,00 € 100 121,00 € 115 123,00 € 120 129,00 € 130 135,00 € 150 142,00 € 160 145,00 € 180 154,00 € 200 158,00 €	080 79,00 € 100 84,00 € 115 85,00 € 120 88,00 € 130 93,00 € 150 97,00 € 160 99,00 € 180 103,00 € 200 106,00 €	080 91,00 € 100 93,00 € 115 99,00 € 120 102,00 € 130 103,00 € 140 105,00 € 150 106,00 € 160 110,00 € 180 115,00 € 200 120,00 € 225 137,00 € 250 145,00 €

Assembly foam, double-chamber cartridge of 345ml with static mixer



NEW

1 bag with 5 static mixers



NEW

Isotherm tape 40mm, price per metre



€ NET

T-45° with drip nose, hand welded



T-60° with drip nose, hand welded



T-87° with drip nose (extruded)



T-87° with drip nose, hand welded



ZUAC3213	ZUAC3213-1	750ISO40	FU0616Ø	FU0631Ø	FU0615Ø	FU063015Ø
37,00 €	14,00 €	5,00 €	080 179,00 € 100 191,00 € 115 202,00 € 120 213,00 € 130 222,00 € 140 233,00 € 150 246,00 € 160 254,00 € 180 280,00 € 200 286,00 € 225 307,00 € 250 314,00 € 300 361,00 € 350 368,00 € 400 381,00 € 450 418,00 € 500 475,00 € 600 637,00 €	080 185,00 € 100 198,00 € 115 212,00 € 120 222,00 € 130 230,00 € 140 245,00 € 150 259,00 € 160 264,00 € 180 291,00 € 200 300,00 € 225 320,00 € 250 330,00 € 300 380,00 € 350 388,00 € 400 400,00 € 450 439,00 € 500 496,00 € 600 667,00 €	080 105,00 € 100 106,00 € 120 111,00 € 130 120,00 € 150 133,00 € 180 169,00 € 200 174,00 € 250 203,00 €	080 123,00 € 100 124,00 € 115 125,00 € 120 130,00 € 130 139,00 € 140 151,00 € 150 156,00 € 160 166,00 € 180 197,00 € 200 204,00 € 225 222,00 € 250 239,00 € 300 260,00 € 350 288,00 € 400 309,00 € 450 324,00 € 500 384,00 € 600 516,00 €

T-90° with drip nose (extruded)



FU06317Ø

100	106,00 €
120	111,00 €
130	120,00 €
150	133,00 €
180	169,00 €
200	174,00 €


T-90° with drip nose, hand welded



FU063317Ø

080	123,00 €
100	124,00 €
115	125,00 €
120	130,00 €
130	139,00 €
140	151,00 €
150	156,00 €
160	166,00 €
180	197,00 €
200	204,00 €
225	222,00 €
250	239,00 €
300	260,00 €
350	288,00 €
400	309,00 €
450	324,00 €
500	384,00 €
600	516,00 €


T-87° decreased, hand welded



FU063015RØØ

A 130	139,00 €
B 100	
A 150	156,00 €
B 130	
A 160	166,00 €
B 130	
A 180	197,00 €
B 130	
A 180	197,00 €
B 150	
A 200	204,00 €
B 150	
A 250	239,00 €
B 200	

T-87° increased, hand welded



FU063015EØØ

A 080	124,00 €
B 100	
A 115	139,00 €
B 130	
A 120	139,00 €
B 130	
A 130	151,00 €
B 140	
A 130	156,00 €
B 150	
A 150	197,00 €
B 180	
A 180	204,00 €
B 200	

T-Klix 87° with drip nose



FU0649Ø

080	147,00 €
100	149,00 €
115	150,00 €
120	156,00 €
130	166,00 €
140	173,00 €
150	181,00 €
160	196,00 €
180	229,00 €
200	242,00 €
225	260,00 €
250	277,00 €
300	307,00 €
350	418,00 €

T-Klix 90° with drip nose



FU062169Ø

080	147,00 €
100	149,00 €
115	150,00 €
120	156,00 €
130	165,00 €
140	173,00 €
150	181,00 €
160	196,00 €
180	229,00 €
200	242,00 €
225	260,00 €
250	277,00 €
300	307,00 €
350	418,00 €

Mounting bracket nose



FU40Ø

080	28,00 €
100	32,00 €
115	34,00 €
120	35,00 €
130	36,00 €
140	37,00 €
150	38,00 €
160	38,00 €
180	39,00 €
200	39,00 €
225	40,00 €
250	40,00 €
300	42,00 €
350	43,00 €
400	45,00 €
450	46,00 €
500	74,00 €
600	93,00 €

Length 1000mm



FU0602Ø

080	75,00 €
100	79,00 €
115	83,00 €
120	84,00 €
130	85,00 €
140	90,00 €
150	92,00 €
160	101,00 €
180	110,00 €
200	120,00 €
225	131,00 €
250	146,00 €
300	172,00 €
350	196,00 €
400	222,00 €
450	250,00 €
500	291,00 €
600	391,00 €

Length 500mm



FU0603Ø

080	44,00 €
100	53,00 €
115	57,00 €
120	58,00 €
130	59,00 €
140	61,00 €
150	62,00 €
160	67,00 €
180	72,00 €
200	74,00 €
225	81,00 €
250	87,00 €
300	93,00 €
350	105,00 €
400	123,00 €
450	145,00 €
500	156,00 €
600	206,00 €

Length 250mm



FU0604Ø

080	32,00 €
100	40,00 €
115	42,00 €
120	43,00 €
130	44,00 €
140	45,00 €
150	46,00 €
160	47,00 €
180	52,00 €
200	53,00 €
225	58,00 €
250	61,00 €
300	69,00 €
350	77,00 €
400	87,00 €
450	93,00 €
500	109,00 €
600	150,00 €

Length 1000mm with 2 lowering loops



FU0605Ø

080	79,00 €
100	85,00 €
115	87,00 €
120	90,00 €
130	91,00 €
140	93,00 €
150	98,00 €
160	105,00 €
180	114,00 €
200	125,00 €
225	137,00 €
250	151,00 €
300	176,00 €
350	201,00 €
400	225,00 €
450	253,00 €
500	297,00 €
600	394,00 €


Length 1000mm double female socket



FU0606Ø

080	79,00 €
100	85,00 €
115	87,00 €
120	90,00 €
130	91,00 €
140	93,00 €
150	98,00 €
160	105,00 €
180	114,00 €
200	125,00 €
225	137,00 €
250	151,00 €
300	176,00 €
350	201,00 €
400	225,00 €
450	253,00 €
500	297,00 €
600	394,00 €

Length 1000mm with mounting bracket



FU0670Ø

080	98,00 €
100	102,00 €
115	103,00 €
120	105,00 €
130	107,00 €
140	110,00 €
150	111,00 €
160	116,00 €
180	129,00 €
200	138,00 €
225	151,00 €
250	166,00 €
300	195,00 €
350	215,00 €
400	238,00 €
450	268,00 €
500	312,00 €
600	409,00 €

Insulating shell 20mm, l=1000mm



FU39Ø-20

080	45,00 €
100	47,00 €
115	47,00 €
120	47,00 €
130	50,00 €
140	54,00 €
150	57,00 €
160	62,00 €
180	67,00 €
200	79,00 €
225	82,00 €
250	85,00 €
300	93,00 €

Insulating shell
25mm, l=1000mm

Aluminium lamina-
ted insulating shell,
thickness 15mm,
slotted

Elbow 3°, hand
welded

Elbow 15°, seam
welded

Elbow 15°, hand
welded

Elbow 30°, seam
welded

Elbow 30°, hand
welded



*1



FU39Ø-25		FU746Ø		FU06908Ø		FU0617NØ		FU0617Ø		FU0618NØ		FU0618Ø	
080	45,00 €	120	78,00 €	080	39,00 €	080	36,00 €	080	39,00 €	080	36,00 €	080	39,00 €
100	47,00 €	130	79,00 €	100	40,00 €	100	37,00 €	100	40,00 €	100	37,00 €	100	40,00 €
115	47,00 €	140	88,00 €	115	42,00 €	115	38,00 €	115	42,00 €	115	38,00 €	115	42,00 €
120	50,00 €	150	95,00 €	120	43,00 €	120	39,00 €	120	43,00 €	120	39,00 €	120	43,00 €
130	51,00 €	160	103,00 €	130	44,00 €	130	40,00 €	130	44,00 €	130	40,00 €	130	44,00 €
140	55,00 €	180	112,00 €	140	46,00 €	140	43,00 €	140	46,00 €	140	43,00 €	140	46,00 €
150	58,00 €	200	130,00 €	150	51,00 €	150	45,00 €	150	51,00 €	150	45,00 €	150	51,00 €
160	63,00 €	225	143,00 €	160	53,00 €	160	47,00 €	160	53,00 €	160	47,00 €	160	53,00 €
180	68,00 €	250	158,00 €	180	58,00 €	180	52,00 €	180	58,00 €	180	52,00 €	180	58,00 €
200	81,00 €	300	165,00 €	200	67,00 €	200	61,00 €	200	67,00 €	200	61,00 €	200	67,00 €
225	83,00 €			225	79,00 €	225	74,00 €	225	79,00 €	225	74,00 €	225	79,00 €
250	86,00 €			250	92,00 €	250	84,00 €	250	92,00 €	250	84,00 €	250	92,00 €
300	99,00 €			300	132,00 €	300	122,00 €	300	132,00 €	300	122,00 €	300	132,00 €
350	107,00 €			350	142,00 €			350	142,00 €			350	142,00 €
400	142,00 €			400	158,00 €			400	158,00 €			400	158,00 €
450	156,00 €			450	174,00 €			450	174,00 €			450	174,00 €
				500	202,00 €			500	202,00 €			500	202,00 €
				600	261,00 €			600	261,00 €			600	261,00 €

Elbow 42°, hand
welded

Elbow 45°, seam
welded

Elbow 45°, hand
welded

Elbow 87°, seam
welded

Elbow 87°, hand
welded

Elbow 90°, seam
welded

Elbow 90°, hand
welded



FU062231Ø		FU0619NØ		FU0619Ø		FU0622NØ		FU0622Ø		FU0629NØ		FU0629Ø	
080	39,00 €	080	36,00 €	080	39,00 €	080	61,00 €	080	67,00 €	080	61,00 €	080	67,00 €
100	40,00 €	100	37,00 €	100	40,00 €	100	67,00 €	100	74,00 €	100	67,00 €	100	74,00 €
115	42,00 €	115	38,00 €	115	42,00 €	115	68,00 €	115	75,00 €	115	68,00 €	115	75,00 €
120	43,00 €	120	39,00 €	120	43,00 €	120	72,00 €	120	78,00 €	120	72,00 €	120	78,00 €
130	44,00 €	130	40,00 €	130	44,00 €	130	75,00 €	130	83,00 €	130	75,00 €	130	83,00 €
140	46,00 €	140	43,00 €	140	46,00 €	140	77,00 €	140	85,00 €	140	77,00 €	140	85,00 €
150	51,00 €	150	45,00 €	150	51,00 €	150	83,00 €	150	92,00 €	150	83,00 €	150	92,00 €
160	53,00 €	160	47,00 €	160	53,00 €	160	92,00 €	160	103,00 €	160	92,00 €	160	103,00 €
180	58,00 €	180	52,00 €	180	58,00 €	180	115,00 €	180	126,00 €	180	115,00 €	180	126,00 €
200	67,00 €	200	61,00 €	200	67,00 €	200	145,00 €	200	159,00 €	200	145,00 €	200	159,00 €
225	79,00 €	225	74,00 €	225	79,00 €	225	159,00 €	225	176,00 €	225	159,00 €	225	176,00 €
250	92,00 €	250	84,00 €	250	92,00 €	250	196,00 €	250	217,00 €	250	196,00 €	250	217,00 €
300	132,00 €	300	122,00 €	300	132,00 €	300	243,00 €	300	265,00 €	300	243,00 €	300	265,00 €
350	142,00 €			350	142,00 €			350	310,00 €			350	310,00 €
400	158,00 €			400	158,00 €			400	361,00 €			400	361,00 €
450	174,00 €			450	174,00 €			450	428,00 €			450	428,00 €
500	202,00 €			500	202,00 €			500	498,00 €			500	498,00 €
600	261,00 €			600	261,00 €			600	682,00 €			600	682,00 €

- *1 Insulation is delivered in several parts from Ø400 mm

Elbow 87° with inspection door, seam welded (up to 600°C/N1)



FU0623NØ

080	93,00 €
100	100,00 €
115	102,00 €
120	106,00 €
130	110,00 €
140	111,00 €
150	116,00 €
160	126,00 €
180	149,00 €
200	177,00 €
225	196,00 €
250	227,00 €
300	300,00 €

Elbow 87° with inspection door, hand welded (up to 600°C/N1)



FU0623Ø

080	103,00 €
100	110,00 €
115	113,00 €
120	116,00 €
130	122,00 €
140	124,00 €
150	127,00 €
160	139,00 €
180	163,00 €
200	197,00 €
225	217,00 €
250	251,00 €
300	332,00 €
350	380,00 €
400	417,00 €
450	468,00 €
500	548,00 €
600	750,00 €

Elbow 90° with inspection door, seam welded (up to 600°C/N1)



FU0624NØ

080	93,00 €
100	100,00 €
115	102,00 €
120	106,00 €
130	110,00 €
140	111,00 €
150	116,00 €
160	126,00 €
180	149,00 €
200	177,00 €
225	196,00 €
250	227,00 €
300	300,00 €

Elbow 90° with inspection door, hand welded (up to 600°C/N1)



FU0624Ø

080	103,00 €
100	110,00 €
115	113,00 €
120	116,00 €
130	122,00 €
140	124,00 €
150	127,00 €
160	139,00 €
180	163,00 €
200	197,00 €
225	217,00 €
250	251,00 €
300	332,00 €
350	380,00 €
400	417,00 €
450	468,00 €
500	548,00 €
600	750,00 €

End cap with storm collar mat



FU25Ø

080	81,00 €
100	83,00 €
115	85,00 €
120	86,00 €
130	92,00 €
140	100,00 €
150	106,00 €
160	114,00 €
180	122,00 €
200	135,00 €
225	142,00 €
250	149,00 €
300	169,00 €
350	182,00 €
400	215,00 €
450	232,00 €
500	316,00 €
600	421,00 €

Multi-use end cap with rear ventilation and storm collar



FU130Ø

080	84,00 €
100	87,00 €
115	91,00 €
120	93,00 €
130	103,00 €
140	114,00 €
150	123,00 €
160	132,00 €
180	142,00 €
200	158,00 €
225	166,00 €
250	169,00 €
300	196,00 €
350	204,00 €
400	228,00 €
450	250,00 €
500	288,00 €
600	384,00 €

Rain cap



FU28Ø

080	54,00 €
100	57,00 €
115	58,00 €
120	59,00 €
130	61,00 €
140	61,00 €
150	62,00 €
160	63,00 €
180	64,00 €
200	66,00 €
225	70,00 €
250	74,00 €
300	86,00 €
350	101,00 €
400	120,00 €
450	139,00 €
500	269,00 €
600	301,00 €

Universal plug-in rain cap suitable for EW and DW



FU1265Ø

080	72,00 €
100	78,00 €
115	84,00 €
120	85,00 €
130	91,00 €
140	92,00 €
150	102,00 €
160	103,00 €
180	116,00 €
200	127,00 €
225	140,00 €
250	149,00 €
300	167,00 €
350	187,00 €
400	209,00 €
450	232,00 €
500	249,00 €
600	291,00 €

Spark protection grid



2R2-ZUAC2906Ø

080	39,00 €
100	44,00 €
120	47,00 €
130	52,00 €
150	55,00 €
160	62,00 €
180	64,00 €
200	71,00 €
250	91,00 €

Conical multi-use adaptor with male plug connection



FU06120Ø

080	52,00 €
100	53,00 €
115	53,00 €
120	54,00 €
130	57,00 €
140	58,00 €
150	59,00 €
160	61,00 €
180	62,00 €
200	63,00 €
225	66,00 €
250	68,00 €
300	72,00 €
350	74,00 €
400	79,00 €
450	84,00 €
500	101,00 €
600	129,00 €

Boiler adaptor with male plug connection



FU0632Ø

080	38,00 €
100	39,00 €
115	39,00 €
120	40,00 €
130	42,00 €
140	43,00 €
150	44,00 €
160	45,00 €
180	46,00 €
200	47,00 €
225	51,00 €
250	52,00 €
300	54,00 €
350	61,00 €
400	67,00 €
450	70,00 €
500	84,00 €
600	114,00 €

Conical boiler adaptor with female plug connection



FU06123Ø

080	44,00 €
100	45,00 €
115	45,00 €
120	46,00 €
130	47,00 €
140	51,00 €
150	52,00 €
160	53,00 €
180	54,00 €
200	57,00 €
225	58,00 €
250	61,00 €
300	63,00 €
350	68,00 €
400	72,00 €
450	77,00 €
500	92,00 €
600	120,00 €

Length 200mm with drain for vertical installation and 1/2" nozzle



FU06110Ø

080	145,00 €
100	147,00 €
115	149,00 €
120	150,00 €
130	151,00 €
140	153,00 €
150	154,00 €
160	155,00 €
180	157,00 €
200	159,00 €
225	163,00 €
250	166,00 €
300	172,00 €
350	173,00 €
400	183,00 €
450	197,00 €
500	210,00 €
600	291,00 €

Length 200mm with drain for horizontal installation and 1/2" nozzle



FU06111Ø

080	69,00 €
100	77,00 €
115	78,00 €
120	79,00 €
130	81,00 €
140	83,00 €
150	85,00 €
160	93,00 €
180	99,00 €
200	103,00 €
225	110,00 €
250	116,00 €
300	131,00 €
350	150,00 €
400	167,00 €
450	181,00 €
500	206,00 €
600	248,00 €



System EW-FU



Adjustable length
for connection line
320-460mm

Inspection length
500mm (up to
600°C/N1)

Length 200mm
with test point (up
to 200°C)

Length 200mm
with test point (up
to 600°C)

Storm collar

Locking band

Wall bracket 50mm



FU06114Ø		FU06113Ø		FU06112Ø		FU06112AØ		FU72Ø		FU45Ø		VL09Ø	
080	123,00 €	080	114,00 €	080	76,00 €	080	129,00 €	080	38,00 €	080	18,00 €	080	61,00 €
100	124,00 €	100	116,00 €	100	77,00 €	100	130,00 €	100	39,00 €	100	19,00 €	100	62,00 €
115	125,00 €	115	117,00 €	115	78,00 €	115	131,00 €	115	42,00 €	115	20,00 €	115	63,00 €
120	126,00 €	120	118,00 €	120	79,00 €	120	132,00 €	120	43,00 €	120	21,00 €	120	64,00 €
130	130,00 €	130	121,00 €	130	81,00 €	130	133,00 €	130	44,00 €	130	22,00 €	130	66,00 €
140	137,00 €	140	124,00 €	140	83,00 €	140	135,00 €	140	45,00 €	140	23,00 €	140	67,00 €
150	138,00 €	150	125,00 €	150	84,00 €	150	137,00 €	150	46,00 €	150	26,00 €	150	68,00 €
160	150,00 €	160	127,00 €	160	85,00 €	160	138,00 €	160	47,00 €	160	27,00 €	160	69,00 €
180	159,00 €	180	128,00 €	180	90,00 €	180	145,00 €	180	53,00 €	180	28,00 €	180	70,00 €
200	173,00 €	200	141,00 €	200	92,00 €	200	146,00 €	200	54,00 €	200	31,00 €	200	72,00 €
225	185,00 €	225	146,00 €	225	100,00 €	225	153,00 €	225	57,00 €	225	32,00 €	225	74,00 €
250	196,00 €	250	158,00 €	250	103,00 €	250	155,00 €	250	58,00 €	250	34,00 €	250	75,00 €
300	252,00 €	300	189,00 €	300	110,00 €	300	162,00 €	300	59,00 €	300	37,00 €	300	93,00 €
350	275,00 €	350	200,00 €	350	122,00 €	350	172,00 €	350	77,00 €	350	39,00 €	350	111,00 €
400	291,00 €	400	210,00 €	400	135,00 €	400	189,00 €	400	105,00 €	400	43,00 €	400	130,00 €
450	317,00 €	450	229,00 €	450	145,00 €	450	198,00 €	450	138,00 €	450	53,00 €	450	147,00 €
500	340,00 €	500	257,00 €	500	159,00 €	500	215,00 €	500	146,00 €	500	75,00 €	500	205,00 €
600	405,00 €	600	309,00 €	600	195,00 €	600	246,00 €	600	226,00 €	600	111,00 €	600	272,00 €

Adjustable wall brack-
et 50-360mm

Adjustable wall brack-
et 50-360mm

Mat for sound
decoupling suitable
for VL293

Adjustable support
360-800mm

Adjustable support
800-1500mm

Mat for sound
decoupling suitable
for VL11

Ceiling suspension
for perforated sheet
metal with with
sound absorbing
layer



Rgr.
ZUAC



Rgr.
ZUAC



VL293Ø		VL293Ø		ZUAC2274		VL2189Ø		VL11Ø		ZUAC2275		VL12Ø	
080	83,00 €	350	163,00 €	61,00 €		080	138,00 €	080	146,00 €	74,00 €		080	42,00 €
100	86,00 €	400	167,00 €			100	139,00 €	100	147,00 €			100	43,00 €
115	90,00 €	450	209,00 €			115	140,00 €	115	149,00 €			115	44,00 €
120	92,00 €	500	265,00 €			120	142,00 €	120	150,00 €			120	47,00 €
130	101,00 €	600	315,00 €			130	145,00 €	130	151,00 €			130	53,00 €
140	107,00 €					140	147,00 €	140	154,00 €			140	57,00 €
150	113,00 €					150	150,00 €	150	156,00 €			150	63,00 €
160	116,00 €					160	154,00 €	160	159,00 €			160	70,00 €
180	120,00 €					180	156,00 €	180	165,00 €			180	76,00 €
200	125,00 €					200	163,00 €	200	170,00 €			200	84,00 €
225	129,00 €					225	167,00 €	225	173,00 €			225	92,00 €
250	133,00 €					250	172,00 €	250	179,00 €			250	98,00 €
300	140,00 €					300	179,00 €	300	185,00 €			300	101,00 €
						350	197,00 €	350	206,00 €			350	110,00 €
						400	201,00 €	400	215,00 €			400	118,00 €
						450	222,00 €	450	235,00 €			450	130,00 €
						500	265,00 €	500	280,00 €			500	158,00 €
						600	329,00 €	600	341,00 €			600	179,00 €

- *1 Extension of the sliding nozzle. Price per cm

Ceiling suspension with sound absorbing layer for threaded rod M8



VL16Ø	
080	58,00 €
100	59,00 €
115	61,00 €
120	63,00 €
130	68,00 €
140	75,00 €
150	83,00 €
160	91,00 €
180	102,00 €
200	110,00 €
225	120,00 €
250	123,00 €
300	131,00 €
350	142,00 €
400	158,00 €
450	171,00 €
500	206,00 €
600	229,00 €

2-piece wall bracket for M10 threaded rod



ZUWA1379Ø	
080	42,00 €
100	44,00 €
115	45,00 €
120	45,00 €
130	45,00 €
140	48,00 €
150	48,00 €
160	50,00 €
180	62,00 €
200	69,00 €
225	81,00 €
250	92,00 €
300	105,00 €
350	111,00 €
400	122,00 €
450	140,00 €
500	153,00 €
600	177,00 €

Threaded rod M10, stainless steel l=1000mm



VL316	
	22,00 €

Threaded rod M8, stainless steel l=1000mm



VL314	
	20,00 €

Adjustable elbow 0-45°



FU0621Ø	
080	45,00 €

Adjustable elbow 0-45°



FU0621Ø	
100	46,00 €
115	47,00 €
120	51,00 €
130	52,00 €
140	53,00 €
150	57,00 €
160	90,00 €
180	103,00 €
200	120,00 €
225	137,00 €
250	153,00 €
300	177,00 €

Adjustable elbow 0-90°



FU06101Ø	
080	52,00 €
100	53,00 €
115	54,00 €
120	57,00 €
130	58,00 €
140	59,00 €
150	61,00 €
160	102,00 €
180	126,00 €
200	155,00 €
225	170,00 €
250	205,00 €
300	251,00 €

Adjustable elbow 0-90° with inspection door (up to 600°C/N1)



FU06102Ø	
080	61,00 €
100	66,00 €
115	72,00 €
120	74,00 €
130	76,00 €
140	84,00 €
150	100,00 €
160	127,00 €
180	158,00 €
200	191,00 €
225	204,00 €
250	238,00 €
300	312,00 €

Stainless steel draught limiter 210x140mm with 150mm insert for inspection length EW0607



FU35	
	118,00 €

Draught regulator connection round outlet Ø 150mm suitable for FU38



FU0636Ø	
080	142,00 €
100	142,00 €
115	142,00 €
120	142,00 €
130	142,00 €
140	142,00 €
150	142,00 €
160	151,00 €
180	177,00 €
200	185,00 €
225	202,00 €
250	217,00 €
300	235,00 €

Draught limiter Ø 150mm for mounting on FU0636



FU38	
	138,00 €

Draught limiter Ø 150mm with nozzle and tension strap for Ø 110 - 200mm



VL08E	
	159,00 €

Draught regulator connection round with outlet suitable for ZUK



FU061681ØØ			
A 100	139,00 €	A 225	222,00 €
B 130		B 180	
A 120	139,00 €	A 250	239,00 €
B 130		B 180	
A 130	139,00 €	A 300	260,00 €
B 130		B 180	
A 140	151,00 €		
B 130			
A 150	156,00 €		
B 150			
A 160	166,00 €		
B 150			
A 180	197,00 €		
B 150			
A 180	197,00 €		
B 180			
A 200	204,00 €		
B 150			

Extension pipe for
ZUK

Stainless steel draught
limiter round
with overpressure
flap

Stainless steel draught
limiter round
with overpressure
flap

Filter attachment
for ZUK

Replacement filter
for ZUAC2947

Draught regulator
connection for
ZUK250 (SG/-E)

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping



€
NET



€
NET



€
NET



€
NET



*1

EW062889Ø	ZUKØ	ZUKØ	ZUAC2947Ø	ZUAC2947-1Ø	FU061756Ø	ZUK250SG
130 40,00 €	150 90,00 €	130 131,00 €	130 82,00 €	130 15,00 €	250 727,00 €	2.025,00 €
150 44,00 €		180 161,00 €	150 102,00 €	150 16,00 €	300 762,00 €	
180 50,00 €			180 116,00 €	180 20,00 €	350 808,00 €	
					400 869,00 €	
					450 909,00 €	
					500 957,00 €	
					600 1.208,00 €	

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping
(stainless steel)

Intermediate sup-
port for expansion
compensation
l=330, including
2x cantilever rods,
l=500mm

Universal sealing
set for boiler outlet
and butt joint with
gasket and external
locking band

Round ventilation
grid with wall plate
and claws with
sliding insert

Intermediate sup-
port

Extension for drain
pipe 22x1mm, Price
per metre

1/2" threaded nipple



*1

€
NET



ZUK250SG-E	FU33Ø	AL45VØ	FU85Ø	FU312Ø	FU48	FU128
2.420,00 €	080 118,00 €	080 58,00 €	080 69,00 €	080 61,00 €	39,00 €	23,00 €
	100 120,00 €	100 59,00 €	100 72,00 €	100 62,00 €		
	115 123,00 €	115 62,00 €	120 72,00 €	115 63,00 €		
	120 124,00 €	120 63,00 €	130 72,00 €	120 67,00 €		
	130 127,00 €	130 66,00 €	140 79,00 €	130 85,00 €		
	140 130,00 €	140 67,00 €	150 81,00 €	140 86,00 €		
	150 132,00 €	150 68,00 €	160 85,00 €	150 86,00 €		
	160 135,00 €	160 70,00 €	180 93,00 €	160 87,00 €		
	180 139,00 €	180 72,00 €	200 98,00 €	180 90,00 €		
	200 153,00 €	200 74,00 €	225 110,00 €	200 99,00 €		
	225 159,00 €	225 77,00 €	250 116,00 €	225 102,00 €		
	250 169,00 €	250 78,00 €	300 131,00 €	250 105,00 €		
	300 177,00 €	300 81,00 €	350 140,00 €	300 116,00 €		
	350 193,00 €	350 98,00 €	400 167,00 €	350 137,00 €		
	400 212,00 €	400 107,00 €	450 185,00 €	400 154,00 €		
	450 233,00 €	450 123,00 €	500 215,00 €	450 172,00 €		
	500 248,00 €		600 320,00 €	500 193,00 €		
	600 300,00 €			600 227,00 €		

- *1 For the weight of the draught controller of approx. 28 kg, a separate anchorage has to be provided!

Transparent PVC-pipe Ø 26mm, l=500mm to extend the condensate drain



Rgr. ZUAC

Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



Fitting 1/2" to plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



Closing cap plastic for drain 1/2" (up to 200°C)



€ NET

1/2" female socket



Siphon to the centric P1/M1



Siphon to the right P1/M1



ZUAC2253	750FITTINGÜ-22 1/2	750FITTINGV-22	750ADK1/2	FU126	ZUAC2300	ZUAC2301
26,00 €	94,00 €	47,00 €	5,00 €	31,00 €	66,00 €	66,00 €

Siphon to the left P1/M1



Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1



Stopcock, 1/2" threaded outside (1/2" female socket FU126 not included)



Cover without clamping mechanism



Cover with clamping mechanism for FU50



Rgr. ZUAC

Cap for wall sleeve FU42



Cap for wall sleeve FU42F



NEW


ZUAC2302	ZUAC2303	FU47	FU50Ø	2B2-ZUAC980Ø	FU43Ø	FU43FØ
66,00 €	66,00 €	32,00 €	080 57,00 € 100 61,00 € 115 66,00 € 120 69,00 € 130 75,00 € 150 76,00 € 160 77,00 € 180 78,00 € 200 91,00 € 250 92,00 € 300 110,00 €	080 34,00 € 100 35,00 € 115 36,00 € 120 37,00 € 130 37,00 € 150 38,00 € 160 39,00 € 180 39,00 € 200 44,00 € 250 57,00 € 300 67,00 €	080 53,00 € 100 53,00 € 115 54,00 € 120 57,00 € 130 58,00 € 140 59,00 € 150 61,00 € 160 62,00 € 180 63,00 € 200 68,00 € 225 69,00 € 250 72,00 € 300 76,00 € 350 101,00 € 400 113,00 € 450 129,00 € 500 157,00 € 600 210,00 €	080 51,00 € 100 51,00 € 120 55,00 € 130 56,00 € 140 58,00 € 150 61,00 € 160 62,00 € 180 63,00 € 200 67,00 € 300 74,00 €

Cap with female plug connection, handle and locking band

Locking band for boiler connection

Mineral rock wool 7 kg/Bag

Connection piece with integrated wall sleeve



FU44Ø		FU1518Ø		MINERAL-7	ZUWA757Ø-Ø					
080	70,00 €	080	67,00 €	183,00 €	A 100	90,00 €	A 150	99,00 €	A 200	111,00 €
100	72,00 €	100	68,00 €		B 080		B 110		B 130	
115	74,00 €	115	69,00 €		A 120	92,00 €	A 150	100,00 €	A 200	113,00 €
120	75,00 €	120	70,00 €		B 080		B 120		B 150	
130	76,00 €	130	72,00 €		A 120	92,00 €	A 150	103,00 €	A 200	115,00 €
140	77,00 €	140	74,00 €		B 100		B 130		B 160	
150	78,00 €	150	75,00 €		A 130	93,00 €	A 160	105,00 €	A 200	116,00 €
160	79,00 €	160	79,00 €		B 080		B 120		B 180	
180	81,00 €	180	81,00 €		A 130	93,00 €	A 180	109,00 €	A 225	122,00 €
200	84,00 €	200	83,00 €		B 100		B 120		B 200	
225	85,00 €	225	98,00 €		A 130	98,00 €	A 180	107,00 €	A 250	124,00 €
250	87,00 €	250	99,00 €		B 110		B 130		B 200	
300	93,00 €	300	107,00 €		A 140	98,00 €	A 180	109,00 €		
350	116,00 €	350	124,00 €		B 110		B 150			
400	130,00 €	400	138,00 €		A 150	94,00 €	A 180	110,00 €		
450	145,00 €	450	155,00 €		B 080		B 160			
500	173,00 €	500	172,00 €		A 150	98,00 €	A 200	109,00 €		
600	227,00 €	600	204,00 €		B 100		B 120			

Connection piece with integrated FERRO-wall sleeve

Eccentric Increaser



ZUWA757FØ-Ø						EWEØØEX			
A 100	98,00 €	A 150	102,00 €	A 180	107,00 €	A 200	123,00 €	A 080	110,00 €
B 080		B 100		B 080		B 160		B 160	151,00 €
A 115	98,00 €	A 150	103,00 €	A 180	108,00 €	A 200	124,00 €	A 080	113,00 €
B 080		B 110		B 100		B 180		B 160	171,00 €
A 115	99,00 €	A 150	103,00 €	A 180	115,00 €	A 250	130,00 €	A 100	116,00 €
B 100		B 115		B 120		B 200		B 180	171,00 €
A 120	99,00 €	A 150	107,00 €	A 180	114,00 €			A 115	126,00 €
B 080		B 120		B 130				B 130	179,00 €
A 120	99,00 €	A 150	110,00 €	A 180	115,00 €			A 120	135,00 €
B 100		B 130		B 150				B 140	179,00 €
A 130	100,00 €	A 160	103,00 €	A 180	116,00 €			A 130	141,00 €
B 080		B 080		B 160				B 150	179,00 €
A 130	100,00 €	A 160	107,00 €	A 200	115,00 €			A 140	145,00 €
B 100		B 100		B 100				B 160	190,00 €
A 140	103,00 €	A 160	111,00 €	A 200	115,00 €			A 150	151,00 €
B 120		B 120		B 120				B 170	219,00 €
A 150	101,00 €	A 160	113,00 €	A 200	118,00 €			A 150	151,00 €
B 080		B 130		B 150				B 180	

Increaser



EWEØØ

A 060	42,00 €	A 090	110,00 €	A 110	116,00 €	A 130	57,00 €	A 150	137,00 €	A 200	159,00 €
B 080		B 130		B 150		B 140		B 200		B 250	
A 060	107,00 €	A 100	53,00 €	A 115	54,00 €	A 130	57,00 €	A 150	153,00 €	A 200	173,00 €
B 115		B 115		B 130		B 150		B 250		B 300	
A 080	47,00 €	A 100	53,00 €	A 120	54,00 €	A 130	123,00 €	A 160	68,00 €	A 225	171,00 €
B 100		B 120		B 130		B 160		B 180		B 250	
A 080	107,00 €	A 100	110,00 €	A 120	54,00 €	A 130	127,00 €	A 160	137,00 €	A 250	182,00 €
B 115		B 130		B 140		B 180		B 200		B 300	
A 080	110,00 €	A 100	116,00 €	A 120	116,00 €	A 130	133,00 €	A 180	69,00 €	A 250	220,00 €
B 120		B 150		B 150		B 200		B 200		B 400	
A 080	110,00 €	A 100	125,00 €	A 120	118,00 €	A 140	62,00 €	A 180	149,00 €	A 300	206,00 €
B 130		B 180		B 160		B 150		B 225		B 350	
A 080	116,00 €	A 100	132,00 €	A 120	126,00 €	A 150	68,00 €	A 180	156,00 €	A 350	238,00 €
B 150		B 200		B 180		B 160		B 250		B 400	
A 080	125,00 €	A 110	53,00 €	A 125	54,00 €	A 150	68,00 €	A 180	171,00 €	A 400	269,00 €
B 180		B 115		B 130		B 170		B 300		B 450	
A 090	47,00 €	A 110	54,00 €	A 125	124,00 €	A 150	130,00 €	A 200	153,00 €		
B 100		B 130		B 150		B 180		B 225			

Decreaser



EWRØØ

A 080	42,00 €	A 130	110,00 €	A 150	116,00 €	A 160	68,00 €	A 200	127,00 €	A 250	159,00 €
B 060		B 080		B 100		B 150		B 100		B 200	
A 100	47,00 €	A 130	110,00 €	A 150	116,00 €	A 170	68,00 €	A 200	133,00 €	A 250	171,00 €
B 080		B 100		B 110		B 150		B 130		B 225	
A 100	47,00 €	A 130	54,00 €	A 150	116,00 €	A 180	125,00 €	A 200	137,00 €	A 300	171,00 €
B 090		B 110		B 120		B 080		B 150		B 180	
A 115	52,00 €	A 130	54,00 €	A 150	124,00 €	A 180	125,00 €	A 200	137,00 €	A 300	173,00 €
B 100		B 115		B 125		B 100		B 160		B 200	
A 115	52,00 €	A 130	54,00 €	A 150	57,00 €	A 180	126,00 €	A 200	69,00 €	A 300	182,00 €
B 110		B 120		B 130		B 120		B 180		B 250	
A 120	110,00 €	A 130	57,00 €	A 150	62,00 €	A 180	127,00 €	A 225	149,00 €	A 350	206,00 €
B 080		B 125		B 140		B 125		B 180		B 300	
A 120	53,00 €	A 140	54,00 €	A 160	118,00 €	A 180	127,00 €	A 225	153,00 €	A 400	220,00 €
B 100		B 120		B 120		B 130		B 200		B 250	
A 120	53,00 €	A 140	54,00 €	A 160	124,00 €	A 180	130,00 €	A 250	153,00 €	A 400	238,00 €
B 110		B 130		B 130		B 150		B 150		B 350	
A 120	53,00 €	A 150	116,00 €	A 160	62,00 €	A 180	68,00 €	A 250	156,00 €	A 450	269,00 €
B 115		B 080		B 140		B 160		B 180		B 400	

OVERVIEW

ACCESSORIES CONDENSATE DRAIN


Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904
750FITTINGÜ-22 1/2



If you need to cut the drain pipe, you can flexibly adapt the cut end using our fitting solution.



Plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904
750FITTINGV-22




Condensate collector with drain l=250mm and 1/2" threaded nipple
FU01B

Closing cap plastic for drain 1/2" (up to 200°C)
750ADK1/2



Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904
750FITTINGÜ-22 1/2



Transparent PVC-pipe Ø 26mm, l=500mm to extend the condensate drain
ZUAC2253



1/2" female socket with inner thread
FU126



Extension for drain pipe 22x1mm
FU48



1/2"-Pipe with a length of 250 mm and external thread
932ASNI/24571L250



Stopcock, 1/2" threaded outside
FU47



Plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904
750FITTINGV-22



Siphon to the centric P1/M1
ZUAC2300



Siphon to the right P1/M1
ZUAC2301



Siphon to the left P1/M1
ZUAC2302

Fits into plug-in fitting

DESCRIPTION

Single wall, pressure-tight flue gas system for condensing boilers with internal gasket

MATERIAL

1.4404 (316L) / 1.4571 (316Ti)
Others on request

FINISHING

Matt

WALL THICKNESS

0.6 mm
Others on request: 0.8mm (+30%), 1.0mm

INSIDE DIAMETER

80 - 600 mm
Others on request up to 1200 mm

INSULATION

Insulating shells available as an option

CONNECTION

Socket / bead with internal special gasket, when used as a connection pipe a locking band is needed

GASKET

The supplied gasket varies depending on the diameter (EPDM up to 120 °C or silicone up to 200 °C). All possible options can be found in the table on the next page. The prices of the variants not listed in the price list are available upon request.

ORDER CODE

When ordering, please replace the placeholder " ..." in the article code with the letter for the desired gasket (Standard gasket varies depending on Ø, see table).



CHARACTERISTICS

- Pressure-tight
- Moisture resistant
- Lightweight material for fast assembly and simple offset
- Optional fixing with locking bands
- Large variety of systems and extensive range of accessories

APPLICATION AREAS

- Standard heating appliances for oil and gas
- Condensing boilers

CE MARK NUMBER

0036 CPD 9174 016 (AL-B)
0036 CPR 9174 012 (ALBI)

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

EW-AL-B (external gasket)
T200 - P1 - W - V2 - L50060 - 000
T200 - N1 - W - V2 - L50060 - 000

EW-ALBI (internal gasket)

with EPDM gasket:

T120 - P1 - W - V2 - L50060 - 000
T120 - N1 - W - V2 - L50060 - 000

with silicone gasket:

T200 - P1 - W - V2 - L50060 - 000
T200 - N1 - W - V2 - L50060 - 000

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 052

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

with EPDM gasket:

T120 - P1 - W - V2 - L50060 - 050M
T120 - N1 - W - V2 - L50060 - 050M

with silicone gasket:

T200 - P1 - W - V2 - L50060 - 050M
T200 - N1 - W - V2 - L50060 - 050M



POSSIBLE SEALING VARIANTS

	EPDM (ALBI367)			Silicone (ALBI26)		
Variant	A	B	C	D	E	F
Ø	attached	inserted	glued-in	attached	inserted	glued-in
080 mm	x	x	x	x	x	x
100 mm	x	x	x	x	x	x
115 mm	x	x	x	x	x	x
120 mm	x	x	x	x	x	x
130 mm	x	x	x	x	x	x
140 mm	x	x	x	x	x	x
150 mm	x	x	x	x	x	x
160 mm	x	x	x	x	x	x
180 mm	x	x	x	x	x	x
200 mm	x	x	x	x	x	x
225 mm				x	x	x
250 mm	x		x	x		x
300 mm	x		x	x		x
350 mm	x		x	x		x
400 mm	x		x	x		x
450 mm				x		x
500 mm				x		x
600 mm				x		x

Elbow 87° with support

Support rail
l=350mm

Support rail
l=500mm

Support rail
l=700mm


Inspection length
with round opening
(up to 200°C/ P1)

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door 300x150mm with inclined insert 60mm, incl. door key



*1



*2



*2

ALBI06...06Ø	FU422	FU422B	FU422C	ALBI06...30Ø	FU0960	FU1060	
A 080	152,00 €	116,00 €	158,00 €	A 080	180,00 €	84,00 €	139,00 €
A 100	157,00 €			A 100	195,00 €		
A 115	162,00 €			A 115	206,00 €		
A 120	165,00 €			A 120	217,00 €		
A 130	173,00 €			A 130	229,00 €		
A 140	175,00 €			A 140	230,00 €		
A 150	180,00 €			A 150	231,00 €		
A 160	190,00 €			A 160	244,00 €		
A 180	213,00 €			A 180	252,00 €		
A 200	250,00 €			A 200	266,00 €		
D 225	267,00 €			D 225	282,00 €		
C 250	304,00 €			C 250	294,00 €		
C 300	358,00 €			C 300	304,00 €		
C 350	402,00 €			C 350	350,00 €		
C 400	453,00 €			C 400	395,00 €		
F 450	524,00 €			F 450	445,00 €		
F 500	593,00 €			F 500	490,00 €		
F 600	779,00 €			F 600	588,00 €		

- ^{*1} Can be flexibly extended downwards with length elements
- ^{*2} Extension of the sliding nozzle. Price per cm

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm



Stainless steel chimney door 300x200mm with inclined insert 60mm, incl. door key



*2

Mounting bracket



Length 1000mm



Length 500mm



Length 250mm



Length 1000mm with 2 lowering loops



FU5160	FU116060	FU40Ø	ALBI06...02Ø	ALBI06...03Ø	ALBI06...04Ø	ALBI06...05Ø
120,00 €	158,00 €	080 28,00 € 100 32,00 € 115 34,00 € 120 35,00 € 130 36,00 € 140 37,00 € 150 38,00 € 160 38,00 € 180 39,00 € 200 39,00 € 225 40,00 € 250 40,00 € 300 42,00 € 350 43,00 € 400 45,00 € 450 46,00 € 500 74,00 € 600 93,00 €	A 080 96,00 € A 100 101,00 € A 115 106,00 € A 120 107,00 € A 130 111,00 € A 140 116,00 € A 150 118,00 € A 160 128,00 € A 180 138,00 € A 200 151,00 € D 225 163,00 € C 250 180,00 € C 300 207,00 € C 350 233,00 € C 400 261,00 € F 450 294,00 € F 500 338,00 € F 600 449,00 €	A 080 65,00 € A 100 75,00 € A 115 80,00 € A 120 81,00 € A 130 85,00 € A 140 87,00 € A 150 88,00 € A 160 94,00 € A 180 100,00 € A 200 105,00 € D 225 113,00 € C 250 121,00 € C 300 128,00 € C 350 142,00 € C 400 162,00 € F 450 189,00 € F 500 203,00 € F 600 264,00 €	A 080 53,00 € A 100 62,00 € A 115 65,00 € A 120 66,00 € A 130 70,00 € A 140 71,00 € A 150 72,00 € A 160 74,00 € A 180 80,00 € A 200 84,00 € D 225 90,00 € C 250 95,00 € C 300 104,00 € C 350 114,00 € C 400 126,00 € F 450 137,00 € F 500 156,00 € F 600 208,00 €	A 080 100,00 € A 100 107,00 € A 115 110,00 € A 120 113,00 € A 130 117,00 € A 140 119,00 € A 150 124,00 € A 160 132,00 € A 180 142,00 € A 200 156,00 € D 225 169,00 € C 250 185,00 € C 300 211,00 € C 350 238,00 € C 400 264,00 € F 450 297,00 € F 500 344,00 € F 600 452,00 €

Length 1000mm double female socket



Length 1000mm with mounting bracket



Elbow 87° with inspection door 90° radially offset (up to 200°C/PI)



Elbow 87° with inspection door 270° radially offset (up to 200°C/PI)



Elbow 87° with inspection door at the outlet socket (up to 200°C/PI)



Elbow 87° with inspection door and gasket (200°C/PI)



Elbow 90° with inspection door and gasket (200°C/PI)



ALBI06...2438Ø	ALBI06...70Ø	ALBI06...2770Ø	ALBI06...2771Ø	ALBI06...2772Ø	ALBI06...14Ø	ALBI06...15Ø
A 080 121,00 € A 100 129,00 € A 115 133,00 € A 120 136,00 € A 130 143,00 € A 140 145,00 € A 150 150,00 € A 160 159,00 € A 180 170,00 € A 200 187,00 € D 225 201,00 € C 250 219,00 € C 300 246,00 € C 350 275,00 € C 400 303,00 € F 450 341,00 € F 500 391,00 € F 600 510,00 €	A 080 119,00 € A 100 124,00 € A 115 126,00 € A 120 128,00 € A 130 133,00 € A 140 136,00 € A 150 137,00 € A 160 143,00 € A 180 157,00 € A 200 169,00 € D 225 183,00 € C 250 200,00 € C 300 230,00 € C 350 252,00 € C 400 277,00 € F 450 312,00 € F 500 359,00 € F 600 467,00 €	A 080 265,00 € A 100 272,00 € A 115 283,00 € A 120 288,00 € A 130 319,00 € A 140 323,00 € A 150 324,00 € A 160 329,00 € A 180 351,00 € A 200 403,00 € D 225 471,00 € C 250 494,00 € C 300 578,00 € C 350 616,00 € C 400 793,00 € F 450 906,00 € F 500 1.030,00 € F 600 1.085,00 €	A 080 265,00 € A 100 272,00 € A 115 283,00 € A 120 288,00 € A 130 319,00 € A 140 323,00 € A 150 324,00 € A 160 329,00 € A 180 351,00 € A 200 403,00 € D 225 471,00 € C 250 494,00 € C 300 578,00 € C 350 616,00 € C 400 793,00 € F 450 906,00 € F 500 1.030,00 € F 600 1.085,00 €	A 080 269,00 € A 100 284,00 € A 115 289,00 € A 120 293,00 € A 130 304,00 € A 140 307,00 € A 150 311,00 € A 160 334,00 € A 180 351,00 € A 200 387,00 € D 225 411,00 € C 250 445,00 € C 300 539,00 € C 350 592,00 € C 400 640,00 € F 450 706,00 € F 500 796,00 € F 600 1.042,00 €	A 080 134,00 € A 100 140,00 € A 115 144,00 € A 120 148,00 € A 130 153,00 € A 140 156,00 € A 150 164,00 € A 160 178,00 € A 180 201,00 € A 200 237,00 € D 225 258,00 € C 250 294,00 € C 300 375,00 € C 350 431,00 € C 400 468,00 € F 450 525,00 € F 500 613,00 € F 600 820,00 €	A 080 134,00 € A 100 140,00 € A 115 144,00 € A 120 148,00 € A 130 153,00 € A 140 156,00 € A 150 164,00 € A 160 178,00 € A 180 201,00 € A 200 237,00 € D 225 258,00 € C 250 294,00 € C 300 375,00 € C 350 431,00 € C 400 468,00 € F 450 525,00 € F 500 613,00 € F 600 820,00 €



System EW-ALBI



Elbow 3°, hand
welded

Elbow 15°, hand
welded

Elbow 30°, hand
welded

Elbow 42°, hand
welded

Elbow 45°, hand
welded

Elbow 87°, hand
welded

Elbow 90°, hand
welded



ALBI06...908Ø		ALBI06...17Ø		ALBI06...18Ø		ALBI06...2231Ø		ALBI06...19Ø		ALBI06...22Ø		ALBI06...29Ø	
A 080	60,00 €	A 080	60,00 €	A 080	60,00 €	A 080	60,00 €	A 080	60,00 €	A 080	88,00 €	A 080	88,00 €
A 100	62,00 €	A 100	62,00 €	A 100	62,00 €	A 100	62,00 €	A 100	62,00 €	A 100	96,00 €	A 100	96,00 €
A 115	65,00 €	A 115	65,00 €	A 115	65,00 €	A 115	65,00 €	A 115	65,00 €	A 115	98,00 €	A 115	98,00 €
A 120	66,00 €	A 120	66,00 €	A 120	66,00 €	A 120	66,00 €	A 120	66,00 €	A 120	101,00 €	A 120	101,00 €
A 130	70,00 €	A 130	70,00 €	A 130	70,00 €	A 130	70,00 €	A 130	70,00 €	A 130	109,00 €	A 130	109,00 €
A 140	72,00 €	A 140	72,00 €	A 140	72,00 €	A 140	72,00 €	A 140	72,00 €	A 140	111,00 €	A 140	111,00 €
A 150	77,00 €	A 150	77,00 €	A 150	77,00 €	A 150	77,00 €	A 150	77,00 €	A 150	118,00 €	A 150	118,00 €
A 160	80,00 €	A 160	80,00 €	A 160	80,00 €	A 160	80,00 €	A 160	80,00 €	A 160	130,00 €	A 160	130,00 €
A 180	86,00 €	A 180	86,00 €	A 180	86,00 €	A 180	86,00 €	A 180	86,00 €	A 180	154,00 €	A 180	154,00 €
A 200	98,00 €	A 200	98,00 €	A 200	98,00 €	A 200	98,00 €	A 200	98,00 €	A 200	190,00 €	A 200	190,00 €
D 225	111,00 €	D 225	111,00 €	D 225	111,00 €	D 225	111,00 €	D 225	111,00 €	D 225	208,00 €	D 225	208,00 €
C 250	126,00 €	C 250	126,00 €	C 250	126,00 €	C 250	126,00 €	C 250	126,00 €	C 250	251,00 €	C 250	251,00 €
C 300	167,00 €	C 300	167,00 €	C 300	167,00 €	C 300	167,00 €	C 300	167,00 €	C 300	300,00 €	C 300	300,00 €
C 350	179,00 €	C 350	179,00 €	C 350	179,00 €	C 350	179,00 €	C 350	179,00 €	C 350	347,00 €	C 350	347,00 €
C 400	197,00 €	C 400	197,00 €	C 400	197,00 €	C 400	197,00 €	C 400	197,00 €	C 400	400,00 €	C 400	400,00 €
F 450	218,00 €	F 450	218,00 €	F 450	218,00 €	F 450	218,00 €	F 450	218,00 €	F 450	472,00 €	F 450	472,00 €
F 500	249,00 €	F 500	249,00 €	F 500	249,00 €	F 500	249,00 €	F 500	249,00 €	F 500	545,00 €	F 500	545,00 €
F 600	319,00 €	F 600	319,00 €	F 600	319,00 €	F 600	319,00 €	F 600	319,00 €	F 600	740,00 €	F 600	740,00 €

End cap with storm
collar mat

Inspection length
l=500mm (up to
200°C/P1)

Adjustable length
for connection line
320-460mm with
external gasket

Length 200mm
with test point (up
to 200°C/P1)

Length 200mm
with drain for hori-
zontal installation
and 1/2" nozzle

Adjustable elbow
0-45° with external
gasket

Adjustable elbow
0-90° with external
gasket



FU25Ø		ALBI06...113DØ		ALBI06...114DØ		ALBI06...112Ø		ALBI06...111Ø		ALBI06...21DØ		ALBI06...101DØ	
080	81,00 €	A 080	146,00 €	A 080	170,00 €	A 080	97,00 €	A 080	90,00 €	A 130	116,00 €	A 130	199,00 €
100	83,00 €	A 100	148,00 €	A 100	172,00 €	A 100	99,00 €	A 100	99,00 €	A 150	122,00 €	A 150	202,00 €
115	85,00 €	A 115	150,00 €	A 115	175,00 €	A 115	101,00 €	A 115	101,00 €	A 180	172,00 €	A 180	281,00 €
120	86,00 €	A 120	150,00 €	A 120	176,00 €	A 120	102,00 €	A 120	102,00 €	A 200	199,00 €	A 200	338,00 €
130	92,00 €	A 130	155,00 €	A 130	183,00 €	A 130	107,00 €	A 130	107,00 €				
140	100,00 €	A 140	156,00 €	A 140	189,00 €	A 140	109,00 €	A 140	109,00 €				
150	106,00 €	A 150	159,00 €	A 150	193,00 €	A 150	110,00 €	A 150	111,00 €				
160	114,00 €	A 160	162,00 €	A 160	206,00 €	A 160	112,00 €	A 160	120,00 €				
180	122,00 €	A 180	164,00 €	A 180	222,00 €	A 180	118,00 €	A 180	127,00 €				
200	135,00 €	A 200	183,00 €	A 200	236,00 €	A 200	123,00 €	A 200	134,00 €				
225	142,00 €	D 225	192,00 €	D 225	253,00 €	D 225	132,00 €	D 225	142,00 €				
250	149,00 €	C 250	199,00 €	C 250	262,00 €	C 250	137,00 €	C 250	150,00 €				
300	169,00 €	C 300	234,00 €	C 300	324,00 €	C 300	145,00 €	C 300	166,00 €				
350	182,00 €	C 350	247,00 €	C 350	371,00 €	C 350	159,00 €	C 350	187,00 €				
400	215,00 €	C 400	260,00 €			C 400	174,00 €	C 400	206,00 €				
450	232,00 €	F 450	287,00 €			F 450	189,00 €	F 450	225,00 €				
500	316,00 €	F 500	316,00 €			F 500	206,00 €	F 500	253,00 €				
600	421,00 €	F 600	378,00 €			F 600	253,00 €	F 600	306,00 €				

Adjustable elbow
0-90° with inspection
door, internal
and external gasket
(up to 200°C/PI)

Gasket silicone up
to 200°C

Gasket EPDM 120°C

Sealing set external
(3 sealing rings
made of Viton)

Universal sealing
set for boiler outlet
and butt joint with
gasket and external
locking band

Locking band

Cover with clam-
ping mechanism



ALBI06...102DØ		ALBI26Ø		ALBI367Ø		DS3Ø		AL45VØ		FU45Ø		ALBI31Ø	
A 130	203,00 €	080	21,00 €	080	21,00 €	130	125,00 €	080	58,00 €	080	18,00 €	080	72,00 €
A 150	207,00 €	100	22,00 €	100	22,00 €	150	128,00 €	100	59,00 €	100	19,00 €	100	81,00 €
A 180	314,00 €	115	23,00 €	115	23,00 €	180	131,00 €	115	62,00 €	115	20,00 €	115	83,00 €
A 200	372,00 €	120	23,00 €	120	23,00 €	200	156,00 €	120	63,00 €	120	21,00 €	120	91,00 €
		130	26,00 €	130	26,00 €			130	66,00 €	130	22,00 €	130	92,00 €
		140	26,00 €	140	26,00 €			140	67,00 €	140	23,00 €	140	93,00 €
		150	26,00 €	150	26,00 €			150	68,00 €	150	26,00 €	150	94,00 €
		160	27,00 €	160	27,00 €			160	70,00 €	160	27,00 €	160	98,00 €
		180	28,00 €	180	28,00 €			180	72,00 €	180	28,00 €	180	99,00 €
		200	31,00 €	200	31,00 €			200	74,00 €	200	31,00 €	200	101,00 €
		225	32,00 €	250	34,00 €			225	77,00 €	225	32,00 €		
		250	34,00 €	300	35,00 €			250	78,00 €	250	34,00 €		
		300	35,00 €	350	37,00 €			300	81,00 €	300	37,00 €		
		350	37,00 €	400	39,00 €			350	98,00 €	350	39,00 €		
		400	39,00 €					400	107,00 €	400	43,00 €		
		450	44,00 €					450	123,00 €	450	53,00 €		
		500	47,00 €							500	75,00 €		
		600	58,00 €							600	111,00 €		

Cover with clam-
ping mechanism

Cover with clam-
ping mechanism for
FU50

Door with test point

Door with test point

Silicone (up to
400°C)

Lubricant tube 75
ml, chloride free

Ventilation grille
200x200mm



ALBI31Ø		2B2-ZUAC980Ø		ALBI31AØ		ALBI31AØ		ALBI60		750GLEIOVT		ALBI21	
250	137,00 €	080	34,00 €	150	145,00 €	250	191,00 €		94,00 €		15,00 €		102,00 €
		100	35,00 €	160	146,00 €								
		115	36,00 €	180	147,00 €								
		120	37,00 €	200	153,00 €								
		130	37,00 €										
		140	38,00 €										
		150	38,00 €										
		160	39,00 €										
		180	39,00 €										
		200	44,00 €										
		250	57,00 €										



System EW-ALBI



Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904

Fitting 1/2" to plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904

Siphon to the centric P1/M1

Siphon to the right P1/M1

Siphon to the left P1/M1

Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1

Force connection sleeve suitable up to 120°C

750FITTINGÜ-22 1/2	750FITTINGV-22	ZUAC2300	ZUAC2301	ZUAC2302	ZUAC2303	ZUAC2781Ø
94,00 €	47,00 €	66,00 €	66,00 €	66,00 €	66,00 €	040-065 158,00 € 050-080 190,00 € 075-110 206,00 € 100-133 272,00 € 123-161 253,00 € 160-192 360,00 € 183-226 417,00 €

Transition from PPS to ALBI with female socket

Transition from PPS (A) to ALBI female socket (B)

Eccentric Increaser

Increaser

									
		from male Ø A		from male Ø A					
		to female Ø B		to female Ø B					
		Flue gas direction		Flue gas direction					
ALBI06...88Ø		ALBI06...88ØØ		ALBIE...ØØEX		ALBIE...ØØ			
A 080 121,00 €		A 110 135,00 €		A 080 132,00 €	A 160 179,00 €	A 080 69,00 €	A 150 158,00 €	C 250 239,00 €	
A 100 132,00 €		B 100		B 100	B 180	B 100	B 180	B 350	
A 150 167,00 €		A 110 136,00 €		A 080 136,00 €	A 160 202,00 €	A 080 130,00 €	A 160 96,00 €	C 300 243,00 €	
A 160 172,00 €		B 115		B 115	B 200	B 115	B 180	B 350	
A 200 201,00 €		A 160 167,00 €		A 100 139,00 €	A 180 202,00 €	A 100 76,00 €	A 160 168,00 €	C 350 277,00 €	
C 250 224,00 €		B 150		B 120	B 200	B 120	B 200	B 400	
				A 115 153,00 €	D 180 211,00 €	A 110 76,00 €	A 180 100,00 €	F 400 313,00 €	
				B 130	B 225	B 115	B 200	B 450	
				A 120 161,00 €	D 200 211,00 €	C 110 92,00 €	D 180 181,00 €	F 450 355,00 €	
				B 140	B 225	B 130	B 225	B 500	
				A 130 168,00 €	C 200 225,00 €	A 115 80,00 €	D 200 185,00 €		
				B 150	B 250	B 130	B 225		
				C 130 224,00 €	C 200 254,00 €	A 120 80,00 €	C 200 193,00 €		
				B 250	B 300	B 140	B 250		
				A 140 173,00 €	A 250 255,00 €	A 130 83,00 €	A 200 208,00 €		
				B 160	B 300	B 150	B 300		
				A 150 179,00 €	C 300 291,00 €	A 140 89,00 €	A 250 217,00 €		
				B 180	B 350	B 160	B 300		



ALBIR...ØØ			
A A 080 B 060	63,00 €	A A 150 B 120	139,00 €
A A 100 B 080	68,00 €	A A 150 B 130	83,00 €
A A 115 B 100	74,00 €	A A 160 B 130	150,00 €
A A 120 B 100	75,00 €	A A 160 B 140	88,00 €
A A 130 B 100	132,00 €	A A 180 B 150	156,00 €
A A 130 B 110	77,00 €	A A 180 B 160	95,00 €
A A 130 B 115	76,00 €	A A 200 B 130	159,00 €
A A 140 B 115	136,00 €	A A 200 B 150	163,00 €
A A 140 B 120	77,00 €	A A 200 B 160	164,00 €
		A A 200 B 180	97,00 €
		A A 250 B 200	190,00 €
		F A 250 B 225	215,00 €
		C A 300 B 250	216,00 €
		C A 350 B 300	241,00 €
		C A 400 B 350	264,00 €
		C A 450 B 400	308,00 €
		F A 500 B 450	352,00 €



System EW-SILVER

DESCRIPTION

The Jeremias EW-SILVER system is suitable for cross-sectional reductions in chimneys to adapt to modern fireplaces (oil/gas/chip/split logs and wood pellets according to DIN 51731, for dry and condensing operation mode)

MATERIAL

1.4539 (904L) only for components in contact with flue gas
Also available as EW-KL-SILVER on request

FINISHING

Matt

WALL THICKNESS

0.6 mm

Others on request

INSIDE DIAMETER

80 - 300 mm

Others on request

INSULATION

Insulating shells available as an option

CONNECTION


Socket / bead

ORDER CODE

The article code for your order results from:

Article code + Ø (Ex: 617-FU0602130).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Resistant to soot fire or moisture
- Lightweight material for fast assembly and simple offset
- Optional fixation with locking bands
- Optionally available as an oval tube, ideal for narrow and multiple chimneys
- Large variety of systems and extensive range of accessories

APPLICATION AREAS

- Standard heating appliances for oil and gas
- Natural wood pellets, chips and logs made from natural wood

APPROVAL NUMBER

Z - 7.1 - 3374

CLASSIFICATIONS TO ACC. DIN 18160-1

T400 - N1 - W2¹⁾ - G50 - L00

T600 - N1 - W2¹⁾ - G100 - L00

¹⁾ for wood pellets made from natural wood
for wood chips made from natural wood
for natural firewood
for gas and fuel oil EL

CONNECTING PIPE

APPROVAL NUMBER

Z - 7.1 - 3374

Without radiation protection
T600 - N1 - W2 - G400M

Distances with radiation protection according to DIN 18160-1/EN 15287
until DN130 = G200, DN140 = G210, DN150 = G225, DN160 = G240,
DN180 = G270, >DN200 = G300

Condensate collector with drain l=250mm and 1/2" threaded nipple

Closing cap plastic for drain 1/2" (up to 200°C)

Condensate collector with drain l=250mm 1/2" threaded nipple towards bottom

Inspection length with lid 210x140mm (up to 600°C/N1)

Inspection length with box and lid 210x140mm (up to 600°C/N1)

Inspection length with round opening (up to 600°C/ N1)

Inspection element 93° (up to 600°/N1) with round opening, including sealing cover



617-FU01BØ		750ADK1/2		617-FU94BØ		617-FU0607Ø		617-FU0607KØ		617-FU0607RØ		617-FU063055Ø	
080	102,00 €	5,00 €		080	102,00 €	080	116,00 €	080	198,00 €	080	230,00 €	350	462,00 €
100	104,00 €			100	104,00 €	100	117,00 €	100	200,00 €	100	231,00 €	400	557,00 €
115	105,00 €			115	105,00 €	115	119,00 €	115	203,00 €	115	236,00 €	450	672,00 €
120	108,00 €			120	108,00 €	120	122,00 €	120	206,00 €	120	237,00 €	500	944,00 €
130	111,00 €			130	111,00 €	130	125,00 €	130	207,00 €	130	255,00 €	600	1.131,00 €
140	113,00 €			140	113,00 €	140	128,00 €	140	209,00 €	140	258,00 €		
150	114,00 €			150	114,00 €	150	131,00 €	150	213,00 €	150	260,00 €		
160	116,00 €			160	116,00 €	160	138,00 €	160	221,00 €	160	273,00 €		
180	117,00 €			180	117,00 €	180	149,00 €	180	230,00 €	180	290,00 €		
200	122,00 €			200	122,00 €	200	170,00 €	200	249,00 €	200	308,00 €		
225	131,00 €			225	131,00 €	225	174,00 €	225	255,00 €	225	327,00 €		
250	140,00 €			250	140,00 €	250	195,00 €	250	275,00 €	250	341,00 €		
300	153,00 €			300	153,00 €	300	230,00 €	300	308,00 €	300	353,00 €		

Stainless steel chimney door 210x140mm without holes and 4 side lugs, incl. door key

Stainless steel chimney door 210x140mm with 4 holes and 2 side lugs incl. door key

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Extension l=150mm for FU13 and FU13B

Extension l=500mm for FU13 and FU13B

Extension l=1000mm for FU13 and FU13B

Stainless steel chimney door 210x140mm with adj. Nozzle and insert 150mm, incl. door key



*1



*1

FU13	FU13B	FU0960	FU11150	FU11500	FU111000	FU09150
67,00 €	67,00 €	84,00 €	35,00 €	114,00 €	227,00 €	111,00 €



System EW-SILVER



Stainless steel chimney door 210x140mm with soot protection, incl. door key



FU55

250,00 €

Stainless steel chimney door 210x140mm with soot protection and insert 60mm, incl. door key



FU5560

268,00 €

Stainless steel chimney door 210x140mm with soot protection and insert 150mm, incl. door key



FU55150

294,00 €

Stainless steel chimney door 300x150mm without holes and 4 lugs, incl. door key



FU14

114,00 €

Stainless steel chimney door 300/150mm with 4 holes and 2 side lugs incl. door key



FU14B

114,00 €

Stainless steel chimney door 300x150mm with inclined insert 60mm, incl. door key



FU1060

139,00 €

Extension l=150mm for FU14 and FU14B



FU12150

47,00 €

Extension l=500mm for FU14 and FU14B



FU12500

156,00 €

Extension l=1000mm for FU14 and FU14B



FU121000

301,00 €

Stainless steel chimney door 300x150mm with adj. nozzle 150mm



FU10150

176,00 €

Stainless steel chimney door 300x200mm without holes and 4 lugs, incl. door key



FU116

125,00 €

Stainless steel chimney door 300x200mm with inclined insert 60mm, incl. door key



FU116060

158,00 €

Stainless steel wall sleeve



617-FU42Ø

080 60,00 €

100 63,00 €

115 66,00 €

120 68,00 €

130 71,00 €

140 77,00 €

150 78,00 €

160 80,00 €

180 81,00 €

200 86,00 €

225 95,00 €

250 102,00 €

300 113,00 €

Stainless steel wall sleeve, suitable for 2mm stove pipe



617-FU42FØ

080 68,00 €

100 69,00 €

115 71,00 €

120 77,00 €

130 80,00 €

140 81,00 €

150 86,00 €

160 87,00 €

180 92,00 €

200 93,00 €

225 104,00 €

250 111,00 €

- *1 Extension of the sliding nozzle. Price per cm

Stainless steel wall sleeve, suitable for 2mm stove pipe, l=250mm, insert 60mm



NEW

Stainless steel wall sleeve, suitable for 2mm stove pipe, l=500mm, insert 60mm



NEW

Assembly foam, double-chamber cartridge of 345ml with static mixer



NEW

1 bag with 5 static mixers



NEW

Isotherm tape 40mm, price per metre



€ NET

T-45° with drip nose, hand welded




T-87° with drip nose, hand welded



617-FU2614FØ-250	617-FU2614FØ-500	ZUAC3213	ZUAC3213-1	750ISO40	617-FU0616Ø	617-FU063015Ø
080 119,00 €	080 165,00 €	37,00 €	14,00 €	5,00 €	080 269,00 €	080 185,00 €
100 126,00 €	100 182,00 €				100 287,00 €	100 186,00 €
115 128,00 €	115 185,00 €				115 303,00 €	115 188,00 €
120 132,00 €	120 194,00 €				120 320,00 €	120 195,00 €
130 140,00 €	130 203,00 €				130 333,00 €	130 209,00 €
150 146,00 €	150 213,00 €				140 350,00 €	140 227,00 €
160 149,00 €	160 218,00 €				150 369,00 €	150 234,00 €
180 155,00 €	180 231,00 €				160 381,00 €	160 249,00 €
200 159,00 €	200 237,00 €				180 420,00 €	180 296,00 €
					200 429,00 €	200 306,00 €
					225 461,00 €	225 333,00 €
					250 471,00 €	250 359,00 €
					300 542,00 €	300 390,00 €

T-87° decreased, hand welded



T-87° increased, hand welded



T-Klix 87° with drip nose



T-Klix 90° with drip nose



Mounting bracket



Length 1000mm



Length 500mm



617-FU063015RØ	617-FU063015EØ	617-FU0649Ø	617-FU062169Ø	FU40Ø	617-FU0602Ø	617-FU0603Ø
A 130 209,00 €	A 080 186,00 €	080 221,00 €	080 221,00 €	080 28,00 €	080 135,00 €	080 80,00 €
B 100 209,00 €	B 100 186,00 €	100 224,00 €	100 224,00 €	100 32,00 €	100 143,00 €	100 96,00 €
A 150 234,00 €	A 115 209,00 €	115 225,00 €	115 225,00 €	115 34,00 €	115 150,00 €	115 103,00 €
B 130 234,00 €	B 130 209,00 €	120 234,00 €	120 234,00 €	120 35,00 €	120 152,00 €	120 105,00 €
A 160 249,00 €	A 120 209,00 €	130 249,00 €	130 248,00 €	130 36,00 €	130 153,00 €	130 107,00 €
B 130 249,00 €	B 130 209,00 €	140 260,00 €	140 260,00 €	140 37,00 €	140 162,00 €	140 110,00 €
A 180 296,00 €	A 130 227,00 €	150 272,00 €	150 272,00 €	150 38,00 €	150 166,00 €	150 112,00 €
B 130 296,00 €	B 140 227,00 €	160 294,00 €	160 294,00 €	160 38,00 €	160 182,00 €	160 121,00 €
A 180 296,00 €	A 130 234,00 €	180 344,00 €	180 344,00 €	180 39,00 €	180 198,00 €	180 130,00 €
B 150 296,00 €	B 150 234,00 €	200 363,00 €	200 363,00 €	200 39,00 €	200 216,00 €	200 134,00 €
A 200 306,00 €	A 150 296,00 €	225 390,00 €	225 390,00 €	225 40,00 €	225 236,00 €	225 146,00 €
B 150 306,00 €	B 180 296,00 €	250 416,00 €	250 416,00 €	250 40,00 €	250 263,00 €	250 157,00 €
A 250 359,00 €	A 180 306,00 €	300 461,00 €	300 461,00 €	300 42,00 €	300 310,00 €	300 168,00 €
B 200 359,00 €	B 200 306,00 €					

Length 250mm

Length 1000mm
with 2 lowering
loops

Length 1000mm
double female
socket

Length 1000mm
with mounting
bracket

Insulating shell
20mm, l=1000mm

Insulating shell
25mm, l=1000mm

Aluminium lamina-
ted insulating shell,
thickness 15mm,
slotted



617-FU0604Ø		617-FU0605Ø		617-FU0606Ø		617-FU0670Ø		FU39Ø-20		FU39Ø-25		FU746Ø	
080	58,00 €	080	143,00 €	080	143,00 €	080	177,00 €	080	45,00 €	080	45,00 €	120	78,00 €
100	72,00 €	100	153,00 €	100	153,00 €	100	184,00 €	100	47,00 €	100	47,00 €	130	79,00 €
115	76,00 €	115	157,00 €	115	157,00 €	115	186,00 €	115	47,00 €	115	47,00 €	140	88,00 €
120	78,00 €	120	162,00 €	120	162,00 €	120	189,00 €	120	47,00 €	120	50,00 €	150	95,00 €
130	80,00 €	130	164,00 €	130	164,00 €	130	193,00 €	130	50,00 €	130	51,00 €	160	103,00 €
140	81,00 €	140	168,00 €	140	168,00 €	140	198,00 €	140	54,00 €	140	55,00 €	180	112,00 €
150	83,00 €	150	177,00 €	150	177,00 €	150	200,00 €	150	57,00 €	150	58,00 €	200	130,00 €
160	85,00 €	160	189,00 €	160	189,00 €	160	209,00 €	160	62,00 €	160	63,00 €	225	143,00 €
180	94,00 €	180	206,00 €	180	206,00 €	180	233,00 €	180	67,00 €	180	68,00 €	250	158,00 €
200	96,00 €	200	225,00 €	200	225,00 €	200	249,00 €	200	79,00 €	200	81,00 €	300	165,00 €
225	105,00 €	225	247,00 €	225	247,00 €	225	272,00 €	225	82,00 €	225	83,00 €		
250	110,00 €	250	272,00 €	250	272,00 €	250	299,00 €	250	85,00 €	250	86,00 €		
300	125,00 €	300	317,00 €	300	317,00 €	300	351,00 €	300	93,00 €	300	99,00 €		

Elbow 15°, hand
welded

Elbow 30°, hand
welded

Elbow 45°, hand
welded

Elbow 87°, hand
welded

Elbow 90°, hand
welded

Elbow 87° with
inspection door,
hand welded (up to
600°C/N1)

Elbow 90° with
inspection door,
hand welded (up to
600°C/N1)



617-FU0617Ø		617-FU0618Ø		617-FU0619Ø		617-FU0622Ø		617-FU0629Ø		617-FU0623Ø		617-FU0624Ø	
080	59,00 €	080	59,00 €	080	59,00 €	080	101,00 €	080	101,00 €	080	155,00 €	080	155,00 €
100	60,00 €	100	60,00 €	100	60,00 €	100	111,00 €	100	111,00 €	100	165,00 €	100	165,00 €
115	63,00 €	115	63,00 €	115	63,00 €	115	113,00 €	115	113,00 €	115	170,00 €	115	170,00 €
120	65,00 €	120	65,00 €	120	65,00 €	120	117,00 €	120	117,00 €	120	174,00 €	120	174,00 €
130	66,00 €	130	66,00 €	130	66,00 €	130	125,00 €	130	125,00 €	130	183,00 €	130	183,00 €
140	69,00 €	140	69,00 €	140	69,00 €	140	128,00 €	140	128,00 €	140	186,00 €	140	186,00 €
150	77,00 €	150	77,00 €	150	77,00 €	150	138,00 €	150	138,00 €	150	191,00 €	150	191,00 €
160	80,00 €	160	80,00 €	160	80,00 €	160	155,00 €	160	155,00 €	160	209,00 €	160	209,00 €
180	87,00 €	180	87,00 €	180	87,00 €	180	189,00 €	180	189,00 €	180	245,00 €	180	245,00 €
200	101,00 €	200	101,00 €	200	101,00 €	200	239,00 €	200	239,00 €	200	296,00 €	200	296,00 €
225	119,00 €	225	119,00 €	225	119,00 €	225	264,00 €	225	264,00 €	225	326,00 €	225	326,00 €
250	138,00 €	250	138,00 €	250	138,00 €	250	326,00 €	250	326,00 €	250	377,00 €	250	377,00 €
300	198,00 €	300	198,00 €	300	198,00 €	300	398,00 €	300	398,00 €	300	498,00 €	300	498,00 €

- *1 Insulation is delivered in several parts from Ø400 mm

End cap with storm collar mat



Multi-use end cap with rear ventilation and storm collar



Rain cap



Conical boiler adaptor with female plug connection



Length 200mm with drain for vertical installation and 1/2" nozzle



Length 200mm with drain for horizontal installation and 1/2" nozzle



Adjustable length for connection line 320-460mm



FU25Ø		617-FU130Ø		FU28Ø		617-FU06123Ø		617-FU06110Ø		617-FU06111Ø		617-FU06114Ø	
080	81,00 €	080	126,00 €	080	54,00 €	080	66,00 €	080	218,00 €	080	125,00 €	080	185,00 €
100	83,00 €	100	131,00 €	100	57,00 €	100	68,00 €	100	221,00 €	100	139,00 €	100	186,00 €
115	85,00 €	115	137,00 €	115	58,00 €	115	68,00 €	115	224,00 €	115	141,00 €	115	188,00 €
120	86,00 €	120	140,00 €	120	59,00 €	120	69,00 €	120	225,00 €	120	143,00 €	120	189,00 €
130	92,00 €	130	155,00 €	130	61,00 €	130	71,00 €	130	227,00 €	130	146,00 €	130	195,00 €
140	100,00 €	140	171,00 €	140	61,00 €	140	77,00 €	140	230,00 €	140	150,00 €	140	206,00 €
150	106,00 €	150	185,00 €	150	62,00 €	150	78,00 €	150	231,00 €	150	153,00 €	150	207,00 €
160	114,00 €	160	198,00 €	160	63,00 €	160	80,00 €	160	233,00 €	160	168,00 €	160	225,00 €
180	122,00 €	180	213,00 €	180	64,00 €	180	81,00 €	180	236,00 €	180	179,00 €	180	239,00 €
200	135,00 €	200	237,00 €	200	66,00 €	200	86,00 €	200	239,00 €	200	186,00 €	200	260,00 €
225	142,00 €	225	249,00 €	225	70,00 €	225	87,00 €	225	245,00 €	225	198,00 €	225	278,00 €
250	149,00 €	250	254,00 €	250	74,00 €	250	92,00 €	250	249,00 €	250	209,00 €	250	294,00 €
300	169,00 €	300	294,00 €	300	86,00 €	300	95,00 €	300	258,00 €	300	236,00 €	300	378,00 €

Inspection length 500mm (up to 600°C/Ni)



Length 200mm with test point (up to 600°C)



Storm collar



Locking band



Wall bracket 50mm



Adjustable wall bracket 50-360mm



Mat for sound decoupling suitable for VL293



Rgr. ZUAC

617-FU06113Ø		617-FU06112AØ		FU72Ø		FU45Ø		VL09Ø		VL293Ø		ZUAC2274	
080	171,00 €	080	194,00 €	080	38,00 €	080	18,00 €	080	61,00 €	080	83,00 €	61,00 €	
100	174,00 €	100	195,00 €	100	39,00 €	100	19,00 €	100	62,00 €	100	86,00 €		
115	176,00 €	115	197,00 €	115	42,00 €	115	20,00 €	115	63,00 €	115	90,00 €		
120	177,00 €	120	198,00 €	120	43,00 €	120	21,00 €	120	64,00 €	120	92,00 €		
130	182,00 €	130	200,00 €	130	44,00 €	130	22,00 €	130	66,00 €	130	101,00 €		
140	186,00 €	140	203,00 €	140	45,00 €	140	23,00 €	140	67,00 €	140	107,00 €		
150	188,00 €	150	206,00 €	150	46,00 €	150	26,00 €	150	68,00 €	150	113,00 €		
160	191,00 €	160	207,00 €	160	47,00 €	160	27,00 €	160	69,00 €	160	116,00 €		
180	192,00 €	180	218,00 €	180	53,00 €	180	28,00 €	180	70,00 €	180	120,00 €		
200	212,00 €	200	219,00 €	200	54,00 €	200	31,00 €	200	72,00 €	200	125,00 €		
225	219,00 €	225	230,00 €	225	57,00 €	225	32,00 €	225	74,00 €	225	129,00 €		
250	237,00 €	250	233,00 €	250	58,00 €	250	34,00 €	250	75,00 €	250	133,00 €		
300	284,00 €	300	243,00 €	300	59,00 €	300	37,00 €	300	93,00 €	300	140,00 €		

Adjustable support
800-1500mm

Adjustable support
360-800mm

Ceiling suspension
for perforated sheet
metal with with
sound absorbing
layer

Ceiling suspen-
sion with sound
absorbing layer for
threaded rod M8

Mat for sound
decoupling suitable
for VL11

2-piece wall bracket
for M10 threaded
rod

Threaded rod M10,
stainless steel
l=1000mm



VL11Ø		VL2189Ø		VL12Ø		VL16Ø		ZUAC2275	ZUWA1379Ø		VL316
080	146,00 €	080	138,00 €	080	42,00 €	080	58,00 €	74,00 €	080	42,00 €	22,00 €
100	147,00 €	100	139,00 €	100	43,00 €	100	59,00 €		100	44,00 €	
115	149,00 €	115	140,00 €	115	44,00 €	115	61,00 €		115	45,00 €	
120	150,00 €	120	142,00 €	120	47,00 €	120	63,00 €		120	45,00 €	
130	151,00 €	130	145,00 €	130	53,00 €	130	68,00 €		130	45,00 €	
140	154,00 €	140	147,00 €	140	57,00 €	140	75,00 €		140	48,00 €	
150	156,00 €	150	150,00 €	150	63,00 €	150	83,00 €		150	48,00 €	
160	159,00 €	160	154,00 €	160	70,00 €	160	91,00 €		160	50,00 €	
180	165,00 €	180	156,00 €	180	76,00 €	180	102,00 €		180	62,00 €	
200	170,00 €	200	163,00 €	200	84,00 €	200	110,00 €		200	69,00 €	
225	173,00 €	225	167,00 €	225	92,00 €	225	120,00 €		225	81,00 €	
250	179,00 €	250	172,00 €	250	98,00 €	250	123,00 €		250	92,00 €	
300	185,00 €	300	179,00 €	300	101,00 €	300	131,00 €		300	105,00 €	

Threaded rod M8,
stainless steel
l=1000mm

Stainless steel
draught limiter
210x140mm with
150mm insert for
inspection length
EW0607

Draught regulator
connection round
outlet Ø 150mm
suitable for FU38

Draught limiter
Ø 150mm for moun-
ting on FU0636

Draught limiter Ø
150mm with nozzle
and tension strap
for Ø 110 - 200mm

Draught regulator connection round with
outlet suitable for ZUK



*1



VL314	FU35	617-FU0636Ø		FU38	VL08E	617-FU061681ØØ			
20,00 €	118,00 €	080	213,00 €	138,00 €	159,00 €	A 100	209,00 €	A 225	333,00 €
		100	213,00 €			B 130		B 180	
		115	213,00 €			A 120	209,00 €	A 250	359,00 €
		120	213,00 €			B 130		B 180	
		130	213,00 €			A 130	209,00 €	A 300	390,00 €
		140	213,00 €			B 130		B 180	
		150	213,00 €			A 140	227,00 €		
		160	227,00 €			B 130			
		180	266,00 €			A 150	234,00 €		
		200	278,00 €			B 150			
		225	303,00 €			A 160	249,00 €		
		250	326,00 €			B 150			
		300	353,00 €			A 180	296,00 €		
						B 150			
						A 180	296,00 €		
						B 150			
						A 200	306,00 €		
						B 150			

- *1 Extension of the sliding nozzle. Price per cm
- *2 For the weight of the draught controller of approx. 28 kg, a separate anchorage has to be provided!

Extension pipe for ZUK



EW062889Ø	
130	40,00 €
150	44,00 €
180	50,00 €

Stainless steel draught limiter round with overpressure flap



ZUKØ	
150	90,00 €

Stainless steel draught limiter round with overpressure flap




ZUKØ	
130	131,00 €
180	161,00 €

Filter attachment for ZUK



ZUAC2947Ø	
130	82,00 €
150	102,00 €
180	116,00 €

Replacement filter for ZUAC2947



ZUAC2947-1Ø	
130	15,00 €
150	16,00 €
180	20,00 €

Draught regulator connection for ZUK250 (SG/-E)



617-FU061756Ø	
250	1.091,00 €
300	1.143,00 €

Draught limiter universal Ø 250mm with pressure relief valve and damping



ZUK250SG	
	2.025,00 €

Draught limiter universal Ø 250mm with pressure relief valve and damping (stainless steel)



ZUK250SG-E	
2.420,00 €	

Universal sealing set for boiler outlet and butt joint with gasket and external locking band



AL45VØ	
080	58,00 €
100	59,00 €
115	62,00 €
120	63,00 €
130	66,00 €
140	67,00 €
150	68,00 €
160	70,00 €
180	72,00 €
200	74,00 €
225	77,00 €
250	78,00 €
300	81,00 €

Round ventilation grid with wall plate and claws with sliding insert



FU85Ø	
080	69,00 €
100	72,00 €
120	72,00 €
130	72,00 €
140	79,00 €
150	81,00 €
160	85,00 €
180	93,00 €
200	98,00 €
225	110,00 €
250	116,00 €
300	131,00 €

Intermediate support



FU312Ø	
080	61,00 €
100	62,00 €
115	63,00 €
120	67,00 €
130	85,00 €
140	86,00 €
150	86,00 €
160	87,00 €
180	90,00 €
200	99,00 €
225	102,00 €
250	105,00 €
300	116,00 €

Extension for drain pipe 22x1mm, Price per metre



FU48	
	39,00 €

1/2" threaded nipple




FU128	
	23,00 €

Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



750FITTINGÜ-22 1/2	
	94,00 €



Closing cap plastic
for drain 1/2" (up to
200°C)

1/2" female socket

Siphon to the cen-
tric P1/M1

Siphon to the right
P1/M1

Siphon to the left
P1/M1

Trompet siphon
with 200mm water
trap height incl. 1/2"
female socket P1/M1



750FITTINGV-22	750ADK1/2	FU126	ZUAC2300	ZUAC2301	ZUAC2302	ZUAC2303
47,00 €	5,00 €	31,00 €	66,00 €	66,00 €	66,00 €	66,00 €

Stopcock, 1/2"
threaded outside
(1/2" female socket
FU126 not included)

Cap for wall sleeve
FU42

Cap for wall sleeve
FU42F

Locking band for boiler connection

Mineral rock wool 7
kg/Bag

Eccentric Increaser



FU47	FU43Ø		FU43FØ		FU1518Ø		MINERAL-7	617-EWEØØEX			
32,00 €	080	53,00 €	080	51,00 €	080	67,00 €	183,00 €	A 080	165,00 €	A 160	227,00 €
	100	53,00 €	100	51,00 €	100	68,00 €		B 100		B 180	
	115	54,00 €	120	55,00 €	115	69,00 €		A 080		A 160	
	120	57,00 €	130	56,00 €	120	70,00 €		B 115	170,00 €	B 200	257,00 €
	130	58,00 €	140	58,00 €	130	72,00 €		A 100		A 180	
	140	59,00 €	150	61,00 €	140	74,00 €		B 120	174,00 €	B 200	257,00 €
	150	61,00 €	160	62,00 €	150	75,00 €		A 115		A 180	
	160	62,00 €	180	63,00 €	160	79,00 €		B 130	189,00 €	B 225	269,00 €
	180	63,00 €	200	67,00 €	180	81,00 €		A 120		A 200	
	200	68,00 €	300	74,00 €	200	83,00 €		B 140	203,00 €	B 220	269,00 €
	225	69,00 €			225	98,00 €		A 130		A 200	
	250	72,00 €			250	99,00 €		B 150	212,00 €	B 225	269,00 €
	300	76,00 €			300	107,00 €		A 140	218,00 €	A 200	285,00 €
								B 160		B 250	
								A 150		A 250	
								B 170	227,00 €	B 300	329,00 €
								A 150			
								B 180	227,00 €		

Increaser

Decreaser



617-EWEØØ			617-EWRØØ		
A 080	71,00 €	A 160	102,00 €	A 080	63,00 €
B 100		B 180		B 150	174,00 €
A 080	161,00 €	A 160	206,00 €	B 120	
B 115		B 200		A 150	86,00 €
A 100	80,00 €	A 180	104,00 €	B 130	
B 120		B 200		A 160	186,00 €
A 115	81,00 €	A 180	224,00 €	B 130	
B 130		B 225		A 160	93,00 €
A 120	81,00 €	A 200	113,00 €	B 140	
B 140		B 220		A 180	195,00 €
A 130	86,00 €	A 200	230,00 €	B 150	
B 150		B 225		A 180	102,00 €
A 140	93,00 €	A 200	239,00 €	B 160	
B 160		B 250		A 200	206,00 €
A 150	102,00 €	A 250	273,00 €	B 160	
B 170		B 300		A 200	104,00 €
A 150	195,00 €	A 300	309,00 €	B 180	
B 180		B 350		A 225	224,00 €
				B 180	

Connection piece with integrated wall sleeve

Connection piece with integrated FERRO-wall sleeve



617-ZUWA757Ø-Ø			617-ZUWA757FØ-Ø		
A 100	135,00 €	A 150	149,00 €	A 200	167,00 €
B 080		B 110		B 130	
A 120	138,00 €	A 150	150,00 €	A 200	170,00 €
B 080		B 120		B 150	
A 120	138,00 €	A 150	155,00 €	A 200	173,00 €
B 100		B 130		B 160	
A 130	140,00 €	A 160	158,00 €	A 200	174,00 €
B 080		B 120		B 180	
A 130	140,00 €	A 180	164,00 €	A 225	183,00 €
B 100		B 120		B 200	
A 130	147,00 €	A 180	161,00 €	A 250	186,00 €
B 110		B 130		B 200	
A 140	147,00 €	A 180	164,00 €		
B 110		B 150			
A 150	141,00 €	A 180	165,00 €		
B 080		B 160			
A 150	147,00 €	A 200	164,00 €		
B 100		B 120			



System EW-LINE FLEX FU

DESCRIPTION

Single wall, flexible flue system made of stainless steel for renovation existing domestic chimneys with offset

MATERIAL

1.4404 (316L)

FINISHING

Matt

WALL THICKNESS

0.6 mm (rigid inner tubes EW-FU)

0.08 mm (Flex single layer)

0.16 mm (Flex double layer)

Others on request

INSIDE DIAMETER

80 - 250 mm

Others on request up to 400 mm

CONNECTION

Socket / bead

ORDER CODE



The article code for your order results from:

Article code + Ø (Ex: FU0616110).

Please refer to the respective code for deviations.

DELIVERY

The system contains bulky items that may incur additional freight costs.



CHARACTERISTICS

- Simple installation without breaking open shaft for offsets
- Resistant to soot fire or moisture
- Smooth inner wall on double layer version
- Compatible with basic parts from System EW-FU

APPLICATION AREAS

- Standard heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 013

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

Flex single layer

T200 - N1 - W - V2 - L50008 - O

T400 - N1 - W - V2 - L50008 - G

T600 - N1 - W - V2 - L50008 - G

Flex double layer 2x 0,08 = 0,16

T200 - N1 - W - V2 - L50008 - O

T400 - N1 - W - V2 - L50008 - G

T600 - N1 - W - V2 - L50008 - G

rigid liners EW-FU

T200 - N1 - W - V2 - L50060 - O

T400 - N1 - W - V2 - L50060 - G

T600 - N1 - W - V2 - L50060 - G

- *1 Extension of the sliding nozzle. Price per cm

Condensate collector with drain
l=250mm and 1/2" threaded nipple

Closing cap plastic for drain 1/2" (up to 200°C)

Inspection length with lid 210x140mm (up to 600°C/N1)

Inspection length with box 210x140mm (up to 600°C/N1)

Inspection length with box and lid 210x140mm (up to 600°C/N1)

Stainless steel chimney door 210x140mm without holes and 4 side lugs, incl. door key

Stainless steel chimney door 210x140mm with 4 holes and 2 side lugs incl. door key

						
Rgr. EW	€ NET	Rgr. EW	Rgr. EW	Rgr. EW	Rgr. EW	Rgr. EW
FU01BØ	750ADK1/2	FU0607Ø	EW0607Ø	FU0607KØ	FU13	FU13B
080 68,00 €	5,00 €	080 77,00 €	080 77,00 €	080 132,00 €	67,00 €	67,00 €
100 69,00 €		100 78,00 €	100 78,00 €	100 133,00 €		
110 70,00 €		110 79,00 €	110 79,00 €	110 135,00 €		
115 70,00 €		115 79,00 €	115 79,00 €	115 135,00 €		
120 72,00 €		120 81,00 €	120 81,00 €	120 137,00 €		
125 74,00 €		125 83,00 €	125 83,00 €	125 138,00 €		
130 74,00 €		130 83,00 €	130 83,00 €	130 138,00 €		
140 75,00 €		140 85,00 €	140 85,00 €	140 139,00 €		
150 76,00 €		150 87,00 €	150 87,00 €	150 142,00 €		
160 77,00 €		160 92,00 €	160 92,00 €	160 147,00 €		
180 78,00 €		180 99,00 €	180 99,00 €	180 153,00 €		
200 81,00 €		200 113,00 €	200 113,00 €	200 166,00 €		
225 87,00 €		225 116,00 €	225 116,00 €	225 170,00 €		
250 93,00 €		250 130,00 €	250 130,00 €	250 183,00 €		

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door 210x140mm with adj. Nozzle and insert 150mm, incl. door key

Stainless steel chimney door 300x150mm with inclined insert 60mm, incl. door key

Stainless steel chimney door 300x150mm with adj. nozzle 150mm

Stainless steel wall sleeve

Stainless steel wall sleeve, suitable for 2mm stove pipe

Stainless steel wall sleeve, suitable for 2mm stove pipe, l=500mm, insert 60mm

						
Rgr. EW	*1 Rgr. EW	*1 Rgr. EW	*1 Rgr. EW	Rgr. EW	Rgr. EW	NEW
FU0960	FU09150	FU1060	FU10150	FU42Ø	FU42FØ	FU2614FØ-500
84,00 €	111,00 €	139,00 €	176,00 €	080 40,00 €	080 45,00 €	080 110,00 €
				100 42,00 €	100 46,00 €	100 121,00 €
				110 43,00 €	115 47,00 €	115 123,00 €
				115 44,00 €	120 51,00 €	120 129,00 €
				120 45,00 €	130 53,00 €	130 135,00 €
				125 46,00 €	140 54,00 €	150 142,00 €
				130 47,00 €	150 57,00 €	160 145,00 €
				140 51,00 €	160 58,00 €	180 154,00 €
				150 52,00 €	180 61,00 €	200 158,00 €
				160 53,00 €	200 62,00 €	
				180 54,00 €	225 69,00 €	
				200 57,00 €	250 74,00 €	
				225 63,00 €		
				250 68,00 €		



System EW-LINE FLEX FU



Stainless steel wall sleeve, suitable for 2mm stove pipe, l=250mm, insert 60mm

Stainless steel wall sleeve suitable insert length 150mm, suitable for FERRO

Assembly foam, double-chamber cartridge of 345ml with static mixer

1 bag with 5 static mixers

T-87° with drip nose (extruded)

T-45° with drip nose, hand welded

T-87° with drip nose, hand welded



NEW



NEW



NEW



NEW



Rgr. EW



Rgr. EW



Rgr. EW

FU2614F0-250		FU42E150		ZUAC3213		ZUAC3213-1		FU06150		FU06160		FU0630150	
080	79,00 €	080	91,00 €	37,00 €		14,00 €		080	105,00 €	080	179,00 €	080	123,00 €
100	84,00 €	100	93,00 €					100	106,00 €	100	191,00 €	100	124,00 €
115	85,00 €	115	99,00 €					120	111,00 €	110	202,00 €	110	125,00 €
120	88,00 €	120	102,00 €					130	120,00 €	115	202,00 €	115	125,00 €
130	93,00 €	130	103,00 €					150	133,00 €	120	213,00 €	120	130,00 €
150	97,00 €	140	105,00 €					180	169,00 €	125	222,00 €	125	139,00 €
160	99,00 €	150	106,00 €					200	174,00 €	130	222,00 €	130	139,00 €
180	103,00 €	160	110,00 €					250	203,00 €	140	233,00 €	140	151,00 €
200	106,00 €	180	115,00 €							150	246,00 €	150	156,00 €
		200	120,00 €							160	254,00 €	160	166,00 €
		225	137,00 €							180	280,00 €	180	197,00 €
		250	145,00 €							200	286,00 €	200	204,00 €
										225	307,00 €	225	222,00 €
										250	314,00 €	250	239,00 €

T-Klix 87° with drip nose

Single wall flex liner Thickness=0.08mm, l=1m

Flex liner= 1 m single-layer Thickness=0.10mm

Single wall flex liner Thickness=0.08mm, l=30m

Single wall flex liner Thickness=0.08mm, l=50m

Double wall flex liner Thickness=0.16mm, l=1m

Double wall flex liner Thickness=0.16mm, l=15m



Rgr. EW



*1



*1



*1



*1



*1



*1

FU06490		121-F020		122-F020		121-F02R0-30		121-F02R0-50		121-F010		121-F01R0-15	
080	147,00 €	080	28,00 €	250	87,00 €	160	990,00 €	080	990,00 €	080	37,00 €	250	auf Anfrage
100	149,00 €	100	29,00 €			180	1.039,00 €	100	1.075,00 €	100	43,00 €		
110	149,00 €	110	31,00 €			200	1.236,00 €	110	1.236,00 €	110	46,00 €		
115	150,00 €	115	32,00 €					115	1.317,00 €	115	52,00 €		
120	156,00 €	120	35,00 €					120	1.323,00 €	120	53,00 €		
125	165,00 €	125	36,00 €					125	1.402,00 €	125	54,00 €		
130	166,00 €	130	37,00 €					130	1.408,00 €	130	58,00 €		
140	173,00 €	140	38,00 €					140	1.483,00 €	140	59,00 €		
150	181,00 €	150	39,00 €					150	1.565,00 €	150	62,00 €		
160	196,00 €	160	43,00 €							160	66,00 €		
180	229,00 €	180	44,00 €							180	74,00 €		
200	242,00 €	200	52,00 €							200	82,00 €		
225	260,00 €	225	72,00 €							250	auf Anfrage		
250	277,00 €												

- *1 Bulky goods, additional freight costs may arise.

Double wall
flex liner
Thickness=0.16mm,
l=30m



Double wall
flex liner
Thickness=0.16mm,
l=50m



Adaptor screwable
EW-FLEX/EW-
FLEX



Adaptor screwable
EW-FLEX/EW-FU



Adaptor screwable
EW-FU/EW-FLEX



Mounting aid for
EW-LINE FLEX



Mounting bracket



121-F01RØ-30		121-F01RØ-50		FD06Ø		FD07Ø		FD08Ø		FD789Ø		FU40Ø	
110	1.138,00 €	080	1.402,00 €	080	72,00 €	080	58,00 €	080	58,00 €	080	107,00 €	080	28,00 €
115	1.236,00 €	100	1.646,00 €	100	74,00 €	100	59,00 €	100	59,00 €	100	109,00 €	100	32,00 €
120	1.242,00 €			110	75,00 €	110	61,00 €	110	61,00 €	110	110,00 €	110	34,00 €
125	1.334,00 €			115	77,00 €	115	62,00 €	115	62,00 €	115	111,00 €	115	34,00 €
130	1.341,00 €			120	81,00 €	120	63,00 €	120	63,00 €	120	114,00 €	120	35,00 €
140	1.434,00 €			125	85,00 €	125	64,00 €	125	64,00 €	125	115,00 €	125	36,00 €
150	1.531,00 €			130	86,00 €	130	66,00 €	130	66,00 €	130	116,00 €	130	36,00 €
160	1.583,00 €			140	87,00 €	140	67,00 €	140	67,00 €	140	118,00 €	140	37,00 €
180	1.778,00 €			150	90,00 €	150	68,00 €	150	68,00 €	150	125,00 €	150	38,00 €
200	2.026,00 €			160	93,00 €	160	69,00 €	160	69,00 €	160	126,00 €	160	38,00 €
				180	100,00 €	180	74,00 €	180	74,00 €	180	127,00 €	180	39,00 €
				200	106,00 €	200	77,00 €	200	77,00 €	200	130,00 €	200	39,00 €
				225	110,00 €	225	83,00 €	225	83,00 €			225	40,00 €
				250	116,00 €	250	90,00 €	250	90,00 €			250	40,00 €

Length 1000mm



Length 500mm



Length 250mm



End cap with storm
collar mat



Multi-use end cap
with rear ventilation
and storm collar



Rain cap



FU0602Ø		FU0603Ø		FU0604Ø		FU25Ø		FU130Ø		FU28Ø	
080	75,00 €	080	44,00 €	080	32,00 €	080	81,00 €	080	84,00 €	080	54,00 €
100	79,00 €	100	53,00 €	100	40,00 €	100	83,00 €	100	87,00 €	100	57,00 €
110	83,00 €	110	57,00 €	110	42,00 €	110	85,00 €	110	90,00 €	110	58,00 €
115	83,00 €	115	57,00 €	115	42,00 €	115	85,00 €	115	91,00 €	115	58,00 €
120	84,00 €	120	58,00 €	120	43,00 €	120	86,00 €	120	93,00 €	120	59,00 €
125	85,00 €	125	59,00 €	125	44,00 €	125	92,00 €	125	103,00 €	125	61,00 €
130	85,00 €	130	59,00 €	130	44,00 €	130	92,00 €	130	103,00 €	130	61,00 €
140	90,00 €	140	61,00 €	140	45,00 €	140	100,00 €	140	114,00 €	140	61,00 €
150	92,00 €	150	62,00 €	150	46,00 €	150	106,00 €	150	123,00 €	150	62,00 €
160	101,00 €	160	67,00 €	160	47,00 €	160	114,00 €	160	132,00 €	160	63,00 €
180	110,00 €	180	72,00 €	180	52,00 €	180	122,00 €	180	142,00 €	180	64,00 €
200	120,00 €	200	74,00 €	200	53,00 €	200	135,00 €	200	158,00 €	200	66,00 €
225	131,00 €	225	81,00 €	225	58,00 €	225	142,00 €	225	166,00 €	225	70,00 €
250	146,00 €	250	87,00 €	250	61,00 €	250	149,00 €	250	169,00 €	250	74,00 €



System EW-LINE FLEX AL

DESCRIPTION

Single wall, flexible and pressure-tight flue system made of stainless steel for the renovation of existing domestic chimneys with offset

MATERIAL

1.4404 (316L)

FINISHING

Matt

WALL THICKNESS

0.6 mm (rigid inner tubes)
0.08 mm (Flex single layer)
0.16 mm (Flex double layer)
Others on request

INSIDE DIAMETER

80 - 250 mm
Others on request up to 400 mm (flexible pipes)

CONNECTION

Socket / bead with special internal gasket and approved sealing material for the flex connection

GASKET



The supplied gasket varies depending on the diameter (EPDM up to 120 °C or silicone up to 200 °C). All possible options can be found in the table on the next page.
The prices of the variants not listed in the price list are available upon request.

ORDER CODE

When ordering, please replace the placeholder “...” in the article code with the letter for the desired gasket (Standard gasket varies depending on Ø, see table).

DELIVERY

The system contains bulky items that may incur additional freight costs.



CHARACTERISTICS

- Pressure tight
- Simple installation without breaking open shaft for offsets
- Moisture resistant
- Smooth inner wall on double-layer version
- Compatible with basic parts from System EW-ALBI

APPLICATION AREAS

- Standard heating appliances for oil and gas
- Condensing boilers

CE MARK NUMBER

0036 CPR 9174 013

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

FLEX single layer with silicone gasket

T120 - P1 - W - V2 - L50008 - O
T200 - P1 - W - V2 - L50008 - O

FLEX double layer (2x 0,08 = 0,16) with silicone gasket

T120 - P1 - W - V2 - L50008 - O
T200 - P1 - W - V2 - L50008 - O

rigid liners

with EPDM gasket

T120 - P1 - W - V2 - L50060 - O

with gasket

T200 - P1 - W - V2 - L50060 - O

- *1 Can be flexibly extended downwards with length elements

POSSIBLE SEAL VARIANTS

	EPDM (ALBI367)			Silicone (ALBI26)		
Variant	A	B	C	D	E	F
Ø	attached	inserted	glued-in	attached	inserted	glued-in
080 mm	x	x	x	x	x	x
100 mm	x	x	x	x	x	x
110 mm	x	x	x	x	x	x
115 mm	x	x	x	x	x	x
120 mm	x	x	x	x	x	x
125 mm				x	x	x
130 mm	x	x	x	x	x	x
140 mm	x	x	x	x	x	x
150 mm	x	x	x	x	x	x
160 mm	x	x	x	x	x	x
180 mm	x	x	x	x	x	x
200 mm	x	x	x	x	x	x
225 mm				x	x	x
250 mm	x		x	x		x

Elbow 87° with support

Support rail
l=350mm

Support rail
l=500mm

Support rail
l=700mm


Inspection length
with round opening
(up to 200°C/ P1)

Inspection length
l=500mm (up to
200°C/P1)


Stainless steel
chimney door
210x140mm without
holes and 4 side
lugs, incl. door key




*1



Rgr.
EW



Rgr.
EW



Rgr.
EW



Rgr.
EW



Rgr.
EW



Rgr.
EW

ALBI06...06Ø	FU422	FU422B	FU422C	ALBI06...30Ø	ALBI06...113DØ	FU13
A 080 152,00 €	116,00 €	131,00 €	158,00 €	A 080 180,00 €	A 080 146,00 €	67,00 €
A 100 157,00 €				A 100 195,00 €	A 100 148,00 €	
A 110 162,00 €				A 110 205,00 €	A 110 150,00 €	
A 115 162,00 €				A 115 206,00 €	A 115 150,00 €	
A 120 165,00 €				A 120 217,00 €	A 120 150,00 €	
D 125 173,00 €				D 125 229,00 €	D 125 155,00 €	
A 130 173,00 €				A 130 229,00 €	A 130 155,00 €	
A 140 175,00 €				A 140 230,00 €	A 140 156,00 €	
A 150 180,00 €				A 150 231,00 €	A 150 159,00 €	
A 160 190,00 €				A 160 244,00 €	A 160 162,00 €	
A 180 213,00 €				A 180 252,00 €	A 180 164,00 €	
A 200 250,00 €				A 200 266,00 €	A 200 183,00 €	
D 225 267,00 €				D 225 282,00 €	D 225 192,00 €	
C 250 304,00 €				C 250 294,00 €	C 250 199,00 €	



System EW-LINE FLEX AL



Stainless steel chimney door 210x140mm with 4 holes and 2 side lugs incl. door key



Rgr. EW

FU13B

67,00 €

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key



Rgr. EW

FU0960

84,00 €

Stainless steel chimney door 300x150mm with inclined insert 60mm, incl. door key



Rgr. EW

FU1060

139,00 €

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm



Rgr. EW

FU5160

120,00 €

Single wall flex liner Thickness=0.08mm, l=1m



*1

121-F02Ø

080	28,00 €
100	29,00 €
110	31,00 €
115	32,00 €
120	35,00 €
125	36,00 €
130	37,00 €
140	38,00 €
150	39,00 €
160	43,00 €
180	44,00 €
200	52,00 €
225	72,00 €

Flex liner= 1 m single-layer Thickness=0.10mm



*1

122-F02Ø

250 87,00 €

Single wall flex liner Thickness=0.08mm, l=30m



*1

121-F02RØ-30

160	990,00 €
180	1.039,00 €
200	1.236,00 €

Single wall flex liner Thickness=0.08mm, l=50m



*1

121-F02RØ-50

080	990,00 €
100	1.075,00 €
110	1.236,00 €
115	1.317,00 €
120	1.323,00 €
125	1.402,00 €
130	1.408,00 €
140	1.483,00 €
150	1.565,00 €

Double wall flex liner Thickness=0.16mm, l=1m



*1

121-F01Ø

080	37,00 €
100	43,00 €
110	46,00 €
115	52,00 €
120	53,00 €
125	54,00 €
130	58,00 €
140	59,00 €
150	62,00 €
160	66,00 €
180	74,00 €
200	82,00 €

Double wall flex liner Thickness=0.16mm, l=15m



*1

121-F01RØ-15

250 auf Anfrage

Double wall flex liner Thickness=0.16mm, l=30m



*1

121-F01RØ-30

110	1.138,00 €
115	1.236,00 €
120	1.242,00 €
125	1.334,00 €
130	1.341,00 €
140	1.434,00 €
150	1.531,00 €
160	1.583,00 €
180	1.778,00 €
200	2.026,00 €

Double wall flex liner Thickness=0.16mm, l=50m



*1

121-F01RØ-50

080	1.402,00 €
100	1.646,00 €

Adaptor screwable EW-FLEX/EW-FLEX



FD06Ø

080	72,00 €
100	74,00 €
110	75,00 €
115	77,00 €
120	81,00 €
125	85,00 €
130	86,00 €
140	87,00 €
150	90,00 €
160	93,00 €
180	100,00 €
200	106,00 €
225	110,00 €
250	116,00 €

Adaptor screwable EW-FLEX/EW-FU



FDAL...07Ø

A 080	79,00 €
A 100	81,00 €
A 110	84,00 €
A 115	85,00 €
A 120	86,00 €
D 125	90,00 €
A 130	92,00 €
A 140	93,00 €
A 150	94,00 €
A 160	96,00 €
A 180	102,00 €
A 200	108,00 €
D 225	115,00 €
C 250	124,00 €

- ^{*1} Bulky goods, additional freight costs may arise.
- ^{*2} Extension of the sliding nozzle. Price per cm

Adaptor screwable
EW-FU/EW-FLEX

Mounting aid for
EW-LINE FLEX

Mounting bracket

Length 1000mm

Length 500mm

Length 250mm

End cap with storm
collar mat



FD08Ø		FD789Ø		FU40Ø		ALBI06...02Ø		ALBI06...03Ø		ALBI06...04Ø		FU25Ø	
080	58,00 €	080	107,00 €	080	28,00 €	A 080	96,00 €	A 080	65,00 €	A 080	53,00 €	080	81,00 €
100	59,00 €	100	109,00 €	100	32,00 €	A 100	101,00 €	A 100	75,00 €	A 100	62,00 €	100	83,00 €
110	61,00 €	110	110,00 €	110	34,00 €	A 110	106,00 €	A 110	80,00 €	A 110	65,00 €	110	85,00 €
115	62,00 €	115	111,00 €	115	34,00 €	A 115	106,00 €	A 115	80,00 €	A 115	65,00 €	115	85,00 €
120	63,00 €	120	114,00 €	120	35,00 €	A 120	107,00 €	A 120	81,00 €	A 120	66,00 €	120	86,00 €
125	64,00 €	125	115,00 €	125	36,00 €	D 125	111,00 €	D 125	85,00 €	D 125	70,00 €	125	92,00 €
130	66,00 €	130	116,00 €	130	36,00 €	A 130	111,00 €	A 130	85,00 €	A 130	70,00 €	130	92,00 €
140	67,00 €	140	118,00 €	140	37,00 €	A 140	116,00 €	A 140	87,00 €	A 140	71,00 €	140	100,00 €
150	68,00 €	150	125,00 €	150	38,00 €	A 150	118,00 €	A 150	88,00 €	A 150	72,00 €	150	106,00 €
160	69,00 €	160	126,00 €	160	38,00 €	A 160	128,00 €	A 160	94,00 €	A 160	74,00 €	160	114,00 €
180	74,00 €	180	127,00 €	180	39,00 €	A 180	138,00 €	A 180	100,00 €	A 180	80,00 €	180	122,00 €
200	77,00 €	200	130,00 €	200	39,00 €	A 200	151,00 €	A 200	105,00 €	A 200	84,00 €	200	135,00 €
225	83,00 €			225	40,00 €	D 225	163,00 €	D 225	113,00 €	D 225	90,00 €	225	142,00 €
250	90,00 €			250	40,00 €	C 250	180,00 €	C 250	121,00 €	C 250	95,00 €	250	149,00 €

Force connection
sleeve suitable up
to 120°C

Gasket silicone up
to 200°C

Gasket EPDM 120°C

Universal sealing
set for boiler outlet
and butt joint with
gasket and external
locking band

Locking band

Cover with clamping
mechanism

Cover with clamping
mechanism



ZUAC2781Ø		ALBI26Ø		ALBI367Ø		AL45VØ		FU45Ø		ALBI31Ø		ALBI31Ø	
040-065	158,00 €	080	21,00 €	080	21,00 €	080	58,00 €	080	18,00 €	080	72,00 €	250	137,00 €
050-080	190,00 €	100	22,00 €	100	22,00 €	100	59,00 €	100	19,00 €	100	81,00 €		
075-110	206,00 €	110	23,00 €	115	23,00 €	110	61,00 €	110	20,00 €	115	83,00 €		
100-133	272,00 €	115	23,00 €	120	23,00 €	115	62,00 €	115	20,00 €	120	91,00 €		
123-161	253,00 €	120	23,00 €	130	26,00 €	120	63,00 €	120	21,00 €	130	92,00 €		
160-192	360,00 €	125	26,00 €	140	26,00 €	125	64,00 €	125	22,00 €	140	93,00 €		
183-226	417,00 €	130	26,00 €	150	26,00 €	130	66,00 €	130	22,00 €	150	94,00 €		
		140	26,00 €	160	27,00 €	140	67,00 €	140	23,00 €	160	98,00 €		
		150	26,00 €	180	28,00 €	150	68,00 €	150	26,00 €	180	99,00 €		
		160	27,00 €	200	31,00 €	160	70,00 €	160	27,00 €	200	101,00 €		
		180	28,00 €	250	34,00 €	180	72,00 €	180	28,00 €				
		200	31,00 €			200	74,00 €	200	31,00 €				
		225	32,00 €			225	77,00 €	225	32,00 €				
		250	34,00 €			250	78,00 €	250	34,00 €				



System EW-LINE FLEX AL



Cover with clamping mechanism for FU50

Ventilation grille 200x200mm

Special sealing material for flex in positive pressure



2B2-ZUAC980Ø		ALB121	FD60
080	34,00 €	102,00 €	34,00 €
100	35,00 €		
115	36,00 €		
120	37,00 €		
130	37,00 €		
140	38,00 €		
150	38,00 €		
160	39,00 €		
180	39,00 €		
200	44,00 €		
250	57,00 €		

DESCRIPTION

Single-wall, stainless steel chimney without gaskets for all standard heating appliances and combustion engines (combined heat & power units) with conically sealed connection

MATERIAL

1.4404 (316L) / 1.4571 (316Ti)

Also available as EW-KL-SILVER on request

FINISHING

Material thickness 0.6 mm highly polished / from Ø 350 mm matt

Material thickness 0.8 mm matt

Others on request

WALL THICKNESS

0.6 mm

Optional for all Ø 1.0 mm matt

INSIDE DIAMETER

80 - 600 mm

Others on request up to 1000 mm

CONNECTION

Conical connection technology

Socket / bead and locking band (optional)

ORDER CODE


The article code for your order results from:

Article code + Ø (Ex: KL06222130).

Please refer to the respective code for deviations.



The appropriate amount of KL paste is automatically supplied with the order.



CHARACTERISTICS

- Metal conical gasket
- Pressure tight up to 5000 Pa without flanges and separate gasket
- KLK straight pipe elements that can be conically shortened
- Quick, easy installation
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)
- Condensing boilers
- Ventilation systems
- Ovens
- CHP, combustion engines
- Emergency power generators, generators

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 004

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T200 - P1 - W - V2 - L50060 - O00

T200 - H1 - W - V2 - L50060 - Oxx

T400 - N1 - D - V2 - L50060 - Gxx

T400 - P1 - W - V2 - L50060 - Oxx

T450 - H1 - W - V2 - L50060 - Oxx

T600 - N1 - D - V3 - L50060 - Gxx¹

T600 - P1 - W - V2 - L50060 - Oxx

T600 - H1 - W - V2 - L50060 - Gxx

¹ with 25 mm insulation

xx = Clearances to flammable materials depend on the diameter, see performance declaration

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 042

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

Without radiation protection

T200 - P1 - W - V2 - L50060 - O50M

T200 - H1 - W - V2 - L50060 - O50M

T400 - H1 - W - V2 - L50060 - G500M

T400 - N1 - D - V2 - L50060 - G400M

Distances with radiation protection according to DIN 18160-1/EN 15287 until DN130 = G200, DN140 = G210, DN150 = G225, DN160 = G240, DN180 = G270, >DN200 = G300



System EW-KL



Condensate collector with 1/2" nipple

Closing cap plastic for drain 1/2" (up to 200°C)

Elbow 87° with support

Elbow 87° with support and adaptor to EW-FU

Support rail l=350mm

Support rail l=500mm

Support rail l=700mm



KL01BØ		750ADK1/2	KL0606Ø		KL06276Ø		FU422	FU422B	FU422C
080	68,00 €	5,00 €	080	131,00 €	080	131,00 €	116,00 €	131,00 €	158,00 €
100	69,00 €		100	135,00 €	100	135,00 €			
120	72,00 €		120	142,00 €	120	142,00 €			
130	74,00 €		130	147,00 €	130	147,00 €			
140	75,00 €		140	149,00 €	140	149,00 €			
150	76,00 €		150	154,00 €	150	154,00 €			
160	77,00 €		160	163,00 €	160	163,00 €			
180	78,00 €		180	185,00 €	180	185,00 €			
200	81,00 €		200	219,00 €	200	219,00 €			
225	87,00 €		225	235,00 €	225	235,00 €			
250	93,00 €		250	270,00 €	250	270,00 €			
300	102,00 €		300	323,00 €	300	323,00 €			
350	116,00 €		350	365,00 €	350	365,00 €			
400	137,00 €		400	414,00 €	400	414,00 €			
450	159,00 €		450	480,00 €	450	480,00 €			
500	167,00 €		500	546,00 €	500	546,00 €			
600	224,00 €		600	721,00 €	600	721,00 €			

Inspection length (up to 600°C/Nl)

Inspection length with round opening (up to 600°C/ NI)

Inspection length with round opening (up to 200°C/ P1)

Inspection length with round opening for wet operation (up to 250°C/H1)

Inspection length with round opening for dry operation (up to 600°C/H1)

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm



KL0607Ø		KL0607RØ		KL0630Ø		KL0630HTWØ		KL0630HTDØ		FU0960	FU5160
080	77,00 €	080	153,00 €	080	159,00 €	080	276,00 €	080	276,00 €	84,00 €	120,00 €
100	78,00 €	100	154,00 €	100	173,00 €	100	291,00 €	100	291,00 €		
120	81,00 €	120	158,00 €	120	194,00 €	120	309,00 €	120	309,00 €		
130	83,00 €	130	170,00 €	130	203,00 €	130	320,00 €	130	320,00 €		
140	85,00 €	140	172,00 €	140	204,00 €	140	321,00 €	140	321,00 €		
150	87,00 €	150	173,00 €	150	205,00 €	150	322,00 €	150	322,00 €		
160	92,00 €	160	182,00 €	160	217,00 €	160	333,00 €	160	333,00 €		
180	99,00 €	180	193,00 €	180	224,00 €	180	340,00 €	180	340,00 €		
200	113,00 €	200	205,00 €	200	235,00 €	200	354,00 €	200	354,00 €		
225	116,00 €	225	218,00 €	225	250,00 €	225	367,00 €	225	367,00 €		
250	130,00 €	250	227,00 €	250	260,00 €	250	379,00 €	250	379,00 €		
300	153,00 €	300	235,00 €	300	269,00 €	300	387,00 €	300	387,00 €		
350	182,00 €	350	276,00 €	350	313,00 €	350	432,00 €	350	432,00 €		
400	226,00 €	400	322,00 €	400	356,00 €	400	475,00 €	400	475,00 €		
450	254,00 €	450	360,00 €	450	401,00 €	450	516,00 €	450	516,00 €		
500	282,00 €	500	397,00 €	500	443,00 €	500	561,00 €	500	561,00 €		
600	378,00 €	600	472,00 €	600	530,00 €	600	648,00 €	600	648,00 €		

- ^{*1} Can be flexibly extended downwards with length elements
- ^{*2} Extension of the sliding nozzle. Price per cm

Stainless steel chimney door 300x150mm with inclined insert 60mm, incl. door key



^{*2}



Stainless steel chimney door 210x140mm without holes and 4 side lugs, incl. door key

Stainless steel chimney door 210x140mm with 4 holes and 2 side lugs incl. door key



Stainless steel chimney door 300x200mm with inclined insert 60mm, incl. door key



^{*2}

T-45°, hand welded



T-87°, hand welded



T-45° with adaptor branch for EW-FU, hand welded



FU1060	FU13	FU13B	FU116060	KL0623Ø	KL0608Ø	KL06118Ø
139,00 €	67,00 €	67,00 €	158,00 €	080 179,00 € 100 191,00 € 120 213,00 € 130 222,00 € 140 233,00 € 150 246,00 € 160 254,00 € 180 280,00 € 200 286,00 € 225 307,00 € 250 314,00 € 300 361,00 € 350 368,00 € 400 381,00 € 450 418,00 € 500 475,00 € 600 637,00 €	080 123,00 € 100 124,00 € 120 130,00 € 130 139,00 € 140 151,00 € 150 156,00 € 160 166,00 € 180 197,00 € 200 204,00 € 225 222,00 € 250 239,00 € 300 260,00 € 350 288,00 € 400 309,00 € 450 324,00 € 500 384,00 € 600 516,00 €	080 179,00 € 100 191,00 € 120 213,00 € 130 222,00 € 140 233,00 € 150 246,00 € 160 254,00 € 180 280,00 € 200 286,00 € 225 307,00 € 250 314,00 € 300 361,00 € 350 368,00 € 400 381,00 € 450 418,00 € 500 475,00 € 600 637,00 €

T-87° with outlet for EW-FU, hand welded



Length 1000mm



Length 500mm



Length 330mm



Length 250mm



Length 200mm



Length 150mm



KL06117Ø	KL0602Ø	KL0603Ø	KL06222Ø	KL0604Ø	KL06223Ø	KL06224Ø
080 123,00 € 100 124,00 € 120 130,00 € 130 139,00 € 140 151,00 € 150 156,00 € 160 166,00 € 180 197,00 € 200 204,00 € 225 222,00 € 250 239,00 € 300 260,00 € 350 288,00 € 400 309,00 € 450 324,00 € 500 384,00 € 600 516,00 €	080 75,00 € 100 79,00 € 120 84,00 € 130 85,00 € 140 90,00 € 150 92,00 € 160 101,00 € 180 110,00 € 200 120,00 € 225 131,00 € 250 146,00 € 300 172,00 € 350 196,00 € 400 222,00 € 450 250,00 € 500 291,00 € 600 391,00 €	080 44,00 € 100 53,00 € 120 58,00 € 130 59,00 € 140 61,00 € 150 62,00 € 160 67,00 € 180 72,00 € 200 74,00 € 225 81,00 € 250 87,00 € 300 93,00 € 350 105,00 € 400 123,00 € 450 145,00 € 500 156,00 € 600 206,00 €	080 39,00 € 100 52,00 € 120 54,00 € 130 57,00 € 140 58,00 € 150 59,00 € 160 67,00 € 180 68,00 € 200 70,00 € 225 74,00 € 250 77,00 € 300 87,00 € 350 102,00 € 400 114,00 € 450 123,00 € 500 140,00 € 600 196,00 €	080 32,00 € 100 40,00 € 120 43,00 € 130 44,00 € 140 45,00 € 150 46,00 € 160 47,00 € 180 52,00 € 200 53,00 € 225 58,00 € 250 61,00 € 300 69,00 € 350 77,00 € 400 87,00 € 450 93,00 € 500 109,00 € 600 150,00 €	080 27,00 € 100 35,00 € 120 36,00 € 130 37,00 € 140 37,00 € 150 38,00 € 160 42,00 € 180 43,00 € 200 44,00 € 225 46,00 € 250 47,00 € 300 57,00 € 350 66,00 € 400 72,00 € 450 76,00 € 500 87,00 € 600 122,00 €	080 22,00 € 100 26,00 € 120 27,00 € 130 28,00 € 140 31,00 € 150 32,00 € 160 34,00 € 180 35,00 € 200 36,00 € 225 38,00 € 250 39,00 € 300 44,00 € 350 47,00 € 400 54,00 € 450 59,00 € 500 68,00 € 600 92,00 €



System EW-KL



Length 980mm
conically cuttable

Length 500mm
conically cuttable

Length 250mm
conically cuttable

Length 1000mm
with 2 lowering
loops

Length 1000mm
with mounting
bracket

Mounting bracket

Elbow 3°



KLK0602Ø		KLK0603Ø		KLK0604Ø		KL0605Ø		KL0670Ø		FU40Ø		KL06908Ø	
080	86,00 €	080	51,00 €	080	37,00 €	080	79,00 €	080	98,00 €	080	28,00 €	080	39,00 €
100	92,00 €	100	62,00 €	100	46,00 €	100	85,00 €	100	102,00 €	100	32,00 €	100	40,00 €
120	98,00 €	120	68,00 €	120	50,00 €	120	90,00 €	120	105,00 €	120	35,00 €	120	43,00 €
130	99,00 €	130	69,00 €	130	51,00 €	130	91,00 €	130	107,00 €	130	36,00 €	130	44,00 €
150	106,00 €	150	71,00 €	150	53,00 €	140	93,00 €	140	110,00 €	140	37,00 €	140	46,00 €
160	116,00 €	160	77,00 €	160	54,00 €	150	98,00 €	150	111,00 €	150	38,00 €	150	51,00 €
180	127,00 €	180	83,00 €	180	61,00 €	160	105,00 €	160	116,00 €	160	38,00 €	160	53,00 €
200	138,00 €	200	85,00 €	200	62,00 €	180	114,00 €	180	129,00 €	180	39,00 €	180	58,00 €
225	151,00 €	225	94,00 €	225	68,00 €	200	125,00 €	200	138,00 €	200	39,00 €	200	67,00 €
250	169,00 €	250	101,00 €	250	70,00 €	225	137,00 €	225	151,00 €	225	40,00 €	225	79,00 €
300	198,00 €	300	107,00 €	300	79,00 €	250	151,00 €	250	166,00 €	250	40,00 €	250	92,00 €
350	226,00 €	350	122,00 €	350	90,00 €	300	176,00 €	300	195,00 €	300	42,00 €	300	132,00 €
400	256,00 €	400	141,00 €	400	101,00 €	350	201,00 €	350	215,00 €	350	43,00 €	350	142,00 €
						400	225,00 €	400	238,00 €	400	45,00 €	400	158,00 €
						450	253,00 €	450	268,00 €	450	46,00 €	450	174,00 €
						500	297,00 €	500	312,00 €	500	74,00 €	500	202,00 €
						600	394,00 €	600	409,00 €	600	93,00 €	600	261,00 €

Elbow 15°

Elbow 30°

Elbow 42°

Elbow 45°

End cap with storm
collar mat

Boiler/Generator
adaptor with male
conical connection

Boiler adaptor with
male plug connec-
tion



KL0609Ø		KL0610Ø		KL062231Ø		KL0611Ø		FU25Ø		KL06120Ø		KL0632Ø	
080	39,00 €	080	39,00 €	080	39,00 €	080	39,00 €	080	81,00 €	080	52,00 €	080	38,00 €
100	40,00 €	100	40,00 €	100	40,00 €	100	40,00 €	100	83,00 €	100	53,00 €	100	39,00 €
120	43,00 €	120	43,00 €	120	43,00 €	120	43,00 €	120	86,00 €	120	54,00 €	120	40,00 €
130	44,00 €	130	44,00 €	130	44,00 €	130	44,00 €	130	92,00 €	130	57,00 €	130	42,00 €
140	46,00 €	140	46,00 €	140	46,00 €	140	46,00 €	140	100,00 €	140	58,00 €	140	43,00 €
150	51,00 €	150	51,00 €	150	51,00 €	150	51,00 €	150	106,00 €	150	59,00 €	150	44,00 €
160	53,00 €	160	53,00 €	160	53,00 €	160	53,00 €	160	114,00 €	160	61,00 €	160	45,00 €
180	58,00 €	180	58,00 €	180	58,00 €	180	58,00 €	180	122,00 €	180	62,00 €	180	46,00 €
200	67,00 €	200	67,00 €	200	67,00 €	200	67,00 €	200	135,00 €	200	63,00 €	200	47,00 €
225	79,00 €	225	79,00 €	225	79,00 €	225	79,00 €	225	142,00 €	225	66,00 €	225	51,00 €
250	92,00 €	250	92,00 €	250	92,00 €	250	92,00 €	250	149,00 €	250	68,00 €	250	52,00 €
300	132,00 €	300	132,00 €	300	132,00 €	300	132,00 €	300	169,00 €	300	72,00 €	300	54,00 €
350	142,00 €	350	142,00 €	350	142,00 €	350	142,00 €	350	182,00 €	350	74,00 €	350	61,00 €
400	158,00 €	400	158,00 €	400	158,00 €	400	158,00 €	400	215,00 €	400	79,00 €	400	67,00 €
450	174,00 €	450	174,00 €	450	174,00 €	450	174,00 €	450	232,00 €	450	84,00 €	450	70,00 €
500	202,00 €	500	202,00 €	500	202,00 €	500	202,00 €	500	316,00 €	500	101,00 €	500	84,00 €
600	261,00 €	600	261,00 €	600	261,00 €	600	261,00 €	600	421,00 €	600	129,00 €	600	114,00 €

Conical boiler adaptor with female plug connection



KL06123Ø	
080	44,00 €
100	45,00 €
120	46,00 €
130	47,00 €
140	51,00 €
150	52,00 €
160	53,00 €
180	54,00 €
200	57,00 €
225	58,00 €
250	61,00 €
300	63,00 €
350	68,00 €
400	72,00 €
450	77,00 €
500	92,00 €
600	120,00 €

Adjustable length 320-460mm with locking band (up to 400°C/N1)



KL06114Ø	
080	123,00 €
100	124,00 €
120	126,00 €
130	130,00 €
140	137,00 €
150	138,00 €
160	150,00 €
180	159,00 €
200	173,00 €
225	185,00 €
250	196,00 €
300	252,00 €
350	275,00 €
400	291,00 €
450	317,00 €
500	340,00 €
600	405,00 €

Adjustable length for connection line 320-460mm with gasket and locking band (up to 200°C/H1)



KL06114DØ	
080	149,00 €
100	150,00 €
120	153,00 €
130	157,00 €
140	163,00 €
150	167,00 €
160	179,00 €
180	194,00 €
200	205,00 €
225	221,00 €
250	228,00 €
300	289,00 €
350	320,00 €

Length 200mm with drain for vertical installation and 1/2" nozzle



KL06110Ø	
080	171,00 €
100	172,00 €
120	173,00 €
130	176,00 €
140	177,00 €
150	179,00 €
160	180,00 €
180	183,00 €
200	191,00 €
225	195,00 €
250	198,00 €
300	205,00 €
350	205,00 €
400	219,00 €
450	228,00 €
500	246,00 €
600	291,00 €

Condensate drain for horizontal instal. for CHP outlet bottom with 1/2" threaded nipple



KL06984Ø	
080	189,00 €
100	193,00 €
120	194,00 €
130	195,00 €
140	196,00 €
150	197,00 €
160	200,00 €
180	203,00 €
200	205,00 €
225	212,00 €
250	215,00 €
300	222,00 €
350	232,00 €
400	249,00 €
450	256,00 €
500	273,00 €
600	305,00 €

Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



750FITTINGÜ-22 1/2	
	94,00 €

Fitting 1/2" to plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



750FITTINGV-22	
	47,00 €

Siphon to the centric P1/M1



ZUAC2300	
	66,00 €

Siphon to the right P1/M1



ZUAC2301	
	66,00 €

Siphon to the left P1/M1



ZUAC2302	
	66,00 €

Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1



ZUAC2303	
	66,00 €

Siphon entrance vertical top, exit horizontal straight, with sealing water height 600mm H1



ZUTE1904	
	99,00 €

Length 200mm with test point (up to 200°C/P1)



KL06112Ø	
080	76,00 €
100	77,00 €
120	79,00 €
130	81,00 €
140	83,00 €
150	84,00 €
160	85,00 €
180	90,00 €
200	92,00 €
225	100,00 €
250	103,00 €
300	110,00 €
350	122,00 €
400	135,00 €
450	145,00 €
500	159,00 €
600	195,00 €

Length 200mm with test point (up to 600°C/H1)



KL06112AØ	
080	129,00 €
100	130,00 €
120	132,00 €
130	133,00 €
140	135,00 €
150	137,00 €
160	138,00 €
180	145,00 €
200	146,00 €
225	153,00 €
250	155,00 €
300	162,00 €
350	172,00 €
400	189,00 €
450	198,00 €
500	215,00 €
600	246,00 €



Storm collar

Reinforced assembly tape for conical system

Ceiling suspension with sound absorbing layer for threaded rod M8, up to max. 23 kg

Locking band for conical system

Elbow 87°

Elbow 90°

Elbow 87° with inspection door (up to 600°C/NI)



KL72Ø		KL1751Ø		VL16VØ		KL45Ø		KL0612Ø		KL0613Ø		KL0614Ø	
080	38,00 €	080	74,00 €	080	93,00 €	080	22,00 €	080	67,00 €	080	67,00 €	080	103,00 €
100	39,00 €	100	75,00 €	100	94,00 €	100	23,00 €	100	74,00 €	100	74,00 €	100	110,00 €
120	43,00 €	120	76,00 €	120	101,00 €	120	26,00 €	120	78,00 €	120	78,00 €	120	116,00 €
130	44,00 €	130	77,00 €	130	105,00 €	130	27,00 €	130	83,00 €	130	83,00 €	130	122,00 €
140	45,00 €	140	81,00 €	140	113,00 €	140	28,00 €	140	85,00 €	140	85,00 €	140	124,00 €
150	46,00 €	150	87,00 €	150	120,00 €	150	31,00 €	150	92,00 €	150	92,00 €	150	127,00 €
160	47,00 €	160	90,00 €	160	126,00 €	160	32,00 €	160	103,00 €	160	103,00 €	160	139,00 €
180	53,00 €	180	91,00 €	180	132,00 €	180	34,00 €	180	126,00 €	180	126,00 €	180	163,00 €
200	54,00 €	200	100,00 €	200	146,00 €	200	35,00 €	200	159,00 €	200	159,00 €	200	197,00 €
225	57,00 €	225	111,00 €	225	155,00 €	225	36,00 €	225	176,00 €	225	176,00 €	225	217,00 €
250	58,00 €	250	124,00 €	250	157,00 €	250	37,00 €	250	217,00 €	250	217,00 €	250	251,00 €
300	59,00 €	300	140,00 €	300	166,00 €	300	40,00 €	300	265,00 €	300	265,00 €	300	332,00 €
350	77,00 €	350	156,00 €	350	176,00 €	350	44,00 €	350	310,00 €	350	310,00 €	350	380,00 €
400	105,00 €	400	169,00 €	400	195,00 €	400	46,00 €	400	361,00 €	400	361,00 €	400	417,00 €
450	138,00 €	450	200,00 €	450	205,00 €	450	57,00 €	450	428,00 €	450	428,00 €	450	468,00 €
500	146,00 €	500	284,00 €	500	242,00 €	500	78,00 €	500	498,00 €	500	498,00 €	500	548,00 €
600	226,00 €	600	423,00 €	600	262,00 €	600	116,00 €	600	682,00 €	600	682,00 €	600	750,00 €

Elbow 90° with inspection door (up to 600°C/NI)

Elbow 87° with inspection door (up to 200°C/P1)

Elbow 90° with inspection door and gasket (up to 200°C/P1)

Elbow 87° with inspection door, wet operation mode (up to 250°C/HI)

Elbow 87° with inspection door, dry operation mode (up to 600°C/HI)

Elbow 90° with inspection door, wet operation mode (up to 250°C/HI)

Elbow 90° with inspection door, dry operation mode (up to 600°C/HI)



KL0615Ø		KL0614DØ		KL0615DØ		KL0623HTWØ		KL0623HTDØ		KL0624HTWØ		KL0624HTDØ	
080	103,00 €	080	113,00 €	080	113,00 €	080	222,00 €	080	222,00 €	080	222,00 €	080	222,00 €
100	110,00 €	100	118,00 €	100	118,00 €	100	226,00 €	100	226,00 €	100	226,00 €	100	226,00 €
120	116,00 €	120	125,00 €	120	125,00 €	120	232,00 €	120	232,00 €	120	232,00 €	120	232,00 €
130	122,00 €	130	127,00 €	130	127,00 €	130	238,00 €	130	238,00 €	130	238,00 €	130	238,00 €
140	124,00 €	140	130,00 €	140	130,00 €	140	243,00 €	140	243,00 €	140	243,00 €	140	243,00 €
150	127,00 €	150	138,00 €	150	138,00 €	150	245,00 €	150	245,00 €	150	245,00 €	150	245,00 €
160	139,00 €	160	151,00 €	160	151,00 €	160	254,00 €	160	254,00 €	160	260,00 €	160	260,00 €
180	163,00 €	180	173,00 €	180	173,00 €	180	277,00 €	180	277,00 €	180	277,00 €	180	277,00 €
200	197,00 €	200	206,00 €	200	206,00 €	200	310,00 €	200	310,00 €	200	310,00 €	200	310,00 €
225	217,00 €	225	226,00 €	225	226,00 €	225	329,00 €	225	329,00 €	225	329,00 €	225	329,00 €
250	251,00 €	250	260,00 €	250	260,00 €	250	361,00 €	250	361,00 €	250	361,00 €	250	361,00 €
300	332,00 €	300	340,00 €	300	340,00 €	300	438,00 €	300	438,00 €	300	438,00 €	300	438,00 €
350	380,00 €	350	394,00 €	350	394,00 €	350	486,00 €	350	486,00 €	350	486,00 €	350	486,00 €
400	417,00 €	400	429,00 €	400	429,00 €	400	520,00 €	400	520,00 €	400	520,00 €	400	520,00 €
450	468,00 €	450	481,00 €	450	481,00 €	450	569,00 €	450	569,00 €	450	569,00 €	450	569,00 €
500	548,00 €	500	566,00 €	500	566,00 €	500	646,00 €	500	646,00 €	500	646,00 €	500	646,00 €
600	750,00 €	600	762,00 €	600	762,00 €	600	836,00 €	600	836,00 €	600	836,00 €	600	836,00 €

Elbow 90° with inspection door, wet operation mode (up to 250°C/HI) cleaning at side, branch to right



Elbow 90° with inspection door, dry operation mode (up to 600°C/HI) cleaning at side, branch to right



Elbow 90° with inspection door, wet operation mode (up to 250°C/HI) cleaning at side, branch to left



Elbow 90° with inspection door, dry operation mode (up to 600°C/HI) cleaning at side, branch to left



Elbow 90° with inspection door on the extended outside segment, wet operation mode (up to 250°C/HI)



Elbow 90° with inspection door on the extended outside segment, dry operation mode (up to 600°C/HI)



Elbow 87° with inspection door on the extended outside segment, wet operation mode (up to 250°C/HI)



KL061332HTWØ	KL061332HTDØ	KL061333HTWØ	KL061333HTDØ	KL061318HTWØ	KL061318HTDØ	KL061317HTWØ
080 222,00 €	080 222,00 €	080 222,00 €	080 222,00 €	080 250,00 €	080 250,00 €	080 250,00 €
100 226,00 €	100 226,00 €	100 226,00 €	100 226,00 €	100 264,00 €	100 264,00 €	100 264,00 €
120 232,00 €	120 232,00 €	120 232,00 €	120 232,00 €	120 274,00 €	120 274,00 €	120 274,00 €
130 238,00 €	130 238,00 €	130 238,00 €	130 238,00 €	130 280,00 €	130 280,00 €	130 280,00 €
140 243,00 €	140 243,00 €	140 243,00 €	140 243,00 €	140 284,00 €	140 284,00 €	140 284,00 €
150 245,00 €	150 245,00 €	150 245,00 €	150 245,00 €	150 289,00 €	150 289,00 €	150 289,00 €
160 260,00 €	160 260,00 €	160 260,00 €	160 260,00 €	160 309,00 €	160 309,00 €	160 309,00 €
180 277,00 €	180 277,00 €	180 277,00 €	180 277,00 €	180 329,00 €	180 329,00 €	180 329,00 €
200 310,00 €	200 310,00 €	200 310,00 €	200 310,00 €	200 361,00 €	200 361,00 €	200 361,00 €
225 329,00 €	225 329,00 €	225 329,00 €	225 329,00 €	225 384,00 €	225 384,00 €	225 384,00 €
250 361,00 €	250 361,00 €	250 361,00 €	250 361,00 €	250 419,00 €	250 419,00 €	250 419,00 €
300 438,00 €	300 438,00 €	300 438,00 €	300 438,00 €	300 507,00 €	300 507,00 €	300 507,00 €
350 486,00 €	350 486,00 €	350 486,00 €	350 486,00 €	350 563,00 €	350 563,00 €	350 563,00 €
400 520,00 €	400 520,00 €	400 520,00 €	400 520,00 €	400 607,00 €	400 607,00 €	400 607,00 €
450 569,00 €	450 569,00 €	450 569,00 €	450 569,00 €	450 664,00 €	450 664,00 €	450 664,00 €
500 646,00 €	500 646,00 €	500 646,00 €	500 646,00 €	500 756,00 €	500 756,00 €	500 756,00 €
600 836,00 €	600 836,00 €	600 836,00 €	600 836,00 €	600 989,00 €	600 989,00 €	600 989,00 €

Elbow 87° with inspection door on the extended outside segment, dry operation mode (up to 600°C/HI)



Closing cap plastic for drain 1/2" (up to 200°C)



1/2" female socket



Base plate for intermediate support as a fix point



Expansion bellow for EW-KL



Structural sound absorber adaptor Ø 60mm special for CHPs



Structural sound absorber adaptor Ø 80mm special for CHPs



KL061317HTDØ	750ADK1/2	FU126	KL06907Ø	KL06511Ø	DCS-CV50	DCS-CV70
080 250,00 €	5,00 €	31,00 €	080 64,00 €	080 515,00 €	36,00 €	44,00 €
100 264,00 €			100 65,00 €	100 567,00 €		
120 274,00 €			120 67,00 €	120 auf Anfrage		
130 280,00 €			130 72,00 €	130 633,00 €		
140 284,00 €			140 88,00 €	140 auf Anfrage		
150 289,00 €			150 92,00 €	150 702,00 €		
160 309,00 €			160 94,00 €	180 778,00 €		
180 329,00 €			180 95,00 €	200 853,00 €		
200 361,00 €			200 104,00 €	225 auf Anfrage		
225 384,00 €			225 111,00 €	250 962,00 €		
250 419,00 €			250 114,00 €	300 1.161,00 €		
300 507,00 €			300 127,00 €	350 1.336,00 €		
350 563,00 €			350 172,00 €	400 1.706,00 €		
400 607,00 €			400 191,00 €	450 1.713,00 €		
450 664,00 €			450 223,00 €	500 1.968,00 €		
500 756,00 €			500 256,00 €	600 2.448,00 €		
600 989,00 €			600 330,00 €			



KL lubricant paste
1kg tin

Mounting aid

Flange sealing tape
white (PTFE) for
Jeremias flange

Flange seal high
temperature (up
to 1000°C) for
Jeremias revision
flange

Flange sealing tape
white (PTFE) for
Jeremias flange, roll
of 25m

Force connection
sleeve suitable up
to 120°C



€
NET



€
NET



€
NET



€
NET



€
NET




Rgr.
ZUAC

750ALLR-DOSE	TLDE104Ø	750FLANSCHDJFØ	750FLANSCHD.HT.Ø	750FLANSCHDJF-R	ZUAC2781Ø
54,00 €	080-100 59,00 € 110-120 66,00 € 130-150 76,00 € 160-180 92,00 € 200-225 100,00 € 250-300 123,00 € 350-400 176,00 € 450-500 220,00 € 600 260,00 €	080 6,00 € 100 7,00 € 120 7,00 € 130 8,00 € 140 9,00 € 150 9,00 € 160 10,00 € 180 10,00 € 200 11,00 € 225 13,00 € 250 14,00 € 300 16,00 € 350 19,00 € 400 21,00 € 450 23,00 € 500 26,00 € 600 31,00 €	080 21,00 € 100 21,00 € 120 24,00 € 130 27,00 € 140 29,00 € 150 31,00 € 160 32,00 € 180 34,00 € 200 35,00 € 225 39,00 € 250 43,00 € 300 46,00 € 350 53,00 € 400 59,00 € 450 71,00 € 500 79,00 € 600 103,00 €	259,00 €	040-065 158,00 € 050-080 190,00 € 075-110 206,00 € 100-133 272,00 € 123-161 253,00 € 160-192 360,00 € 183-226 417,00 €

Eccentric Increaser

Increaser



KLEØØEX				KLEØØ			
A 080	110,00 €	A 160	171,00 €	A 080	47,00 €	A 160	137,00 €
B 100		B 200		B 100		B 200	
A 080	113,00 €	A 180	171,00 €	A 080	107,00 €	A 180	69,00 €
B 115		B 200		B 115		B 200	
A 100	116,00 €	A 180	179,00 €	A 100	53,00 €	A 180	149,00 €
B 120		B 225		B 120		B 225	
A 115	126,00 €	A 200	179,00 €	A 115	54,00 €	A 200	75,00 €
B 130		B 220		B 130		B 220	
A 120	135,00 €	A 200	179,00 €	A 120	54,00 €	A 200	159,00 €
B 140		B 225		B 140		B 250	
A 130	141,00 €	A 200	190,00 €	A 130	57,00 €	A 225	171,00 €
B 150		B 250		B 150		B 250	
A 140	145,00 €	A 250	219,00 €	A 140	62,00 €	A 250	182,00 €
B 160		B 300		B 160		B 300	
A 150	151,00 €			A 150	130,00 €	A 300	206,00 €
B 180				B 180		B 350	
A 160	151,00 €			A 160	68,00 €	A 350	238,00 €
B 180				B 180		B 400	

Decreaser




KLRØØ					
A 080	42,00 €	A 150	116,00 €	A 225	149,00 €
B 060		B 120		B 180	
A 100	47,00 €	A 150	57,00 €	A 250	159,00 €
B 080		B 130		B 200	
A 115	52,00 €	A 160	124,00 €	A 300	182,00 €
B 100		B 130		B 250	
A 120	53,00 €	A 160	62,00 €	A 350	206,00 €
B 100		B 140		B 300	
A 130	110,00 €	A 180	127,00 €	A 400	238,00 €
B 100		B 140		B 350	
A 130	54,00 €	A 180	68,00 €	A 450	269,00 €
B 110		B 160		B 400	
A 140	113,00 €	A 200	137,00 €	A 500	308,00 €
B 115		B 160		B 450	
A 140	54,00 €	A 200	69,00 €		
B 120		B 180			

System EW-KL

POSSIBLE SEALING VARIANT ADD-ON PARTS

Base plate with vertical condensate drain



Elbow 90° with diagonal cut 45° including bird protection grid



Elbow 135° with diagonal cut 45° including bird protection grid



Deflector hood (up to 250°C max. exhaust gas speed 15 m/s)



Deflector hood with drain (up to 600°C and max. 35 m/s exhaust gas velocity)



Closing cap plastic for drain 1/2" (up to 200°C)



KL061018Ø		KL061020Ø		KL061021Ø		KL061023Ø		KL061023HTØ		750ADK1/2
140	110,00 €	140	170,00 €	140	212,00 €	140	542,00 €	140	548,00 €	5,00 €
150	111,00 €	150	171,00 €	150	213,00 €	150	551,00 €	150	561,00 €	
160	118,00 €	160	210,00 €	160	253,00 €	160	570,00 €	160	589,00 €	
180	125,00 €	180	235,00 €	180	295,00 €	180	585,00 €	180	613,00 €	
200	137,00 €	200	300,00 €	200	372,00 €	200	625,00 €	200	664,00 €	
225	138,00 €	225	333,00 €	225	414,00 €	225	646,00 €	225	703,00 €	
250	140,00 €	250	405,00 €	250	506,00 €	250	673,00 €	250	733,00 €	
300	155,00 €	300	500,00 €	300	626,00 €	300	814,00 €	300	989,00 €	
350	163,00 €	350	587,00 €	350	732,00 €	350	1.091,00 €	350	1.101,00 €	

DESCRIPTION

Single wall, pressure-tight flue system made of plastic

MATERIAL

PP = Polypropylene

WALL THICKNESS

2.0 mm

INSIDE DIAMETER

60 - 250 mm

Others on request

CONNECTION

Socket / bead with internal EPDM gasket

GASKET

Included in the scope of delivery

ORDER CODE

The article code for your order results from:

Article code + Ø (Ex: PP125080).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Adapted boiler connections enable connection to all common boiler types
- Annular gap between inner liner and shaft can be used for air supply
- Moisture resistant
- Suitable for use up to 5000 Pa (up to Ø <200 mm)

APPLICATION AREAS

- Condensing boilers
- CHP (up to 100 °C)
- Gas-operated heat pumps

CE MARK NUMBER

0036 CPR 9174 043

CE CLASSIFICATIONS ACC. TO DIN EN 14471

EW-PPS < DN200

T120 - H1 - W2 - O20 - LI - E - U

EW-PPS ≥ DN200

T120 - P1 - W2 - O20 - LI - E - U

- ^{*1} One assembly set 1 PPFLEX09 is required for each elbow 87° with support leg

Shaft set PP

1x Elbow 87° with support foot, 4x mounting clamp, 1x end cap



Shaft set PP

1x Elbow 87° with support foot, 4x mounting clamp, 1x end cap



Elbow 87° with support and rail



^{*1}

130-PPØ/B-SET		130-PPØ/B-SET2		130-PP06Ø	
060	178,00 €	060	214,00 €	060	39,00 €
080	212,00 €	080	239,00 €	080	52,00 €
100	246,00 €	100	285,00 €	100	71,00 €
110	317,00 €	110	348,00 €	110	99,00 €
				125	142,00 €
				160	168,00 €

Elbow 87° with support without rail



^{*1}

Shaft inlet with support and screw-in connecting piece



Elbow 87° with support rail



Base support with rail suitable for PPS elbow 87/45° (without PPS elbow)



Elbow 87° with screw connection, support and spacer



Mounting support (5 pieces) 113-130mm including EPDM sealing strips



Spacer



Rgr. TWIN

130-PP06Ø		130-PP1234Ø		130-PP2690Ø		130-PP442Ø		130-PP1234-1Ø		130-PP2627		TWP1007Ø	
200	250,00 €	060	75,00 €	060	33,00 €	060	50,00 €	060	118,00 €	77,00 €		060	8,00 €
250	302,00 €	080	79,00 €	080	38,00 €	080	52,00 €	080	134,00 €			080	14,00 €
		100	110,00 €			100	65,00 €						
		110	130,00 €			110	74,00 €						
						125	90,00 €						
						160	100,00 €						

Support rail
l=500mm

Support rail
l=700mm



End cap with stain-
less steel outlet
pipe and storm
collar

Plastic end terminal
kit

Terminal pipe
1000mm stainless
steel, for PP342

Terminal pipe
500mm stainless
steel, for PP342

Inspection length
with round opening
(up to 120°C/P1)

						
FU422B	FU422C	PP342Ø	130-PP837Ø	PP125Ø	PP126Ø	130-PP30Ø
131,00 €	158,00 €	060 91,00 €	060 56,00 €	060 74,00 €	060 42,00 €	060 26,00 €
		080 96,00 €	080 87,00 €	080 75,00 €	080 44,00 €	080 33,00 €
		100 107,00 €	100 100,00 €	100 79,00 €	100 52,00 €	100 43,00 €
		110 110,00 €	110 118,00 €	110 83,00 €	110 54,00 €	110 57,00 €
		125 115,00 €	125 154,00 €	125 85,00 €	125 58,00 €	125 100,00 €
		160 129,00 €	160 189,00 €	160 100,00 €	160 66,00 €	160 135,00 €
		200 165,00 €	200 246,00 €	200 118,00 €	200 72,00 €	200 142,00 €
		250 189,00 €	250 327,00 €	250 143,00 €	250 87,00 €	250 301,00 €

Length 2015mm

Length 1000mm

Length 560mm

Length 315mm

Length 420mm

Plastic Mounting
bracket

Mounting bracket
for smaller shafts

						
130-PP339Ø	130-PP02Ø	130-PP03Ø	130-PP04Ø	130-PP04Ø	130-PP40Ø	FU40PPØ
060 28,00 €	060 17,00 €	060 15,00 €	060 14,00 €	200 50,00 €	060 12,00 €	160 38,00 €
080 39,00 €	080 26,00 €	080 18,00 €	080 16,00 €	250 105,00 €	080 16,00 €	200 39,00 €
100 53,00 €	100 33,00 €	100 21,00 €	100 18,00 €		100 17,00 €	250 40,00 €
110 67,00 €	110 44,00 €	110 27,00 €	110 22,00 €		110 27,00 €	
125 96,00 €	125 62,00 €	125 42,00 €	125 33,00 €		125 29,00 €	
160 122,00 €	160 82,00 €	160 55,00 €	160 48,00 €			
200 196,00 €	200 117,00 €	200 92,00 €				
250 301,00 €	250 213,00 €	250 142,00 €				

- ^{*1} A PPFLEX07 coupling is required when connecting to a flexible pipe
- ^{*2} With flexible pipe: PPFLEX804 necessary

Mounting bracket




FU40Ø	
160	38,00 €
200	39,00 €
250	40,00 €

Mounting bracket, 1 piece



PPFLEX40Ø	
125	26,00 €
160	27,00 €

Mounting bracket, 4 pieces



PPFLEX41Ø	
060	35,00 €
080	48,00 €
100	49,00 €
110	52,00 €

Locking band with 2 lowering loops



FU1568Ø	
080	26,00 €
100	26,00 €
110	26,00 €
125	27,00 €
160	28,00 €
200	34,00 €
250	38,00 €

Elbow 87° with inspection door



130-PP23Ø	
060	26,00 €
080	33,00 €
100	39,00 €
110	95,00 €
125	135,00 €
160	153,00 €
200	177,00 €
250	337,00 €

Elbow 15°



130-PP17Ø	
060	18,00 €
080	22,00 €
100	27,00 €
110	39,00 €
125	54,00 €
160	100,00 €
200	143,00 €
250	215,00 €

Elbow 30°



130-PP18Ø	
060	15,00 €
080	18,00 €
100	25,00 €
110	39,00 €
125	54,00 €
160	99,00 €
200	142,00 €
250	213,00 €

Elbow 45°



130-PP19Ø	
060	15,00 €
080	18,00 €
100	25,00 €
110	39,00 €
125	54,00 €
160	99,00 €
200	142,00 €
250	230,00 €

Elbow 87°



130-PP22Ø	
060	16,00 €
080	21,00 €
100	29,00 €
110	42,00 €
125	54,00 €
160	99,00 €
200	160,00 €
250	301,00 €

Length with test point



130-PP112Ø	
060	32,00 €
080	35,00 €
100	46,00 €
110	69,00 €
125	71,00 €
160	88,00 €
200	91,00 €
250	124,00 €

Adaptor l=250mm with 1/2" female socket for safety temperature limiter



130-PP423AØ	
060	102,00 €
080	105,00 €
100	110,00 €
110	114,00 €
125	117,00 €
160	121,00 €
200	136,00 €
250	199,00 €

Drain length with siphon for horizontal installation (for vertical installation 130-PP1510 required)



130-PP111Ø	
060	44,00 €
080	48,00 €
100	65,00 €
110	88,00 €
125	106,00 €
160	142,00 €
200	177,00 €
250	266,00 €

Adaptor for TWIN-PL incl 130-PP04



130-PP1760Ø	
060	55,00 €
080	56,00 €
100	65,00 €
110	76,00 €

Force connection sleeve suitable up to 120°C



ZUAC2781Ø	
040-065	158,00 €
050-080	190,00 €
075-110	206,00 €
100-133	272,00 €
123-161	253,00 €
160-192	360,00 €
183-226	417,00 €

Increaser

Decreaser



130-PPEØØ				130-PPRØØ			
A 060	25,00 €	A 080	53,00 €	A 110	130,00 €	A 080	29,00 €
B 080		B 110		B 125		B 125	68,00 €
A 063	31,00 €	A 080	130,00 €	A 125	130,00 €	A 100	40,00 €
B 080		B 125		B 160		B 080	
A 070	32,00 €	A 100	52,00 €	A 110	39,00 €	A 150	123,00 €
B 080		B 110		B 080		B 100	
A 075	32,00 €	A 100	107,00 €	A 110	35,00 €	A 150	123,00 €
B 080		B 125		A 125	73,00 €	B 125	
A 080	39,00 €	A 100	128,00 €	B 100		A 160	123,00 €
B 100		B 160		B 100		B 125	

Eccentric increaser

Siphon with 90mm water trap height (PI)

Siphon with 200mm water trap height (M1)

Screw connection 87° with internal thread 3/4" for siphon 130-PP46 (required when installing the condensate drain trap 130-PP111 vertically)



130-PPEØØEX				130-PP46	130-PP46-2	130-PP1510
A 060	37,00 €	A 080	72,00 €	A 150	139,00 €	
B 080		B 110		B 160		
A 063	44,00 €	A 080	80,00 €	A 160	147,00 €	
B 080		B 125		B 200		
A 070	37,00 €	A 100	72,00 €	A 180	173,00 €	
B 080		B 110		B 200		
A 075	42,00 €	A 100	80,00 €	A 200	194,00 €	
B 080		B 125		B 250		
A 080	49,00 €	A 100	139,00 €			
B 100		B 160				

- *1 Backflow protection RSS-DN80 for single-walled and concentric exhaust pipes. When using cascades and multiple assignments, please note the certification according to DVGW G 635 (approval and testing of the device manufacturer). Approval in CHP systems only after consultation with Jeremias Abgastechnik GmbH

Safety temperature limiter 110°C



PP423
526,00 €

Storm collar for terminal PP342



PP72Ø
060 53,00 €
080 54,00 €
100 57,00 €
110 58,00 €
125 59,00 €
160 62,00 €
200 69,00 €
250 70,00 €

Storm collar



KL72Ø
060 37,00 €
080 38,00 €
100 39,00 €
110 42,00 €

Cover plate for rear ventilation RAL 9016



130-PP21Ø
060 51,00 €
080 67,00 €
100 68,00 €
110 78,00 €
125 79,00 €
160 85,00 €
200 125,00 €
250 149,00 €

Wall plate with rear ventilation for room-air dependant operation



130-PP2179Ø
060 39,00 €
080 50,00 €
100 51,00 €

Wall plate with rear ventilation for room-air dependant operation



130-PP2179Ø
110 52,00 €
125 53,00 €
160 55,00 €
200 87,00 €
250 106,00 €

Airtight sealing collars 7°-35° for connection line up to T200 (can be plastered)



ZUTE2197Ø
100-110 38,00 €
125-135 45,00 €
150-165 54,00 €
200-220 69,00 €
250-270 85,00 €

Airtight sealing collars 7°-35° for connection line up to T200 (can be plastered)




Gasket (EPDM)



Lubricant tube 75 ml, chloride free




Air supply grid for concentric boiler outlets



Backflow preventer PPS Ø 80mm with integrated siphon



branch pipe



ZUTE2196Ø	130-PP26Ø	750GLEIOVT	130-PP1903Ø	130-PP1205Ø	130-PPHOØØ
100-110 31,00 €	060 10,00 €	15,00 €	060 25,00 €	080 112,00 €	A 080 158,00 €
125-135 43,00 €	080 15,00 €		080 28,00 €		B 080 399,00 €
	100 16,00 €		110 37,00 €		A 100 185,00 €
	110 17,00 €				B 080 401,00 €
	125 20,00 €				A 125 261,00 €
	160 25,00 €				B 100 441,00 €
	200 27,00 €				A 125 311,00 €
	250 33,00 €				B 125 557,00 €
					A 160 369,00 €
					B 100 369,00 €

Y-branch pipe




130-PPHOYØØ			
A 080	144,00 €	A 160	407,00 €
B 080		B 160	
A 100	168,00 €	A 200	455,00 €
B 100		B 200	
A 110	240,00 €	A 250	569,00 €
B 110		B 250	
A 125	336,00 €		
B 125			

System EW-PPS ADDITIONAL PARTS CASCADE


Basic kit for cascade room-air-dependant

(1) End piece with condensate drain (2) Condensate hose 2m
(3) Siphon (4) Length element 315mm (5) Inspection element
(6) Wall panel




Basic kit for for casacade

(1) Branch 42° (2) Length element 1015mm (3) Angle 87° with revision (4) Length element 315mm



130-PPKASØ/B-SET		130-PPKASØØE-SET					
080	213,00 €	A 080	180,00 €	A 160	353,00 €	A 250	490,00 €
100	235,00 €	B 080		B 100		B 100	
110	260,00 €	A 100	202,00 €	A 160	463,00 €	A 250	766,00 €
125	328,00 €	B 080		B 110		B 160	
160	401,00 €	A 110	247,00 €	A 200	424,00 €	A 250	834,00 €
200	500,00 €	B 080		B 100		B 200	
250	770,00 €	A 125	247,00 €	A 200	536,00 €		
		B 080		B 110			
		A 125	271,00 €	A 200	459,00 €		
		B 100		B 160			



System EW-PPS

ADDITIONAL PARTS MULTIPLE ASSIGNMENT

Starting kit for multiple connections Ø 060/100

(1) Fireplace connection (2) Pipe socket (3) Pipe 225mm (4) T-piece (5) Sleeve (6) Fixed clamp (7) Fire protection adhesive



130-PPAMF060-Ø	
080	223,00 €
100	264,00 €
110	292,00 €
125	322,00 €
160	442,00 €

Starting kit for multiple connections Ø 080/125


(1) Fireplace connection (2) Pipe socket (3) Pipe 225mm (4) T-piece (5) Sleeve (6) Fixed clamp (7) Fire protection adhesive



130-PPAMF080-Ø	
080	243,00 €
100	264,00 €
110	294,00 €
125	322,00 €
160	606,00 €

Basic kit for multiple occupancy

(1) Siphon and condensate hose 1.5m (2) Condensate tray with extension 100mm and 200mm (3) Revision element (4) Fixed clamp (5) Sleeve (6) Orifice set for flexible pipe: PPFLEX804 required



130-PPBMFØ	
080	243,00 €
100	294,00 €
110	330,00 €
125	362,00 €
160	443,00 €

Drain for Shaft

(1) Condensate drain (2) Fixed clamp (3) Sleeve (4) 0.5 m 3/4" loop



130-PPKAFØ	
080	228,00 €
100	236,00 €
110	312,00 €
125	314,00 €
160	361,00 €

Drain for Shaft


(1) Condensate drain (2) Bayonet connection (3) 0.5m loop 3/4"



130-PPKAF-1Ø	
080	293,00 €
110	293,00 €



The connecting cable must be made from TWIN-PL components.





System EW-PP FLEX

DESCRIPTION

Single wall, flexible and pressure-tight flue system made of plastic

MATERIAL

PP = Polypropylene

WALL THICKNESS

1.0 mm up to Ø 80 mm,
1.2 mm ab Ø 100 mm
Optional: 2.0 mm rigid

INSIDE DIAMETER

60 - 160 mm

CONNECTION

Socket / bead with internal EPDM gasket

GASKET

Included in the scope of delivery

ORDER CODE



The article code for your order results from:

Article code + Ø (Ex: PPFLEX30100).

Please refer to the respective code for deviations.

DELIVERY

The system contains bulky items that may incur additional freight costs.



CHARACTERISTICS

- Adapted boiler connections enable connection to all standard boiler types
- Annular gap between liner and shaft can be used for air supply
- Resistant to moisture
- Can be used up to 5000 Pa (up to Ø 110 mm)

APPLICATION AREAS

- Condensing boilers
- CHP (up to 100 °C)
- Gas-operated heat pumps

CE MARK NUMBER

0036 CPR 9174 043

CE CLASSIFICATIONS ACC. TO DIN EN 14471

EW-PP-FLEX DN60-110

T120 - H1 - W2 - O00 - LI - E - U0

EW-PP-FLEX > DN110-160

T120 - P1 - W2 - O00 - LI - E - U0

- ^{*1} A PPFLEX07 coupling is required when connecting to a flexible pipe
- ^{*2} Bulky goods, additional freight costs may arise.
- ^{*3} One assembly set 1 PPFLEX09 is required for each elbow 87° with support leg

Shaft inlet with support and screw-in connecting piece



130-PP1234Ø

060	75,00 €
080	79,00 €
100	110,00 €
110	130,00 €


Elbow 87° with support and rail



130-PP06Ø

060	39,00 €
080	52,00 €
100	71,00 €
110	99,00 €
125	142,00 €
160	168,00 €

End cap with stainless steel outlet pipe and storm collar



PP342Ø

060	91,00 €
080	96,00 €
100	107,00 €
110	110,00 €
125	115,00 €
160	129,00 €

Suspension for flexible exhaust pipes at the chimney top



PPFLEX1853Ø

060	24,00 €
080	28,00 €
100	29,00 €
110	31,00 €
125	32,00 €
160	36,00 €

Mounting bracket, 1 piece



PPFLEX40Ø

125	26,00 €
160	27,00 €

Mounting bracket, 4 pieces



PPFLEX41Ø

060	35,00 €
080	48,00 €
100	49,00 €
110	52,00 €

Assembly kit 1 (2x fixing clamp and 1x sleeve)



PPFLEX09Ø

060	15,00 €
080	17,00 €
100	19,00 €
110	22,00 €
125	33,00 €
160	38,00 €

PPS to PPS Flex sleeve



PPFLEX801Ø

060	8,00 €
080	9,00 €
100	10,00 €
110	11,00 €
125	16,00 €
160	17,00 €

Locking band for PPS Flex connection two-pieces



PPFLEX800Ø

060	10,00 €
080	11,00 €
100	12,00 €
110	16,00 €
125	21,00 €
160	23,00 €

Inspection length for PP-FLEX



PPFLEX30Ø

060	85,00 €
080	129,00 €
100	169,00 €
110	171,00 €
125	264,00 €
160	299,00 €

Flex liner 10m



PPFLEX02Ø/10

060	242,00 €
080	313,00 €
100	417,00 €
110	459,00 €
125	828,00 €
160	1.156,00 €

Flex liner 12.5m



PPFLEX02Ø/125

060	345,00 €
080	374,00 €
100	507,00 €

Flex liner 15 m



PPFLEX02Ø/15

060	357,00 €
080	437,00 €
100	612,00 €
110	687,00 €
125	1.241,00 €
160	1.734,00 €

Flex liner 20m



PPFLEX02Ø/20

060	547,00 €
080	624,00 €
100	830,00 €
110	897,00 €
125	1.654,00 €
160	2.173,00 €

Flex liner 25m

Flex liner 30m

Flex liner 34m

Flex liner 50m

Flex liner 75m

Infeed aid PP-FLEX
for Flex pipe

Adaptor PP-FLEX
for flex pipes

						
PPFLEX02Ø/25	PPFLEX02Ø/30	PPFLEX02Ø/34	PPFLEX02Ø/50	PPFLEX02Ø/75	130-PP789Ø	PPFLEX07Ø
100 1.050,00 €	060 820,00 €	110 1.545,00 €	060 1.369,00 €	060 1.656,00 €	060 96,00 €	060 62,00 €
110 1.135,00 €	080 945,00 €		080 1.398,00 €		080 50,00 €	080 94,00 €
125 2.067,00 €	100 1.260,00 €		100 1.967,00 €			100 109,00 €
160 2.627,00 €	125 2.479,00 €					110 110,00 €
	160 3.082,00 €					125 188,00 €
						160 220,00 €

Plastic end terminal
kit

PPS Terminal
Kit with hanging
bracket

Assembly kit 2 (PPS
Terminal Kit and
bracket)

Storm collar for
terminal PP342

Force connection
sleeve suitable up
to 120°C

				
130-PP837Ø	PPFLEX804Ø	PPFLEX804Ø	PP72Ø	ZUAC2781Ø
060 56,00 €	060 29,00 €	125 125,00 €	060 53,00 €	040-065 158,00 €
080 87,00 €	080 31,00 €	160 133,00 €	080 54,00 €	050-080 190,00 €
100 100,00 €	100 34,00 €		100 57,00 €	075-110 206,00 €
110 118,00 €	110 44,00 €		110 58,00 €	100-133 272,00 €
125 154,00 €			125 59,00 €	123-161 253,00 €
160 189,00 €			160 62,00 €	160-192 360,00 €
				183-226 417,00 €

*1 Bulky goods, additional freight costs may arise.

*2 With flexible pipe: PPLEX804 necessary




WELCOME TO MYJEREMIAS-WORLD, OUR NEW ONLINE PORTAL!

- ✓ Quick quotation creation for customers
- ✓ Web shop function for easy component ordering
- ✓ Clear quotation and order archive
- ✓ Simplified component search
- ✓ Article drawings
- ✓ Special article management
- ✓ Stored purchasing conditions

COMING
SOON





CONCENTRIC EXHAUS SYSTEMS



Overview

CONCENTRIC EXHAUS SYSTEMS

Our concentric exhaust systems made of stainless steel or polypropylene use the annular gap between the outer and inner pipes for the supply air and thus enable modern fireplaces to be operated independently of the room air.

THE TWIN GAS FLUE SYSTEMS FROM JEREMIAS ARE CHARACTERIZED BY:

- CE certification
- Simple assembly thanks to precisely fitting elements and plug-in connections
- Stainless steel: TIG gas-shielded welded and passivated longitudinal seams for maximum corrosion resistance
- Polypropylene (PP): heating element butt-welded seam in accordance with DVS 2207 T11
- Condensate and gas-tight
- Use of high-quality sealing materials for a long service life
- Other diameters, materials, surfaces and designs are available on request

System	Oil	Gas	SF	Working Temp.	Material	Wall Thickness	WIG	Pressure	Certification	Classification
TWIN-GAS		✓		≤ 400 °C ≤ 600 °C	Inside: 1.4404 Outside: 1.4301	Inside: 0,5 mm / Outside: 0,5 mm	✓	N1	0036 CPR 9174 078	T250 - N1 - W - V2 - L50040 - O00 T400 - N1 - W - V2 - L50040 - O50 T600 - N1 - W - V2 - L50040 - O50
TWIN-GAS Connection pipe		✓		≤ 400 °C ≤ 600 °C	Inside: 1.4404 Outside: 1.4301	Inside: 0,5 mm / Outside: 0,5 mm	✓	N1	0036 CPR 9174 090	T400 - N1 - W - V2 - L50040 - O100M T600 - N1 - W - V2 - L50040 - O100M
TWIN-PL* < DN 200	✓	✓		≤ 120 °C	Inside: PP Outside: anodized powder-coated	Inside: 2,0 mm / Outside: 0,5 mm	✓	H1 5000 Pa	0036 CPR 9174 043	T120 - H1 - W2 - O00 - LI - E - U0
TWIN-PL* ≥ DN 200	✓	✓		≤ 120 °C	Inside: PP Outside: anodized powder-coated	Inside: 2,0 mm / Outside: 0,5 mm	✓	P1 200 Pa	0036 CPR 9174 043	T120 - P1 - W2 - O00 - LI - E - U0
TWIN-P < DN 200	✓	✓		≤ 120 °C	Inside: PP Outside: 1.4301	Inside: 2,0 mm / Outside: 0,5 mm	✓	H1 5000 Pa	0036 CPR 9174 043	T120 - H1 - W2 - O00 - LE - E - U0
TWIN-P ≥ DN 200	✓	✓		≤ 120 °C	Inside: PP Outside: 1.4301	Inside: 2,0 mm / Outside: 0,5 mm	✓	P1 200 Pa	0036 CPR 9174 043	T120 - P1 - W2 - O00 - LE - E - U0
TWIN-P (V) DN 60-110	✓	✓		≤ 120 °C	Inside: PP Outside: 1.4301	Inside: 2,0 mm / Outside: 0,5 mm	✓	H1 5000 Pa	0036 CPR 9174 043	T120 - H1 - W2 - O00 - LE - E - U0
TWIN-P (CU) DN 60-110	✓	✓		≤ 120 °C	Inside: PP Outside: 1.4301	Inside: 2,0 mm / Outside: 0,5 mm	✓	H1 5000 Pa	0036 CPR 9174 043	T120 - H1 - W2 - O00 - LE - E - U0

* Installation only in the building as a flue pipe.

All prices are subject to statutory VAT.
Errors and technical changes excepted
Our general terms and conditions apply



System TWIN-GAS

DESCRIPTION

Concentric stainless steel flue pipe for room-air independent heating appliances

MATERIAL

Inside: 1.4404 (316L)

Outside: 1.4301 (304)

FINISHING

Highly polished

WALL THICKNESS

Inside: 0.5 mm

Outside: 0.5 mm

DIAMETER

100/50 mm and 130/200 mm

CONNECTION

Socket / bead with special internal, glued-in gasket in the outer tube

LOCKING BAND/GASKET

Included in the standard scope of delivery of every straight pipe element

SYSTEM CERTIFICATION

The Jeremias exhaust system TWIN-GAS is already available from many manufacturers of decorative gas fireplaces and gas stoves with their devices system certified and only approved in this combination.

System certifications currently exist with: Glen Dimplex (Faber Chimneys), Bellfires (formerly Interfocus), Element4, Ortal, STUV, Attika, Rais, Camina Schmid, Max Blank, Hoxter, Metalfire

ORDER CODE

The article code for your order results from:

Article code + Ø (Ex: TWG14100/150).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Moisture resistant
- Pressure-tight outer tube through glued silicon gasket
- This prevents exchange with room air in the installation room

APPLICATION AREAS

- Decorative gas fireplaces

CE MARK NUMBER

0036 CPR 9174 078

CE CLASSIFICATIONS - DIN EN 1856-1

T250 - N1 - W - V2 - L50040 - O00

T400 - N1 - W - V2 - L50040 - O50

T600 - N1 - W - V2 - L50040 - O50

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 090

CE CLASSIFICATIONS - DIN EN 1856-2

T400 - N1 - W - V2 - L50040 - O100M

T600 - N1 - W - V2 - L50040 - O100M

Further classifications for special installation variants can be found in our current TWIN-GAS brochure

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm

Base plate with
2x1/2 " exterior
nipple closing cap
and condensate
drain at the bottom

Base plate for inter-
mediate support

Condensate collec-
tor with bottom
drain 1/2" female
socket and plug
screw M10

Rgr.
DWRgr.
DWRgr.
DWRgr.
DW

DW391	DW392	DW393	DW407	TWG05Ø	TWG07Ø	TWG2024Ø
122,00 €	137,00 €	167,00 €	274,00 €	100/150 116,00 € 130/200 154,00 €	100/150 162,00 € 130/200 254,00 €	100/150 181,00 € 130/200 202,00 €

Condensate collec-
tor without drain

Length 1000mm

Length 500mm

Length 250mm

Length 1000mm
with reinforcement
& 4 lugs

Inspection length
(up to 600°C/N1)

Wall bracket 50mm

Rgr.
DW

TWG43Ø	TWG13Ø	TWG14Ø	TWG15Ø	TWG1801Ø	TWG10Ø	ZUWA704Ø
100/150 93,00 € 130/200 111,00 €	100/150 138,00 € 130/200 180,00 €	100/150 99,00 € 130/200 157,00 €	100/150 67,00 € 130/200 122,00 €	100/150 155,00 € 130/200 200,00 €	100/150 138,00 € 130/200 222,00 €	150 46,00 € 200 54,00 €

Wall bracket exten-
sion l=130mm

Wall bracket exten-
sion l=200mm

Wall bracket exten-
sion l=250mm

Wall bracket exten-
sion l=400mm

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Adjustable wall bra-
cket 150-250mm,
single-braced

Rgr.
DWRgr.
DWRgr.
DWRgr.
DW

ZUWA891-130	ZUWA891-200	ZUWA891-250	ZUWA706	TW21Ø	TW22Ø	TW23Ø
39,00 €	46,00 €	57,00 €	99,00 €	150 63,00 € 200 69,00 €	150 106,00 € 200 110,00 €	150 122,00 € 200 126,00 €

Adjustable wall bracket 250-360mm, single-braced

Adjustable wall bracket (head/wall part), wall distance from 250mm, single-braced

Extension 30x30mm for TW20 l=1000mm

Extension 30x30mm for TW20 l=500mm

Concentric reducer

End cap with Adaptor FLEX/TWIN-GAS

End cap with Adaptor EW-FU/TWIN-GAS



TW24Ø	TW20Ø	DW86	DW85	TWGRØ-Ø	TWG1276DØ	TWG1732Ø
150 165,00 € 200 171,00 €	150 115,00 € 200 125,00 €	81,00 €	59,00 €	A 130/200 116,00 € B 100/150	100/150 298,00 € 130/200 393,00 €	100/150 332,00 € 130/200 431,00 €

Adaptor screwable EW-FU/EW-FLEX

Adaptor TWIN GAS/shaft

Elbow 15°

Elbow 30°


Elbow 45°

Elbow 90°

Elbow 90°C with support



Rgr. FLEX



FD08Ø	ZUWA1618Ø	TWG16Ø	TWG17Ø	TWG18Ø	TWG60Ø	TWG1786Ø
100 59,00 € 130 66,00 €	150 42,00 € 200 59,00 €	100/150 116,00 € 130/200 185,00 €	100/150 116,00 € 130/200 185,00 €	100/150 116,00 € 130/200 185,00 €	100/150 169,00 € 130/200 213,00 €	100/150 218,00 € 130/200 269,00 €

Elbow 90°C with support

Support rail l=350mm

Support rail l=500mm

Support rail l=700mm

Elbow 90° with inspection door (up to 600°C/N1)

Elbow 90° with inspection door and test point (up to 600°C /N1)

Elbow 90° with inspection door and 2 test points



Rgr. EW



Rgr. EW



Rgr. EW



Rgr. EW



FU061785Ø	FU422	FU422B	FU422C	TWG19Ø	TWG1677Ø	TWG19-2Ø
100 130,00 € 130 138,00 €	116,00 €	131,00 €	158,00 €	100/150 222,00 € 130/200 265,00 €	100/150 256,00 € 130/200 301,00 €	100/150 316,00 € 130/200 348,00 €

- ^{*1} Please specify the type of decorative gas fireplace to choose the right connection
- ^{*2} Use in coordination with the authorized district chimney sweep.


Elbow 90° eccentric (connection with TWG1619)

T-90°

Terminal horizontal (inner tube eccentric)

Terminal vertical

Flat flashing conical with storm collar



^{*2}



TWG1676Ø	TWG317Ø	TWG1619Ø		TWG272Ø	TW52Ø
100/150 130,00 € 130/200 194,00 €	100/150 173,00 € 130/200 222,00 €	100/150 130/200	159,00 € 219,00 €	100/150 245,00 € 130/200 301,00 €	150 142,00 € 200 154,00 €

Flashing kit 5-15° lead base with storm collar

Flashing kit 16-25° lead base with storm collar





Flashing kit 26-35° lead base with storm collar, cone 150mm

Flashing kit 36-45° lead base with storm collar

Ceiling plate 0°, two-piece

Ceiling plate 0-30°, two-piece

Ceiling plate 31-45°, two-piece



TW53Ø	TW59Ø	TW38Ø	TW54Ø	ZUDA074Ø	ZUDA99VØ	ZUDA98VØ
150 262,00 € 200 276,00 €	150 262,00 € 200 276,00 €	150 262,00 € 200 276,00 €	150 262,00 € 200 302,00 €	150 77,00 € 200 99,00 €	150 64,00 € 200 72,00 €	150 76,00 € 200 85,00 €

Ventilated split ceiling plate 0-30°, two-piece

Ventilated split ceiling plate 31-45°, two-piece

Adjustable length for connection line 330-420mm

Length with test point (up to 600°C/N1)

Adaptor for Faber, Bellfires and Metalfire

Adaptor for Attika und Element4

Adaptor for Kalfire



^{*1}



ZUDA99VHLØ	ZUDA98VHLØ	TWG50Ø	TWG51Ø	TWG1634Ø	TWG2003Ø	TWG2027Ø
150 105,00 € 200 110,00 €	150 116,00 € 200 124,00 €	100/150 189,00 € 130/200 191,00 €	100/150 102,00 € 130/200 159,00 €	100/150 79,00 € 130/200 127,00 €	100/150 79,00 € 130/200 127,00 €	130/200 125,00 €

Light rafter bracket Storm collar Locking band (spare part) Gasket silicone up to 200°C

			
TW55LØ	KL72Ø	TW45Ø	ALBI26Ø
150 106,00 €	150 46,00 €	150 20,00 €	150 26,00 €
200 109,00 €	200 54,00 €	200 26,00 €	200 31,00 €

Basic Set TWIN-GAS wall-, ceiling-, roof duct sleeve 1000mm
1x wall, ceiling and roof duct, 1x fire protection panels, 1x fire protection adhesive 1 kg, 1x insulation with a thickness of 37mm and l = 500mm, 1x mineral wool, content 300g

Basic Set TWIN-GAS wall-, ceiling-, roof duct sleeve 500mm
1x wall, ceiling and roof duct, 1x fire protection panels, 1x fire protection adhesive 1 kg, 1x insulation with a thickness of 37mm and l = 500mm, 1x mineral wool, content 300g

*1

*1

	
TWG-WDF-SET1-Ø	TWG-WDF-SET2-Ø
150 1.924,00 €	150 1.021,00 €
200 2.335,00 €	200 1.252,00 €

*1 According to approval number Z-7.4-3527



System TWIN-PL

DESCRIPTION

Concentric, pressure-tight connecting pipe for use inside the building with plastic inner tube and elo-galvanized outer tube for room air-independent heating appliances

MATERIAL

Inside: PP (Polypropylene)

Outside: Galvanized, powder-coated

FINISHING

White, powder-coated (RAL9016)

(Replacement paint for touch up, Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside: 2.0 mm

Outside: 0.5 - 0.6 mm

DIAMETER

60/100 mm, 80/125 mm, 100/150 mm
and 110/160 mm

CONNECTION

Socket / bead with internal special gasket in the exhaust pipe and in the outer pipe

LOCKING BAND / GASKET

Gasket is pre-assembled in the inner and outer tube



No locking band

ORDER CODE

The article code for your order results from:

Article code + Ø (Ex: TWPL10060/100 or TW26150).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Connection of boiler systems for room-air independent heating appliances on concentric or single wall chimney systems
- Combination with TWIN-P, EW-PPS, EW-PP-FLEX possible
- Use of the fireplace as a roof heating center is possible

APPLICATION AREAS

- Flue gas system for room air-independent operation
- Condensing boilers
- CHP
- Gas-powered heat pumps
- Fuel cells
- Use inside the building

CE MARK NUMBER

0036 CPR 9174 043

CE CLASSIFICATIONS ACC. TO DIN EN 14471

TWIN-PL < DN 200

T120 - H1 - W2 - O00 - LI - E - U0

TWIN-PL ≥ DN 200

T120 - P1 - W2 - O00 - LI - E - U0

Connection pipe set TWPL, l=1000mm

1x length 1000mm, 1x T-87° with revision and boiler connection, 1x flat wall rosette with gasket



TWPL-SETØ	
060/100	218,00 €
080/125	223,00 €
100/150	274,00 €
110/160	305,00 €

Connection pipe set TWPL, l=500mm

1x length 500mm, 1x T-87° with revision and boiler connection, 1x flat wall rosette with gasket



TWPL-SET2Ø	
060/100	194,00 €
080/125	199,00 €
100/150	241,00 €
110/160	271,00 €

Shaft & connection pipe set PP/TWPL

1x T-87° with revision and boiler connection, 1x length 500mm, 1x flat wall rosette with gasket, 1x elbow 87° with support, 4x mounting clamp, 1x terminal



TWPL-SET3Ø	
060/100	372,00 €
080/125	411,00 €
100/150	487,00 €
110/160	588,00 €

Shaft & connection pipe set PP/TWPL with screw connection

1x T-87° with revision and boiler connection, 1x length 500mm, 1x flat wall rosette with gasket, 1x elbow 87° with support and connecting piece, screwable for duct entry, 4x mounting clamp, 1x terminal



TWPL-SET4Ø	
060/100	408,00 €
080/125	438,00 €
100/150	526,00 €
110/160	619,00 €

*2

*2

Length 1955mm
(2008mm)

Length 1000mm

Length 500mm

Length 250mm

Telescopic compensator to accommodate linear expansions, required for offsets

Inspection length with turn closure on the inside and snap closure on the outside (up to 120°C/HI)

Base plate for intermediate support



TWPL339Ø	TWPL13Ø	TWPL14Ø	TWPL15Ø	TWPL1102Ø	TWPL10Ø	TWPL07Ø
080/125 131,00 €	060/100 72,00 €	060/100 48,00 €	060/100 38,00 €	060/100 185,00 €	060/100 107,00 €	060/100 85,00 €
	080/125 74,00 €	080/125 50,00 €	080/125 39,00 €	080/125 224,00 €	080/125 109,00 €	080/125 86,00 €
	100/150 94,00 €	100/150 61,00 €	100/150 43,00 €	100/150 273,00 €	100/150 141,00 €	100/150 100,00 €
	110/160 101,00 €	110/160 67,00 €	110/160 48,00 €	110/160 281,00 €	110/160 161,00 €	110/160 115,00 €

- *1 Please indicate your boiler type for the selection of the appropriate connection!
- *2 The price actually charged may vary as there may be differences depending on the individual discount composition of the TWIN and PP discount.

Elbow 15°



Elbow 30°



Elbow 45°



Elbow 87°



Elbow 87° with inspection door



T-87° with inspection opening



T-87° with inspection opening and integrated boiler adaptor



*1

TWIN-PL

TWPL16Ø		TWPL17Ø		TWPL18Ø		TWPL64Ø		TWPL67Ø		TWPL11Ø		TWPL308Ø	
060/100	61,00 €	060/100	52,00 €	060/100	52,00 €	060/100	72,00 €	060/100	110,00 €	060/100	101,00 €	060/100	107,00 €
080/125	64,00 €	080/125	53,00 €	080/125	53,00 €	080/125	74,00 €	080/125	113,00 €	080/125	105,00 €	080/125	109,00 €
100/150	81,00 €	100/150	71,00 €	100/150	71,00 €	100/150	79,00 €	100/150	125,00 €	100/150	117,00 €	100/150	138,00 €
110/160	85,00 €	110/160	82,00 €	110/160	82,00 €	110/160	86,00 €	110/160	132,00 €	110/160	139,00 €	110/160	161,00 €

T-87° with inspection opening and decreased boiler adaptor Ø 110/150mm, Adaptor for Viessmann boilers



*1

T-87° with inspection opening with decreased/increased boiler adaptor




Concentric increaser



TWPL308VØ-Ø		TWPL308Ø-Ø				TWPLEØ-Ø			
A 110/160	161,00 €	A 080/125	109,00 €	A 100/150	138,00 €	A 110/160	161,00 €	A 060/100	67,00 €
B 110/150		B 060/100		B 080/125		B 100/150		B 080/125	70,00 €
		A 080/125	138,00 €	A 110/160	161,00 €			A 100/150	78,00 €
		B 100/150		B 060/100				B 110/160	
		A 110/160	138,00 €	A 110/160	161,00 €			A 080/125	75,00 €
		B 060/100		B 080/125				B 100/150	

Concentric decreaser



Flashing Kit 0-48° brick-red Wakaflex, independant of roof cladding




Flashing Kit 0-48° black Wakaflex, independant of roof cladding with storm collar



Flashing Kit 25-45° red



Flashing Kit 25-45° black



Airtight sealing collars 7°-35° for connection line up to T200 (can be plastered)



TWPLRØ-Ø		TWPL353Ø		TWPL354Ø		TWPL355Ø		TWPL356Ø		ZUTE2197Ø	
A 080/125	67,00 €	A 110/160	82,00 €	100	185,00 €	100	185,00 €	150	239,00 €	150	239,00 €
B 060/100		B 080/125		125	185,00 €	125	185,00 €			100-110	38,00 €
A 100/150	82,00 €	A 110/160	78,00 €	160	232,00 €	160	232,00 €			125-135	45,00 €
B 060/100		B 100/150								150-165	54,00 €
A 100/150	75,00 €										
A 080/125											
A 110/160	93,00 €										
B 060/100											

Airtight sealing collars 7°-35° for connection line up to T200 (can be plastered)



Terminal vertical, not painted



*2

Terminal vertical, black



*2

Terminal vertical, brick red



*2

Terminal vertical, white



*2

Concentric roof riser terminal incl. fastening clamp l=650mm black



Concentric roof riser terminal incl. fastening clamp l=650mm brick red



ZUTE2196Ø	TWPL1941Ø	TWPL1944Ø	TWPL1943Ø	TWPL1942Ø	TWPL1868Ø	TWPL1869Ø
100-110 31,00 €	060/100 138,00 €	060/100 155,00 €	060/100 155,00 €	060/100 155,00 €	060/100 150,00 €	060/100 150,00 €
125-135 43,00 €	080/125 143,00 €	080/125 162,00 €	080/125 162,00 €	080/125 162,00 €	080/125 170,00 €	080/125 170,00 €
	100/150 177,00 €	100/150 197,00 €	100/150 197,00 €	100/150 197,00 €		
	110/160 193,00 €	110/160 217,00 €	110/160 217,00 €	110/160 217,00 €		

Concentric roof riser terminal incl. fastening clamp l=1100mm black



Concentric roof riser terminal incl. fastening clamp l=1100mm black



Extension to wall sleeve (can be shortened/extended) l=955, black



Extension to wall sleeve (can be shortened/extended) l=955, brick red



Wall plate closed



Wall plate one-piece made of plastic, white, with 4 holes



Storm collar with gasket



TWPL1870Ø	TWPL1871Ø	TWPL1939Ø	TWPL1938Ø	TWL2179Ø	TWPL2449Ø	TWIN31AØ
080/125 225,00 €	080/125 225,00 €	060/100 106,00 €	060/100 106,00 €	100 37,00 €	100 31,00 €	060/100 39,00 €
		080/125 120,00 €	080/125 120,00 €	125 38,00 €	125 32,00 €	080/125 40,00 €
				150 39,00 €		100/150 42,00 €
				160 40,00 €		110/160 43,00 €

Storm collar



Boiler adaptor without test point



*1

Boiler adaptor without test point from Ø 110/150 to 110/160mm, Adaptor for Viessmann boilers



Adjustable length for connection line 320-480mm



Length with test point



Adaptor TWIN-PL/TWIN-P



Drain length including Siphon for horizontal installation



TWL31Ø	TWPL182Ø	TWPL182VØ-Ø	TWPL50Ø	TWPL51Ø	TWPL930Ø	TWPL1504AØ
100 39,00 €	060/100 55,00 €	A 110/160 79,00 €	060/100 110,00 €	060/100 52,00 €	060/100 43,00 €	060/100 130,00 €
125 40,00 €	080/125 57,00 €	B 110/150	080/125 113,00 €	080/125 53,00 €	080/125 44,00 €	080/125 132,00 €
150 42,00 €	100/150 64,00 €		100/150 125,00 €	100/150 67,00 €	100/150 48,00 €	100/150 172,00 €
160 43,00 €	110/160 68,00 €			110/160 82,00 €	110/160 52,00 €	110/160 185,00 €

- ^{*1} Please indicate your boiler type for the selection of the appropriate connection!
- ^{*2} Terminal can be extended with components TWPL13/14/15 according to assembly instructions, delivery time approx. 2 weeks for RAL surfaces

Screw connection
87° with internal
thread 3/4" for siphon
130-PP46 (required
when installing the
condensate drain trap
130-PP111 vertically)



Rgr.
PP



Safety temperature
limiter 110°C

Rgr.
PP



Lubricant tube 75
ml, chloride free

Rgr.
PP



Gasket (EPDM)

Rgr.
PP



Gasket silicone up
to 200°C

Rgr.
EW



Gasket silicone for
outer pipe (up to
200°C)

130-PP1510	PP423	750GLEIOVT	130-PP26Ø	ALB126Ø	TW26Ø
23,00 €	526,00 €	15,00 €	060 10,00 € 080 15,00 € 100 16,00 € 110 17,00 €	100 22,00 € 150 26,00 € 160 27,00 €	125 29,00 €




We speak of cascades when several fireplaces are connected to one another in a boiler room and the flue gases from all connections are routed to the outside with one flue gas system.

As a rule, cascades are operated one after the other or are coordinated with one another. Connecting multiple modules together allows for better performance as each connected boiler performs separate tasks. If one device fails, another can take over the output and the heating operation does not have to be stopped. Cascade controls are often installed in apartment buildings or large commercial properties because they are characterized by their efficient heating.

With the concentric flue gas systems TWIN-PL and TWIN-P as well as the single wall plastic systems EW-PPS and EW-PP-FLEX, Jeremias also offers the right solution for many construction variants for cascade arrangements of boilers.



TWPL698Ø	
080/125	151,00 €
100/150	182,00 €
110/160	190,00 €





System TWIN-P

DESCRIPTION

Concentric, pressure-tight flue pipe with plastic inner tube and stainless steel outer tube for room-air independent heating appliances

MATERIAL

Inside: PP (Polypropylene)

Outside: from Ø 60/100 mm: 1.4509 (441)

from Ø 125/190 mm: 1.4301 (304)

FINISHING

Highly polished

On request:

- powder-coated + 55% (version TW-P)

- matt + 30 %

- brushed + 35%

With the TW-PV version, starting from the joint in front of the last bracket, every joint must be secured with a locking band (TWPV45Ø - to be ordered separately)!

Replacement paint for touch up, Code: LACK-DOSE, 18.00 € net per 400 ml can

WALL THICKNESS

Inside: 2.0 mm

Outside: 0.5 mm

DIAMETER

60/100 mm, 80/125 mm, 100/150 mm and 110/160 mm

Extended diameters from 125/190 mm, 160/230 mm, 200/265 mm and 250/315 mm

CONNECTION

Socket / bead with internal special gasket in the exhaust pipe, no bead in the outer pipe. Version TW-PV: retracted plug connection


LOCKING BAND / GASKET

Gasket for the inner tube is included in the standard scope of delivery. When installed as a connecting pipe in the boiler room, each joint needs an external gasket with locking band TW1490. Extended diameters including locking band.

ORDER CODE

The article code for your order results from: Article code + Ø (e.g.: TWP10060/100 or TW26150).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Connection of boiler systems in room air independent operation on concentric or single-walled exhaust systems
- Combination with TWIN-PL, EW-PPS and EW-PP FLEX possible
- Use of the fireplace as a roof heating center is possible
- Mounting in the riser without a clamp (TWP45 clamping straps optionally available on request)

APPLICATION AREASS

- For room-air independent heating appliances
- Condensing boilers
- CHP
- Gas-powered heat pumps
- Fuel cells
- Use inside and outside the building

CE MARK NUMBER

0036 CPR 9174 043

CE CLASSIFICATIONS ACC. TO DIN EN 14471

TWIN-P < DN 200

T120 - H1 - W2 - O00 - LE - E - UO

TWIN-P ≥ DN 200

T120 - P1 - W2 - O00 - LE - E - UO

TWIN-P (V) DN60-110

T120 - H1 - W2 - O00 - LE - E - UO

TWIN-P (CU) DN60-110

T120 - H1 - W2 - O00 - LE - E - UO

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm

Base plate for inter-
mediate support

Base plate for inter-
mediate support
with air inlet

Length 1000mm



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



DW391	DW392	DW393	DW407	TWP07Ø	TWP857Ø	TWP13Ø
122,00 €	137,00 €	167,00 €	274,00 €	060/100 85,00 € 080/125 86,00 € 100/150 100,00 € 110/160 115,00 €	060/100 120,00 € 080/125 126,00 € 100/150 143,00 € 110/160 158,00 €	060/100 72,00 € 080/125 74,00 € 100/150 94,00 € 110/160 101,00 €

Length 500mm

Length 250mm

Telescopic
compensator to
accommodate
linear expansions,
required for offsets

Air supply element

Wall bracket 50mm

Wall bracket extension
l=130mm

Wall bracket extension
l=200mm



Rgr.
DW



Rgr.
DW



Rgr.
DW

TWP14Ø	TWP15Ø	TWP1102Ø	TWP181Ø	ZUWA704Ø	ZUWA891-130	ZUWA891-200
060/100 48,00 € 080/125 50,00 € 100/150 61,00 € 110/160 67,00 €	060/100 38,00 € 080/125 39,00 € 100/150 43,00 € 110/160 48,00 €	060/100 177,00 € 080/125 214,00 € 100/150 261,00 € 110/160 281,00 €	060/100 77,00 € 080/125 78,00 € 100/150 87,00 € 110/160 101,00 €	100 42,00 € 125 44,00 € 150 46,00 € 160 51,00 €	39,00 €	46,00 €

Wall bracket extension
l=250mm

Wall bracket extension
l=400mm

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced


Adjustable wall bracket
150-250mm,
single-braced

Adjustable wall bracket
250-360mm,
single-braced

Adjustable wall
bracket (head/wall
part), wall distance
from 250mm,
single-braced



Rgr.
DW



Rgr.
DW



ZUWA891-250	ZUWA706	TW21Ø	TW22Ø	TW23Ø	TW24Ø	TW20Ø
57,00 €	99,00 €	100 61,00 € 125 62,00 € 150 63,00 € 160 66,00 €	100 103,00 € 125 105,00 € 150 106,00 € 160 107,00 €	100 118,00 € 125 120,00 € 150 122,00 € 160 123,00 €	100 162,00 € 125 163,00 € 150 165,00 € 160 166,00 €	100 113,00 € 125 114,00 € 150 115,00 € 160 115,00 €

Extension
30x30mm for
TW20 l=500mm

Extension
30x30mm for
TW20 l=1000mm

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Elbow 87° with
inspection door



DW85	DW86	TWP16Ø	TWP17Ø	TWP18Ø	TWP64Ø	TWP67Ø
59,00 €	81,00 €	060/100 57,00 € 080/125 58,00 € 100/150 78,00 € 110/160 96,00 €	060/100 54,00 € 080/125 55,00 € 100/150 74,00 € 110/160 86,00 €	060/100 54,00 € 080/125 55,00 € 100/150 74,00 € 110/160 86,00 €	060/100 77,00 € 080/125 78,00 € 100/150 86,00 € 110/160 94,00 €	060/100 122,00 € 080/125 124,00 € 100/150 141,00 € 110/160 153,00 €


Inspection length

Inspection length
with air inlet

T 87° with inspection
door and
integrated boiler
connecting piece

T 87° with inspection door reducing boiler
adaptor Ø 060/100mm

T-87° with inspection
opening and decreased
boiler adaptor Ø
110/150mm, Adaptor
for Viessmann boilers



TWP10Ø	TWP10BØ	TWP308Ø	TWP308Ø-Ø	TWP308VØ-Ø
060/100 110,00 € 080/125 113,00 € 100/150 153,00 € 110/160 164,00 €	060/100 158,00 € 080/125 163,00 € 100/150 221,00 € 110/160 229,00 €	060/100 110,00 € 080/125 113,00 € 100/150 153,00 € 110/160 164,00 €	A 080/125 113,00 € B 060/100 A 100/150 153,00 € B 060/100 A 100/150 153,00 € B 080/125 A 110/160 164,00 € B 060/100	A 110/160 164,00 € B 110/150


Concentric increaser

Concentric decreaser

End cap

Flashing kit (EPDM)
with screws and
sealing compound

Flashing Kit 0-48°
brick-red Wakaflex,
independent of roof
cladding



TWPEØ-Ø	TWPRØ-Ø	TWP32Ø	TWP360	TWPL353Ø
A 060/100 67,00 € B 080/125 85,00 € A 070/100 85,00 € B 080/125 86,00 € A 080/125 101,00 € B 110/160	A 100/150 102,00 € B 110/160 A 080/125 67,00 € B 060/100 85,00 € A 100/150 86,00 € B 080/125 100,00 € A 110/160 B 060/100	A 110/160 101,00 € B 080/125 102,00 € A 110/160 102,00 € B 100/150 060/100 53,00 € 080/125 54,00 € 100/150 62,00 € 110/160 68,00 €	203,00 €	100 185,00 € 125 185,00 € 160 232,00 €


- *1 Please indicate your boiler type for the selection of the appropriate connection!
- *2 Terminal can be extended with components TWP13/14/15 according to assembly instructions, delivery time approx. 2 weeks for RAL surfaces

Flashing Kit 0-48°
black Wakaflex,
independent of roof
cladding with storm
collar




TWPL354Ø	
100	185,00 €
125	185,00 €
160	232,00 €

Flashing Kit 25-45°
red



TWPL355Ø	
150	239,00 €

Flashing Kit 25-45°
black



TWPL356Ø	
150	239,00 €

Terminal vertical,
not painted



TWP1941Ø	
060/100	138,00 €
080/125	143,00 €
100/150	177,00 €
110/160	193,00 €

Terminal vertical,,
black



TWP1944Ø	
060/100	155,00 €
080/125	162,00 €
100/150	197,00 €
110/160	217,00 €

Terminal vertical,
brick red



TWP1943Ø	
060/100	155,00 €
080/125	162,00 €
100/150	197,00 €
110/160	217,00 €


Terminal vertical,
white



TWP1942Ø	
060/100	165,00 €
080/125	166,00 €
100/150	205,00 €
110/160	206,00 €


TWIN-P

Flashing kit 5-15°
lead base with
storm collar




TW53Ø	
100	215,00 €
125	217,00 €
150	262,00 €
160	264,00 €

Flashing kit 16-25°
lead base with
storm collar



TW59Ø	
100	215,00 €
125	217,00 €
150	262,00 €
160	264,00 €

Flashing kit 26-35°
lead base with
storm collar, cone
150mm



TW38Ø	
100	244,00 €
125	244,00 €
150	262,00 €
160	265,00 €

Flashing kit 36-45°
lead base with
storm collar




TW54Ø	
100	245,00 €
125	244,00 €
150	262,00 €
160	269,00 €

Base plate
400x400mm for
chimney raise,
without insert



TWP847Ø	
060/100	114,00 €
080/125	115,00 €
100/150	117,00 €
110/160	118,00 €

Flat flashing conical
with storm collar




TW52Ø	
100	137,00 €
125	138,00 €
150	142,00 €
160	145,00 €

Ceiling plate, 0°,
one-piece



ZUDA070Ø	
100	62,00 €
125	63,00 €
150	72,00 €
160	72,00 €

Ceiling plate 0°,
two-piece



ZUDA074Ø	
100	70,00 €
125	72,00 €
150	77,00 €
160	78,00 €

Ceiling plate 31-45°
two-piece




ZUDA98VØ	
100	70,00 €
125	72,00 €
150	76,00 €
160	77,00 €

Ceiling plate 0-30°
two-piece



ZUDA99VØ	
100	57,00 €
125	58,00 €
150	64,00 €
160	66,00 €

Airtight sealing
collars 7°-35° for
connection line up
to T200 (can be
plastered)



ZUTE2197Ø	
100-110	38,00 €
125-135	45,00 €
150-165	54,00 €

Airtight sealing
collars 7°-35° for
connection line up
to T200 (can be
plastered)



ZUTE2196Ø	
100-110	31,00 €
125-135	43,00 €

Length with test
point



TWP51Ø	
060/100	54,00 €
080/125	55,00 €
100/150	74,00 €
110/160	86,00 €

Boiler adaptor wit-
hout test poin



TWP182Ø	
060/100	55,00 €
080/125	57,00 €
100/150	75,00 €
110/160	87,00 €

*1

Boiler adaptor without test point from Ø 110/150 to 110/160mm, Adaptor for Viessmann boilers

Drain length including Siphon for horizontal installation

Screw connection 87° with internal thread 3/4" for siphon 130-PP46 (required when installing the condensate drain trap 130-PP111 vertically)

Storm collar

Locking band for outdoor installation for stabilisation (optional)

Locking band with gasket for internal installation (Boiler room)

Gasket (EPDM)

						
TWP182VØ-Ø	TWP1504AØ	130-PP1510	KL72Ø	TWP45Ø	TW1490Ø	130-PP26Ø
A 110/160 96,00 €	060/100 140,00 €	23,00 €	100 39,00 €	100 12,00 €	100 55,00 €	060 10,00 €
B 110/150	080/125 149,00 €		125 44,00 €	125 13,00 €	125 59,00 €	080 15,00 €
	100/150 181,00 €		150 46,00 €	150 15,00 €	150 68,00 €	100 16,00 €
	110/160 201,00 €		160 47,00 €	160 16,00 €	160 69,00 €	110 17,00 €

Lubricant tube 75 ml, chloride free

2-point guy wire bracket

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)

				
750GLEIOVT	TW1057Ø	ZUDA904-2000	ZUDA904-3000	ZUDA904-4000
15,00 €	100 36,00 €	198,00 €	227,00 €	313,00 €
	125 37,00 €			
	150 39,00 €			
	160 40,00 €			



System TWIN-P

EXPANDED DIAMETER



Base plate for intermediate support

Base plate for intermediate support with air inlet

Length 1000mm

Length 500mm

Length 250mm

Air supply element

Wall bracket 50mm



TWP07Ø	TWP857Ø	TWP13Ø	TWP14Ø	TWP15Ø	TWP181Ø	TW21Ø
125/190 214,00 €	125/190 304,00 €	125/190 219,00 €	125/190 162,00 €	125/190 143,00 €	125/190 256,00 €	190 67,00 €
160/230 274,00 €	160/230 387,00 €	160/230 254,00 €	160/230 188,00 €	160/230 162,00 €	160/230 331,00 €	230 70,00 €
200/265 345,00 €	200/265 490,00 €	200/265 321,00 €	200/265 227,00 €	200/265 181,00 €	200/265 407,00 €	265 74,00 €
250/315 429,00 €	250/315 613,00 €	250/315 443,00 €	250/315 254,00 €	250/315 236,00 €	250/315 490,00 €	315 81,00 €

Adjustable wall bracket 50-150mm, single-braced

Adjustable wall bracket 50-150mm, double-braced


Adjustable wall bracket 50-250mm, single-braced

Adjustable wall bracket 50-250mm, double-braced

Adjustable wall bracket 250-360mm, single-braced

Adjustable wall bracket 250-360mm, double-braced

Adjustable wall bracket (head/wall part), wall distance from 250mm, single-braced



TW22Ø	TW22Ø	TW23Ø	TW23Ø	TW24Ø	TW24Ø	TW20Ø
190 109,00 €	315 124,00 €	190 124,00 €	315 140,00 €	190 169,00 €	315 183,00 €	190 124,00 €
230 113,00 €		230 129,00 €		230 173,00 €		230 126,00 €
265 116,00 €		265 133,00 €		265 177,00 €		265 129,00 €

Adjustable wall bracket (head/wall part), wall distance from 250mm, double-braced

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Inspection length

End cap



TW20Ø	TWP16Ø	TWP17Ø	TWP18Ø	TWP64Ø	TWP10Ø	TWP32Ø
315 149,00 €	125/190 188,00 €	125/190 188,00 €	125/190 188,00 €	125/190 300,00 €	125/190 369,00 €	125/190 143,00 €
	160/230 226,00 €	160/230 226,00 €	160/230 226,00 €	160/230 331,00 €	160/230 471,00 €	160/230 154,00 €
	200/265 293,00 €	200/265 293,00 €	200/265 293,00 €	200/265 376,00 €	200/265 555,00 €	200/265 162,00 €
	250/315 392,00 €	250/315 387,00 €	250/315 387,00 €	250/315 471,00 €	250/315 657,00 €	250/315 171,00 €



System TWIN-P

EXPANDED DIAMETER



Base plate for chimney raise (without insert)

Flat flashing 0-5° with storm collar

Flashing kit 6-32° with storm collar

Flashing kit 33-45° with storm collar

Airtight sealing collars 7°-35° for connection line up to T200 (can be plastered)

Drain length including Siphon for horizontal installation

Storm collar



TWP847Ø	TW52Ø	TW571Ø	TW572Ø	ZUTE2197Ø	TWP1504AØ	KL72Ø
125/190 155,00 €	190 147,00 €	190 528,00 €	190 528,00 €	180-195 62,00 €	125/190 236,00 €	190 54,00 €
160/230 212,00 €	230 172,00 €	230 575,00 €	230 575,00 €	230-245 78,00 €	160/230 282,00 €	230 58,00 €
200/265 249,00 €	265 212,00 €	265 694,00 €	265 694,00 €		200/265 438,00 €	265 59,00 €
250/315 289,00 €	315 238,00 €	315 790,00 €	315 790,00 €			315 72,00 €



Air supply element, room-air dependant not concentric

2-point guy wire bracket

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)



TWP849Ø	TW1057Ø	ZUDA904-2000	ZUDA904-3000	ZUDA904-4000
125/190 182,00 €	160 40,00 €	198,00 €	227,00 €	313,00 €
160/230 227,00 €	190 43,00 €			
200/265 284,00 €	230 46,00 €			
250/315 369,00 €	265 50,00 €			



System TWIN-P


MULTIPLE OCCUPANCY / CASCADE

The connection of several fireplaces to a common flue gas system is referred to as multiple occupancy. The devices can be operated independently of each other. This is becoming more and more common in apartment buildings or in single-family houses with several fireplaces on different floors.

In order to comply with all requirements and approvals, a few points must be observed before installation and the cross-section of the exhaust system in question must be calculated.

For example, the devices must not obstruct each other or push the exhaust gases from the lower system to the next higher floor. A mixed occupancy, i.e. different fuels for the individual fireplaces, is permitted as long as the requirements of the DIN standards are met. The fireplaces that can be used are marked with a note to allow multiple occupancy. In principle, each multiple occupancy should be checked very carefully and clarified with the chimney sweep.

With the concentric flue gas systems TWIN-PL and TWIN-P as well as the relining systems EW-PPS and EW-PP-FLEX, multiple assignments can be implemented for all conceivable starting situations.



Base plate with air
inlet

Connection elbow

T-87° with air inlet

Telescopic
compensator to
accommodate
linear expansions,
required for offsets

T-87° with reduced
outlet suitable for
TWPL110/160 for
cascade




TWP2002Ø	TWP2001Ø-Ø		TWP1994Ø-Ø		TWP1102Ø	TWP2194Ø
080/125 142,00 €	A 080/125	A 160/230 544,00 €	A 080/125 341,00 €	A 160/230 632,00 €	080/125 214,00 €	125/190 449,00 €
100/150 145,00 €	B 080/125 378,00 €	B 080/125 544,00 €	B 080/125 341,00 €	B 080/125 632,00 €	100/150 261,00 €	160/230 491,00 €
110/160 158,00 €	A 100/150		A 100/150 408,00 €		110/160 281,00 €	200/265 596,00 €
125/190 174,00 €	B 080/125 408,00 €		B 080/125 408,00 €		125/190 291,00 €	
160/230 180,00 €	A 110/160 451,00 €		A 110/160 451,00 €		160/230 343,00 €	
200/265 182,00 €	B 080/125 451,00 €		B 080/125 451,00 €			
250/315 213,00 €	A 125/190 488,00 €		A 125/190 544,00 €			
	B 080/125 488,00 €		B 080/125 544,00 €			

End cap with
handle for cascade



TWP2368Ø
125/190 291,00 €
160/230 305,00 €
200/265 353,00 €



DOUBLE WALL CHIMNEY SYSTEMS



At a glance

DOUBLE-WALL CHIMNEY SYSTEMS

Our double wall chimney system made of stainless steel are equipped with high-quality insulating material and are primarily installed as external chimney systems. Available in different designs, materials and colour options, they are a real eye-catchers that enhance the appearance of the building.

The product range includes system solutions for every conceivable flue gas generator and application as well as a selection of special designs.

JEREMIAS DOUBLE-WALL CHIMNEY SYSTEMS HAVE THE FOLLOWING CHARACTERISTICS:

- CE certification
- Simple assembly thanks to precisely fitting elements and plug connections
- No welding required on the construction site
- High quality insulation to avoid thermal bridges between the inner and outer shell
- Stainless steel: TIG inert gas welded and passivated longitudinal seams for the highest possible level of protection against corrosion
- Condensate and gas tight
- Use of high quality sealing materials for a long service life
- Many other diameters, materials and designs are available on request

SURCHARGES FOR DIFFERENT DESIGNS

MATERIAL

- 1.4539 Resistant to condensate acid up to 600 °C (see system DW-SILVER)
- 1.4828 operating temperature up to 1000 °C, price on request
- Others on request

OUTER TUBE

- Copper +80% (DW-FU)
- Brushed finish +25% (DW-FU, DW-KL)
- Matt finish +15% (DW-ECO, DW-FU, DW-KL)
- Painted finish Reduced discount (see condition agreement), (DW-ECO, DW-FU, DW-KL, DW-VISION)

WALL THICKNESS (DW-FU and DW-KL)

- Inner tube 1.0 mm +15%
- Insulation 50 mm +25%



Matt



Brushed



Highly polished



Copper



Power-coated

All prices exclude statutory VAT.
Subject to error and technical modification.
Our General Terms & Conditions apply.

System	Oil	Gas	SF	Working temp.	Material	Wall thickness	TIG	Pressure	Certification	Classifications
DW-FU	✓	✓	✓	≤ 400 °C ≤ 600 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	N1	0036 CPR 9174 001	T400 - N1 - D - V3 - L50060 - Gxx T400 - N1 - W - V2 - L50060 - Oxx T600 - N1 - D - V3 - L50060 - Gxx T600 - N1 - W - V2 - L50060 - Oxx
DW-FU Connecting pipe	✓	✓	✓	≤ 450 °C ≤ 600 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	N1	0036 CPR 9174 047	T450 - N1 - W - V2 - L50060 - O50M T600 - N1 - D - V3 - L50060 - G100M T600 - N1 - W - V2 - L50060 - O100M
DW-AL	✓	✓		≤ 120 °C ≤ 200 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	P1 200 Pa	0036 CPR 9174 003	With EPDM -Sealing: T120 - N1 - W - V2 - L50060 - O00 T120 - P1 - W - V2 - L50060 - O00 With Silicone -Sealing: T200 - N1 - W - V2 - L50060 - O00 T200 - P1 - W - V2 - L50060 - O00
DW-AL Connecting pipe	✓	✓		≤ 120 °C ≤ 200 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	P1 200 Pa	0036 CPR 9174 050	With EPDM -Sealing: T120 - P1 - W - V2 - L50060 - O00M T120 - N1 - W - V2 - L50060 - O00M With Silicone -Sealing: T200 - P1 - W - V2 - L50060 - O00M T200 - N1 - W - V2 - L50060 - O00M
DW-SILVER	✓	✓	✓	≤ 600 °C	Inside: 1.4539 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	N1	Z - 7. 1 - 3375	T600 - N1 - W2 - G50 - L00
DW-SILVER Connecting pipe	✓	✓	✓	≤ 600 °C	Inside: 1.4539 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	N1	Z - 7. 1 - 3375	T600 - N1 - W2 - G100M
DW-ECO 2.0	✓	✓	✓	≤ 400 °C ≤ 600 °C	Inside: L99 Outside: 1.4301	Inside: 0,5 mm Outside: 0,5 mm	✓	N1	0036 CPR 9174 015	T400 - N1 - W - V2 - L99050 - Oxx T600 - N1 - W - V2 - L99050 - Oxx T600 - N1 - W - V2 - L99050 - Gxx
DW-ECO 2.0 Connecting pipe	✓	✓	✓	≤ 450 °C ≤ 600 °C	Inside: L99 Outside: 1.4301	Inside: 0,5 mm Outside: 0,5 mm	✓	N1	0036 CPR 9174 054	T450 - N1 - W - V2 - L99050 - O50M T600 - N1 - W - V2 - L99050 - G100M T600 - N1 - W - V2 - L99050 - O100M
DW-ECO 2.0 AL	✓	✓		≤ 120 °C ≤ 200 °C	Inside: L99 Outside: 1.4301	Inside: 0,5 mm Outside: 0,5 mm	✓	P1 200 Pa	0036 CPR 9174 046	With EPDM -Sealing: T120 - P1 - W - V2 - L99050 - O00 T120 - N1 - W - V2 - L99050 - O00 With Silicone -Sealing: T200 - P1 - W - V2 - L99050 - O00 T200 - N1 - W - V2 - L99050 - O00
DW-ECO 2.0 AL Connecting pipe	✓	✓		≤ 120 °C ≤ 200 °C	Inside: L99 Outside: 1.4301	Inside: 0,5 mm Outside: 0,5 mm	✓	P1 200 Pa	0036 CPR 9174 053	With EPDM -Sealing: T120 - P1 - W - V2 - L99050 - O00M T120 - N1 - W - V2 - L99050 - O00M With Silicone -Sealing: T200 - P1 - W - V2 - L99050 - O00M T200 - N1 - W - V2 - L99050 - O00M
DW-BLACK	✓	✓	✓	≤ 450 °C	Inside: L99 Outside: Elo-galvanized	Inside: 0,5 mm Outside: 0,5 mm	✓	N1 40 Pa	0036 CPR 9174 137	T450 - N1 - W - V2 - L99050 - G80
DW-BLACK Connecting pipe	✓	✓	✓	≤ 450 °C	Inside: L99 Outside: Elo-galvanized	Inside: 0,5 mm Outside: 0,5 mm	✓	N1 40 Pa	0036 CPR 9174 138	T450 - N1 - W - V2 - L99050 - G170 M
DW-KL	✓	✓	✓	≤ 200 °C ≤ 400 °C ≤ 450 °C ≤ 600 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	H1 5000 Pa	0036 CPD 9174 002	T200 - P1 - W - V2 - L50060 - O00 T200 - H1 - W - V2 - L50060 - Oxx T400 - N1 - D - V3 - L50060 - Gxx T400 - N1 - W - V2 - L50060 - Oxx T400 - P1 - W - V2 - L50060 - Oxx T450 - H1 - W - V2 - L50060 - Oxx T600 - N1 - D - V3 - L50060 - Gxx T600 - H1 - W - V2 - L50060 - Gxx
DW-KL Connecting pipe DW-KH	✓	✓	✓	≤ 200 °C ≤ 450 °C ≤ 600 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	H1 5000 Pa	0036 CPR 9174 041	T200 - P1 - W - V2 - L50060 - O00M T200 - H1 - W - V2 - L50060 - O20M T450 - H1 - W - V2 - L50060 - O50M T600 - N1 - D - V3 - L50060 - G100M T600 - H1 - W - V2 - L50060 - G100M
DW-VISION	✓	✓	✓	≤ 400 °C ≤ 450 °C ≤ 600 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	N1	0036 CPR 9174 009	T600 - N1 - D - V3 - L50050 - G50 T400 - N1 - W - V2 - L50050 - O20 T450 - N1 - W - V2 - L50050 - O50
DW-VISION Connecting pipe	✓	✓	✓	≤ 450 °C ≤ 600 °C	Inside: 1.4571/ 1.4404 Outside: 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	N1	0036 CPR 9174 048	T600 - N1 - D - V3 - L50050 - G100M T450 - N1 - W - V2 - L50050 - O50M
DW-POWER 32	✓	✓	✓	≤ 600 °C	Inside: 1.4404 Outside: 1.4301	Inside: 0,5 mm Outside: 0,6 mm	✓	H1 5000 Pa	0036 CPR 9174 139	T600 - H1 - D - V2 - L50050 - Oxx
DW-POWER 32 Connecting pipe	✓	✓	✓	≤ 600 °C	Inside: 1.4404 Outside: 1.4301	Inside: 0,5 mm Outside: 0,6 mm	✓	H1 5000 Pa	0036 CPR 9174 166	T600 - H1 - D - V2 - L50050 - O100M
DW-POWER 57	✓	✓	✓	≤ 600 °C	Inside: 1.4404 Outside: 1.4301	Inside: 0,5 mm Outside: 0,6 mm	✓	H1 5000 Pa	0036 CPR 9174 085	T600 - H1 - D - V2 - L50050 - Oxx
DW-POWER 57 Connecting pipe	✓	✓	✓	≤ 600 °C	Inside: 1.4404 Outside: 1.4301	Inside: 0,5 mm Outside: 0,6 mm	✓	H1 5000 Pa	0036 CPR 9174 088	T600 - H1 - D - V2 - L50050 - O100M

xx = The distances from flammable components are dependent on diameter.

We therefore refer you to our declarations of performance and installation instructions available for download on our homepage.

When ordering chimneys without a base (e.g. with pipe bend and support leg or base plate for intermediate support), please note that a locking band must usually be ordered as well.



DESCRIPTION

Double wall chimney system made of stainless steel

MATERIAL

Inside: 1.4571 (316Ti) / 1.4404 (316L)

Outside: 1.4301 (304)

Others on request

FINISHING

Highly polished

Optional: matt + 20%, powder-coated: reduced discount (see condition agreement), brushed + 25%, copper + 80%.

When changing from DW-FU to copper, you need the transition DW1607.

(Replacement paint for touch up must be ordered separately.

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

80 - 600 mm

Others on request up to 1200 mm

Copper in only available in Ø 80, 100, 115, 130, 150, 160, 180, 200, 250 and 300 mm

INSULATION

Mineral insulation 32.5 mm thick, 50 mm insulation available subject to a surcharge (+ 25%)

CONNECTION

Socket / bead with locking band

LOCKING BAND


Included. For a setup without a T-connection, an extra locking band must be ordered for the chimney top.

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: DW05250)

Please refer to the respective code for deviations.



CHARACTERISTICS

- Versatile exhaust system
- High flexibility, perfect also for difficult installation situations
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 001

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T400 - N1 - D - V3 - L50060 - Gxx

T400 - N1 - W - V2 - L50060 - Oxx

T600 - N1 - D - V3 - L50060 - Gxx

T600 - N1 - W - V2 - L50060 - Oxx

xx = Clearances to flammable materials depend on the Ø, see declaration of performance

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 047

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L50060 - O50M

T600 - N1 - D - V3 - L50060 - G100M

T600 - N1 - W - V2 - L50060 - O100M

- ^{*1} From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

DW-FU basic package

1x base plate with condensate drain at the bottom, 1x inspection element, 1x T-90° with water nose, 1x end cap, 1x collar



DW-JGP01Ø

150

847,00 €

**ADVANTAGE
SET**

The most important basic components packaged ready for construction and cheaper than buying them individually!

Adjustable plates for wall support 50-150mm

Adjustable plates for wall support 150-250mm

Adjustable plates for wall support 250-360mm

Cantilevers type I 350mm

Cantilevers type II 500mm

Cantilevers Type III 750mm

Cantilevers type IV 1030mm




DW01Ø		DW02Ø		DW49Ø		DW391	DW392	DW393	DW407
080	77,00 €	080	102,00 €	080	133,00 €	122,00 €	137,00 €	167,00 €	274,00 €
100	78,00 €	100	103,00 €	100	137,00 €				
115	79,00 €	115	105,00 €	115	145,00 €				
130	81,00 €	130	116,00 €	130	153,00 €				
150	86,00 €	150	145,00 €	150	191,00 €				
160	109,00 €	160	156,00 €	160	205,00 €				
180	116,00 €	180	171,00 €	180	225,00 €				
200	182,00 €	200	288,00 €	200	460,00 €				
225	206,00 €	225	295,00 €	225	479,00 €				
250	245,00 €	250	300,00 €	250	491,00 €				
300	272,00 €	300	316,00 €	300	551,00 €				
350	333,00 €	350	376,00 €	350	594,00 €				
400	405,00 €	400	467,00 €						
450	464,00 €	450	524,00 €						
500	523,00 €	500	539,00 €						
600	637,00 €	600	680,00 €						

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-FU SYSTEM

Total length of the wall support 350 mm Total length of the wall support 500 mm Total length of the wall support 750 mm Total length of the wall support 1030 mm Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 65 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
080	190	080	340	080	590	080	870
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
160	125	160	275	160	525	160	805
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
225	45	225	195	225	445	225	725
		250	170	250	420	250	700
		300	120	300	370	300	650
		350	70	350	320	350	600
				400	270	400	550
				450	220	450	500
				500	170	500	450
				600	85	600	365



Water deflectors for wall support, 2 pieces

Water deflectors for wall support, 2 pieces


Water deflectors for wall support, 2 pieces

Adjustable support foot 250-690mm with side drain and 1/2" threaded nipple

Adjustable support foot 250-1190mm with side drain and 1/2" threaded nipple

Adjustable support foot 610-1190mm, drain at bottom, 1/2" threaded nipple and door for condensate collector

Transparent PVC-pipe Ø 26mm, l=500mm to extend the condensate drain



€ NET



€ NET



€ NET



Rgr. ZUAC

ZUTE1425	ZUTE1426	ZUTE1427	DW03Ø		DW04Ø		DW1017Ø		ZUAC2253
12,00 €	12,00 €	12,00 €	080	235,00 €	080	330,00 €	080	445,00 €	26,00 €
			100	244,00 €	100	332,00 €	100	447,00 €	
			115	248,00 €	115	333,00 €	115	449,00 €	
			130	250,00 €	130	339,00 €	130	453,00 €	
			150	254,00 €	150	340,00 €	150	456,00 €	
			160	272,00 €	160	348,00 €	160	464,00 €	
			180	288,00 €	180	361,00 €	180	476,00 €	
			200	308,00 €	200	368,00 €	200	484,00 €	
			225	310,00 €	225	369,00 €	225	486,00 €	
			250	312,00 €	250	370,00 €	250	487,00 €	
			300	471,00 €	300	499,00 €			
			350	476,00 €	350	514,00 €			
			400	488,00 €	400	524,00 €			
			450	500,00 €	450	531,00 €			
			500	520,00 €	500	677,00 €			
			600	615,00 €	600	689,00 €			

- *1 Also available with a square insert on request

Condensate collection bucket

Round base plate and drain and adjustable wall bracket up to 200mm (max. installation height 8m)

Base plate with condensate drain at the bottom and 1/2" nipple

Base plate with condensate side drain and 1/2" nipple

Base plate for mounting on a bracket with side drain and 1/2" threaded nipple

Base plate without drain

Base plate with removable soot collector



Rgr. SC



ZUTE1255	DW384Ø		DW05Ø		DW06Ø		DW66Ø		DW09Ø		DW1592Ø	
69,00 €	080	145,00 €	080	93,00 €	080	114,00 €	080	115,00 €	080	74,00 €	080	146,00 €
	100	153,00 €	100	98,00 €	100	116,00 €	100	116,00 €	100	75,00 €	100	155,00 €
	115	154,00 €	115	99,00 €	115	118,00 €	115	124,00 €	115	76,00 €	115	159,00 €
	130	159,00 €	130	105,00 €	130	132,00 €	130	130,00 €	130	81,00 €	130	172,00 €
	150	171,00 €	150	109,00 €	150	151,00 €	150	147,00 €	150	85,00 €	150	195,00 €
	160	197,00 €	160	115,00 €	160	165,00 €	160	159,00 €	160	87,00 €	160	202,00 €
	180	215,00 €	180	127,00 €	180	174,00 €	180	171,00 €	180	92,00 €	180	212,00 €
	200	228,00 €	200	132,00 €	200	183,00 €	200	179,00 €	200	93,00 €	200	246,00 €
			225	138,00 €	225	210,00 €	225	203,00 €	225	98,00 €	225	265,00 €
			250	145,00 €	250	232,00 €	250	225,00 €	250	99,00 €	250	285,00 €
			300	156,00 €	300	258,00 €	300	250,00 €	300	101,00 €	300	419,00 €
			350	254,00 €	350	295,00 €	350	273,00 €	350	110,00 €		
			400	316,00 €	400	438,00 €	400	404,00 €	400	179,00 €		
			450	395,00 €	450	467,00 €	450	445,00 €	450	243,00 €		
			500	448,00 €	500	530,00 €	500	510,00 €	500	282,00 €		
			600	544,00 €	600	615,00 €	600	615,00 €	600	293,00 €		

Base plate for intermediate support

Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m

Base plate for chimney raise with round insert l=220mm, max. height from base plate 2,0m

Base plate for chimney raise with round insert l=220mm, max. height from base plate 3,0m

Inspection length (up to 600°C/Ni) suitable for DW08-3

Inspection length (up to 600°C/Ni)

Inspection element 93° (up to 600°/Ni) with round opening, including clamping band and sealing cover



*1



§ 19 (BIMBAV)

*1



§ 19 (BIMBAV)

*1



§ 19 (BIMBAV)



NEW

DW07Ø		DW08Ø		DW08-2Ø		DW08-3Ø		DW10-3Ø		DW10Ø		DW3055Ø	
080	100,00 €	080	103,00 €	080	259,00 €	080	269,00 €	080	339,00 €	080	323,00 €	350	624,00 €
100	103,00 €	100	105,00 €	100	264,00 €	100	275,00 €	100	361,00 €	100	325,00 €	400	959,00 €
115	106,00 €	115	107,00 €	115	278,00 €	115	290,00 €	115	377,00 €	115	336,00 €	450	1.043,00 €
130	118,00 €	130	120,00 €	130	299,00 €	130	310,00 €	130	419,00 €	130	341,00 €	500	1.442,00 €
150	133,00 €	150	137,00 €	150	333,00 €	150	346,00 €	150	443,00 €	150	361,00 €	600	1.496,00 €
160	146,00 €	160	149,00 €	160	358,00 €	160	372,00 €	160	482,00 €	160	367,00 €		
180	155,00 €	180	158,00 €	180	383,00 €	180	400,00 €	180	514,00 €	180	378,00 €		
200	159,00 €	200	166,00 €	200	433,00 €	200	450,00 €	200	544,00 €	200	394,00 €		
225	181,00 €	225	193,00 €	225	488,00 €	225	507,00 €	225	575,00 €	225	409,00 €		
250	206,00 €	250	212,00 €	250	528,00 €	250	551,00 €	250	608,00 €	250	426,00 €		
300	222,00 €	300	230,00 €	300	584,00 €	300	607,00 €	300	694,00 €	300	453,00 €		
350	249,00 €	350	265,00 €	350	596,00 €	350	621,00 €						
400	363,00 €	400	394,00 €	400	718,00 €	400	743,00 €						
450	421,00 €	450	423,00 €	450	784,00 €	450	812,00 €						
500	481,00 €	500	481,00 €	500	878,00 €	500	909,00 €						
600	552,00 €	600	552,00 €	600	1.010,00 €	600	1.042,00 €						



System DW-FU



Inspection length
extruded (up to
600°C/Nl), square
door 210x140mm

Inspection length
with soot safety
door (up to 600°C/
Nl)

Inspection length
(up to 600°C/Nl)
with square door
210x140mm with
water repellent

Inspection length
with integrated
base plate and
condensate drain
at bottom (up to
600°C/Nl)

Inspection length
Design Plus, indoors
only (up to 600°C/
Nl)

Inspection length
Design Plus,
outdoors (up to
600°C/Nl)

Inspection length
Design Plus with
backstop below
inspection and remo-
vable soot collector
(up to 600°C/Nl))



*1

DW2942Ø	DW10RSTØ	DW2939Ø	DW383Ø	DW381Ø	DW381AØ	DW1325Ø
130 290,00 €	080 475,00 €	080 409,00 €	080 372,00 €	080 276,00 €	080 276,00 €	130 370,00 €
150 307,00 €	100 476,00 €	100 429,00 €	100 378,00 €	100 277,00 €	100 277,00 €	150 388,00 €
160 312,00 €	115 484,00 €	115 447,00 €	115 379,00 €	115 278,00 €	115 278,00 €	160 394,00 €
180 322,00 €	130 492,00 €	130 487,00 €	130 397,00 €	130 291,00 €	130 291,00 €	180 401,00 €
200 335,00 €	150 511,00 €	150 512,00 €	150 417,00 €	150 308,00 €	150 308,00 €	200 416,00 €
	160 516,00 €	160 548,00 €	160 431,00 €	160 314,00 €	160 314,00 €	250 440,00 €
	180 526,00 €	180 579,00 €	180 449,00 €	180 320,00 €	180 320,00 €	
	200 544,00 €	200 608,00 €	200 468,00 €	200 337,00 €	200 337,00 €	
	225 558,00 €	225 638,00 €	225 488,00 €	225 348,00 €	225 348,00 €	
	250 575,00 €	250 670,00 €	250 508,00 €	250 361,00 €	250 361,00 €	
	300 601,00 €	300 752,00 €	300 544,00 €	300 387,00 €	300 387,00 €	
				350 410,00 €	350 410,00 €	
				400 577,00 €	400 577,00 €	
				450 600,00 €	450 600,00 €	
				500 648,00 €	500 648,00 €	
				600 685,00 €	600 685,00 €	

Inspection length
Design, backstop and
wall sleeve for FERRO,
120mm insert/Soot
tray removable (up to
600°C/Nl)

Design Plus Inspection
length with door, base
plate and drain at
bottom, indoors only
(up to 600°C/Nl)

Inspection length
with integrated base
plate and condensate
drain at bottom,
outdoors (up to
600°C/Nl)

Draught limiter for
external use, suitable
for DW10

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping
(stainless steel)

Draught regulator
connection for
ZUK250 (SG/-E)



*5



*3



*2



*2



DW1805Ø	DW382Ø	DW382AØ	ZUK130DW	ZUK250SG	ZUK250SG-E	DW1756Ø
130 558,00 €	080 333,00 €	080 333,00 €	344,00 €	2.025,00 €	2.420,00 €	250 929,00 €
150 591,00 €	100 336,00 €	100 336,00 €				300 1.033,00 €
160 607,00 €	115 337,00 €	115 337,00 €				350 1.072,00 €
180 618,00 €	130 354,00 €	130 354,00 €				400 1.273,00 €
200 665,00 €	150 372,00 €	150 372,00 €				450 1.330,00 €
250 750,00 €	160 384,00 €	160 384,00 €				500 1.427,00 €
	180 401,00 €	180 401,00 €				600 1.529,00 €
	200 417,00 €	200 417,00 €				
	225 434,00 €	225 434,00 €				
	250 452,00 €	250 452,00 €				
	300 484,00 €	300 484,00 €				
	350 586,00 €	350 586,00 €				
	400 762,00 €	400 762,00 €				
	450 801,00 €	450 801,00 €				
	500 861,00 €	500 861,00 €				
	600 912,00 €	600 912,00 €				

- *1 A clamping band DW41 must be ordered for directly mounted chimneys
- *2 For the weight of the draught controller of approx. 28 kg, a separate anchorage has to be provided!
- *3 Only suitable for mounting with a cantilever
- *4 Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.
- *5 Use in coordination with the authorized district chimney sweep.

Draught limiter rectangular stainless steel 220x160mm suitable for DW10



€ NET

T-45° with drip nose



T-87° with drip nose



T-90° with drip nose



T-90°, inside and outside extruded



T-87° with cleaning opening on the opposite side, at the same height (up to 600°C/NI)



*5

T-90° with cleaning opening on the opposite side, at the same height (up to 600°C/NI)



ZUTE336	DW12Ø	DW11Ø	DW317Ø	DW2866Ø	DW421Ø	DW309Ø
62,00 €	080 358,00 € 100 360,00 € 115 361,00 € 130 387,00 € 150 414,00 € 160 429,00 € 180 447,00 € 200 586,00 € 225 656,00 € 250 726,00 € 300 828,00 € 350 900,00 € 400 1.253,00 € 450 1.351,00 € 500 1.492,00 € 600 1.659,00 €	080 238,00 € 100 239,00 € 115 244,00 € 130 250,00 € 150 291,00 € 160 301,00 € 180 316,00 € 200 391,00 € 225 439,00 € 250 494,00 € 300 594,00 € 350 634,00 € 400 834,00 € 450 893,00 € 500 989,00 € 600 1.092,00 €	080 238,00 € 100 239,00 € 115 244,00 € 130 250,00 € 150 291,00 € 160 301,00 € 180 316,00 € 200 391,00 € 225 439,00 € 250 494,00 € 300 594,00 € 350 634,00 € 400 834,00 € 450 893,00 € 500 989,00 € 600 1.092,00 €	130 217,00 € 150 250,00 € 180 269,00 € 200 331,00 €	080 459,00 € 115 464,00 € 130 472,00 € 150 514,00 € 160 523,00 € 180 540,00 € 200 671,00 € 225 719,00 € 250 773,00 € 300 873,00 €	080 459,00 € 100 460,00 € 115 464,00 € 130 472,00 € 150 514,00 € 160 523,00 € 180 540,00 € 200 671,00 € 225 719,00 € 250 773,00 € 300 873,00 €

Length 1000mm

Length 500mm

Length 250mm

Length 2000mm with static locking band

Length 1000mm incl. static locking band

Length 500mm incl. static locking band

Length 1000mm with adjustable wall sleeve for FERRO



*4



DW13Ø	DW14Ø	DW15Ø	DW339Ø	DW3013-2Ø	DW3014-2Ø	DW262Ø
080 169,00 € 100 170,00 € 115 171,00 € 130 180,00 € 150 206,00 € 160 222,00 € 180 233,00 € 200 260,00 € 225 307,00 € 250 347,00 € 300 423,00 € 350 558,00 € 400 632,00 € 450 663,00 € 500 732,00 € 600 840,00 €	080 92,00 € 100 93,00 € 115 99,00 € 130 103,00 € 150 116,00 € 160 125,00 € 180 137,00 € 200 145,00 € 225 165,00 € 250 183,00 € 300 242,00 € 350 305,00 € 400 419,00 € 450 459,00 € 500 480,00 € 600 544,00 €	080 70,00 € 100 72,00 € 115 74,00 € 130 75,00 € 150 84,00 € 160 87,00 € 180 92,00 € 200 109,00 € 225 123,00 € 250 137,00 € 300 185,00 € 350 205,00 € 400 338,00 € 450 356,00 € 500 381,00 € 600 428,00 €	130 545,00 € 150 605,00 € 160 647,00 € 180 690,00 € 200 767,00 €	080 215,00 € 100 221,00 € 115 225,00 € 130 235,00 € 150 263,00 € 160 282,00 € 180 302,00 € 200 337,00 €	080 138,00 € 100 143,00 € 115 153,00 € 130 158,00 € 150 173,00 € 160 185,00 € 180 205,00 € 200 221,00 €	080 243,00 € 100 244,00 € 115 245,00 € 130 262,00 € 150 291,00 € 160 308,00 € 180 333,00 € 200 353,00 € 225 395,00 € 250 436,00 € 300 524,00 €



System DW-FU



Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Inspection length
for oil or gas, for
horizontal use (up
to 400°C/N1)

Inspection length
for solid fuels (up
to 600°C/N1)

Inspection length
with inner and
outer door (up to
600°C/N1)

Length 1000mm
double female incl.
2 clamping bands

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced



DW261Ø		DW294Ø		DW294GØ		CHFUDW68Ø		DW2909Ø		DW21Ø		DW22Ø	
080	156,00 €	080	226,00 €	080	242,00 €	080	272,00 €	080	179,00 €	080	51,00 €	080	84,00 €
100	157,00 €	100	227,00 €	100	243,00 €	100	273,00 €	100	180,00 €	100	52,00 €	100	85,00 €
115	158,00 €	115	232,00 €	115	252,00 €	115	285,00 €	115	181,00 €	115	54,00 €	115	85,00 €
130	167,00 €	130	250,00 €	130	262,00 €	130	295,00 €	130	189,00 €	130	57,00 €	130	86,00 €
150	182,00 €	150	265,00 €	150	280,00 €	150	313,00 €	150	218,00 €	150	58,00 €	150	87,00 €
160	194,00 €	160	273,00 €	160	288,00 €	160	320,00 €	160	234,00 €	160	59,00 €	160	87,00 €
180	204,00 €	180	285,00 €	180	299,00 €	180	333,00 €	180	245,00 €	180	61,00 €	180	90,00 €
200	218,00 €	200	291,00 €	200	307,00 €	200	354,00 €	200	274,00 €	200	62,00 €	200	93,00 €
225	239,00 €	225	310,00 €	225	323,00 €	225	376,00 €	225	322,00 €	225	63,00 €	225	98,00 €
250	261,00 €	250	329,00 €	250	341,00 €	250	393,00 €	250	365,00 €	250	67,00 €		
300	322,00 €	300	378,00 €	300	391,00 €	300	439,00 €	300	443,00 €	300	78,00 €		
		350	421,00 €	350	435,00 €	350	506,00 €	350	586,00 €	350	81,00 €		
		400	460,00 €	400	476,00 €	400	522,00 €	400	664,00 €	400	86,00 €		
		450	531,00 €	450	545,00 €	450	590,00 €	450	696,00 €	450	102,00 €		
		500	602,00 €	500	617,00 €	500	663,00 €	500	768,00 €	500	124,00 €		
		600	678,00 €	600	691,00 €	600	734,00 €	600	883,00 €	600	129,00 €		

Wall bracket adjust-
table 50-150mm,
double-braced

Wall bracket adjust-
table 50-250mm,
single-braced

Wall bracket adjust-
table 50-250mm,
double-braced

Wall bracket adjust-
table 250-360mm,
single-braced

Adjustable wall bra-
cket 250-360mm,
double-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, single-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, double-
braced



DW22Ø		DW23Ø		DW23Ø		DW24Ø		DW24Ø		DW20Ø		DW20Ø	
250	101,00 €	080	98,00 €	250	114,00 €	080	131,00 €	250	150,00 €	080	91,00 €	250	120,00 €
300	116,00 €	100	99,00 €	300	130,00 €	100	131,00 €	300	166,00 €	100	93,00 €	300	139,00 €
350	122,00 €	115	99,00 €	350	133,00 €	115	131,00 €	350	169,00 €	115	93,00 €	350	173,00 €
400	138,00 €	130	101,00 €	400	167,00 €	130	135,00 €	400	203,00 €	130	101,00 €	400	273,00 €
450	173,00 €	150	103,00 €	450	215,00 €	150	137,00 €	450	250,00 €	150	101,00 €	450	320,00 €
500	193,00 €	160	103,00 €	500	246,00 €	160	138,00 €	500	280,00 €	160	102,00 €	500	333,00 €
600	258,00 €	180	105,00 €	600	301,00 €	180	139,00 €	600	313,00 €	180	103,00 €	600	361,00 €
		200	109,00 €			200	145,00 €			200	105,00 €		
		225	110,00 €			225	146,00 €			225	109,00 €		

Adjustable wall bracket with joint, 140-300mm

Extension 30x30mm for TW20 l=1000mm

Extension 30x30mm for TW20 l=500mm

Wall bracket static, 50mm

Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Wall bracket static, adjustable 50-360mm



DW24MGØ		DW86		DW85		DW45Ø		DW46Ø		DW47Ø		DW48Ø	
080	248,00 €	81,00 €	59,00 €	130	92,00 €	130	163,00 €	130	202,00 €	225	259,00 €		
100	249,00 €			150	98,00 €	150	181,00 €	150	204,00 €	250	275,00 €		
115	250,00 €			160	99,00 €	160	182,00 €	160	205,00 €	300	277,00 €		
130	251,00 €			180	99,00 €	180	203,00 €	180	206,00 €	350	284,00 €		
150	252,00 €			200	107,00 €	200	205,00 €	200	209,00 €	400	306,00 €		
160	253,00 €			225	122,00 €	225	218,00 €	225	221,00 €	450	343,00 €		
180	254,00 €			250	126,00 €	250	227,00 €	250	233,00 €	500	354,00 €		
200	258,00 €			300	140,00 €	300	230,00 €	300	251,00 €	600	453,00 €		
225	260,00 €			350	155,00 €	350	238,00 €	350	252,00 €				
250	262,00 €			400	183,00 €	400	256,00 €	400	269,00 €				
				450	228,00 €	450	284,00 €	450	300,00 €				
				500	248,00 €	500	310,00 €	500	324,00 €				
				600	269,00 €	600	358,00 €	600	370,00 €				

Adjustable wall bracket Design Plus 50-150mm

Adjustable wall bracket Design Plus 50-250mm

Adjustable wall bracket Design Plus 250-360mm

Wall part of DW20 adjustable for wall bracket 250mm and above, single-braced

Wall part of DW20 adjustable for wall bracket 250mm and above, double-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, single-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced



DW386Ø		DW387Ø		DW389Ø		DW20-1Ø		DW20-1Ø		DW22-1Ø		DW22-1Ø	
080	84,00 €	080	94,00 €	080	130,00 €	080	57,00 €	250	62,00 €	080	51,00 €	250	53,00 €
100	85,00 €	100	98,00 €	100	131,00 €	100	57,00 €	300	72,00 €	100	51,00 €	300	61,00 €
115	86,00 €	115	99,00 €	115	132,00 €	115	57,00 €	350	87,00 €	115	51,00 €	350	63,00 €
130	87,00 €	130	101,00 €	130	135,00 €	130	57,00 €	400	138,00 €	130	51,00 €	400	72,00 €
150	90,00 €	150	102,00 €	150	137,00 €	150	57,00 €	450	162,00 €	150	51,00 €	450	87,00 €
160	91,00 €	160	103,00 €	160	138,00 €	160	57,00 €	500	169,00 €	160	51,00 €	500	99,00 €
180	92,00 €	180	105,00 €	180	139,00 €	180	57,00 €	600	226,00 €	180	51,00 €	600	131,00 €
200	93,00 €	200	109,00 €	200	145,00 €	200	57,00 €			200	51,00 €		
225	98,00 €	225	111,00 €	225	146,00 €	225	57,00 €			225	51,00 €		
250	101,00 €	250	114,00 €	250	150,00 €								



System DW-FU



Wall part of DW23 for adjustable wall bracket 50-250mm, single-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced

Front part of the wall bracket incl. bands

Mat for sound decoupling suitable for DW21



DW23-1Ø		DW23-1Ø		DW24-1Ø		DW24-1Ø		DW332Ø		for Ø		
080	51,00 €	250	53,00 €	080	57,00 €	250	62,00 €	080	67,00 €	080-115	ZUAC2242-1	54,00 €
100	51,00 €	300	61,00 €	100	57,00 €	300	72,00 €	100	68,00 €	130	ZUAC2242-2	59,00 €
115	51,00 €	350	63,00 €	115	57,00 €	350	87,00 €	115	72,00 €	150-160	ZUAC2242-3	61,00 €
130	51,00 €	400	72,00 €	130	57,00 €	400	138,00 €	130	74,00 €	180	ZUAC2242-4	62,00 €
150	51,00 €	450	87,00 €	150	57,00 €	450	162,00 €	150	75,00 €	200-225	ZUAC2242-5	67,00 €
160	51,00 €	500	99,00 €	160	57,00 €	500	169,00 €	160	76,00 €	250	ZUAC2242-6	68,00 €
180	51,00 €	600	131,00 €	180	57,00 €	600	226,00 €	180	77,00 €	300-350	ZUAC2242-7	81,00 €
200	51,00 €			200	57,00 €			200	78,00 €	400-450	ZUAC2242-8	84,00 €
225	51,00 €			225	57,00 €			225	91,00 €	500	ZUAC2242-9	86,00 €
								250	98,00 €	600	ZUAC2242-10	91,00 €
								300	109,00 €			
								350	110,00 €			
								400	116,00 €			
								450	130,00 €			
								500	153,00 €			
								600	157,00 €			

Mat for sound decoupling suitable for DW22 and DW23, for Ø080-225mm

Mat for sound decoupling suitable for DW24 and DW20, for Ø080-225mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW389, for Ø080-250mm



ZUAC2243		ZUAC2244		for Ø		ZUAC2246		ZUAC2247		ZUAC2272	
	62,00 €		63,00 €	250	ZUAC2245-2 83,00 €		50,00 €		81,00 €		62,00 €
				300-350	ZUAC2245-3 85,00 €						
				400-450	ZUAC2245-4 127,00 €						
				500	ZUAC2245-5 129,00 €						
				600	ZUAC2245-6 130,00 €						

- *1 When ordering, please specify the desired number of degrees at the opposite angle to the roof pitch. For solid fuels, the maximum offset is 30°. For larger offsets, please contact our technical department.

Mat for sound decoupling suitable for DW386 and DW387, for Ø80-250mm



Bgr. ZUAC

Elbow 15°



Elbow 30°



Elbow 42°



Elbow 45°



Elbow 60°



Elbow 87°



ZUAC2273	DW16Ø		DW17Ø		DW2231Ø		DW18Ø		DW84Ø		DW64Ø	
64,00 €	080	92,00 €	080	98,00 €	080	106,00 €	080	106,00 €	080	157,00 €	080	212,00 €
	100	93,00 €	100	100,00 €	100	107,00 €	100	107,00 €	100	158,00 €	100	213,00 €
	115	98,00 €	115	101,00 €	115	109,00 €	115	109,00 €	115	162,00 €	115	215,00 €
	130	100,00 €	130	105,00 €	130	110,00 €	130	110,00 €	130	166,00 €	130	221,00 €
	150	110,00 €	150	115,00 €	150	116,00 €	150	116,00 €	150	172,00 €	150	227,00 €
	160	115,00 €	160	120,00 €	160	122,00 €	160	122,00 €	160	179,00 €	160	239,00 €
	180	122,00 €	180	125,00 €	180	129,00 €	180	129,00 €	180	185,00 €	180	250,00 €
	200	126,00 €	200	131,00 €	200	145,00 €	200	145,00 €	200	215,00 €	200	256,00 €
	225	130,00 €	225	135,00 €	225	157,00 €	225	157,00 €	225	221,00 €	225	277,00 €
	250	132,00 €	250	138,00 €	250	167,00 €	250	167,00 €	250	250,00 €	250	291,00 €
	300	179,00 €	300	200,00 €	300	235,00 €	300	235,00 €	300	295,00 €	300	361,00 €
	350	227,00 €	350	250,00 €	350	282,00 €	350	282,00 €	350	321,00 €	350	448,00 €
	400	307,00 €	400	334,00 €	400	354,00 €	400	354,00 €	400	360,00 €	400	482,00 €
	450	352,00 €	450	387,00 €	450	439,00 €	450	439,00 €	450	448,00 €	450	511,00 €
	500	439,00 €	500	483,00 €	500	522,00 €	500	522,00 €	500	511,00 €	500	691,00 €
	600	505,00 €	600	554,00 €	600	603,00 €	600	603,00 €	600	617,00 €	600	923,00 €

Elbow 90°



Elbow configurable 1°-44°



*1

§ 19 (BIMBA)

Elbow 87° with inspection door, for oil and gas (up to 400°C/N1)



Elbow 90° with inspection door, for oil and gas (up to 400°C/N1)



Elbow 87° with inspection door for solid fuels



Elbow 90° with inspection door for solid fuels (201-600°C/N1)



Elbow 90° with inspection door and design lid for solid fuels, indoors (up to 600°C/N1)



DW60Ø		DW2801Ø		DW67Ø		DW19Ø		DW67GØ		DW19GØ		DW1228Ø	
080	212,00 €	080	167,00 €	080	307,00 €	080	307,00 €	080	320,00 €	080	320,00 €	080	321,00 €
100	213,00 €	100	169,00 €	100	308,00 €	100	308,00 €	100	321,00 €	100	321,00 €	100	322,00 €
115	215,00 €	115	171,00 €	115	309,00 €	115	309,00 €	115	322,00 €	115	322,00 €	115	323,00 €
130	221,00 €	130	172,00 €	130	314,00 €	130	314,00 €	130	329,00 €	130	329,00 €	130	332,00 €
150	227,00 €	150	179,00 €	150	323,00 €	150	323,00 €	150	338,00 €	150	338,00 €	150	340,00 €
160	239,00 €	160	182,00 €	160	334,00 €	160	334,00 €	160	347,00 €	160	347,00 €	160	351,00 €
180	250,00 €	180	190,00 €	180	341,00 €	180	341,00 €	180	356,00 €	180	356,00 €	180	360,00 €
200	256,00 €	200	205,00 €	200	380,00 €	200	380,00 €	200	393,00 €	200	393,00 €	200	400,00 €
225	277,00 €	225	219,00 €	225	383,00 €	225	383,00 €	225	395,00 €	225	395,00 €	225	402,00 €
250	291,00 €	250	228,00 €	250	388,00 €	250	388,00 €	250	402,00 €	250	402,00 €	250	407,00 €
300	361,00 €	300	357,00 €	300	392,00 €	300	392,00 €	300	405,00 €	300	405,00 €	300	410,00 €
350	448,00 €	350	403,00 €	350	482,00 €	350	482,00 €	350	495,00 €	350	495,00 €	350	506,00 €
400	482,00 €	400	476,00 €	400	578,00 €	400	578,00 €	400	594,00 €	400	594,00 €	400	607,00 €
450	511,00 €	450	561,00 €	450	600,00 €	450	600,00 €	450	615,00 €	450	615,00 €	450	631,00 €
500	691,00 €	500	643,00 €	500	737,00 €	500	737,00 €	500	753,00 €	500	753,00 €	500	776,00 €
600	923,00 €	600	726,00 €	600	991,00 €	600	991,00 €	600	1.005,00 €	600	1.005,00 €	600	1.048,00 €



System DW-FU



End cap Bonnet type „Jet“ incl. end cap Bonnet type „Holland“ with rotatable inspection plate Muzzle closure with louvre hood Rain cap Rain cap with end terminal Rain cap with spark protection grid



Rgr. ZUB



Rgr. ZUB





NEW




DW32Ø		JETØ		DW92HSØ		DW337Ø		DW33Ø		DW1076Ø		DW33AØ	
080	81,00 €	130	510,00 €	080	239,00 €	080	302,00 €	080	58,00 €	080	137,00 €	080	122,00 €
100	85,00 €	150	528,00 €	100	239,00 €	100	312,00 €	100	59,00 €	100	139,00 €	100	124,00 €
115	90,00 €	160	552,00 €	115	242,00 €	115	325,00 €	115	63,00 €	115	147,00 €	115	126,00 €
130	92,00 €	180	571,00 €	130	243,00 €	130	329,00 €	130	67,00 €	130	155,00 €	130	129,00 €
150	103,00 €	200	605,00 €	150	245,00 €	150	348,00 €	150	72,00 €	150	170,00 €	150	167,00 €
160	106,00 €	225	680,00 €	160	258,00 €	160	368,00 €	160	74,00 €	160	171,00 €	160	169,00 €
180	107,00 €	250	758,00 €	180	273,00 €	180	388,00 €	180	75,00 €	180	173,00 €	180	171,00 €
200	110,00 €	300	1.002,00 €	200	284,00 €	200	411,00 €	200	86,00 €	200	194,00 €	200	218,00 €
225	116,00 €			225	354,00 €	225	426,00 €	225	92,00 €	225	205,00 €	225	222,00 €
250	130,00 €			250	387,00 €	250	445,00 €	250	105,00 €	250	229,00 €	250	233,00 €
300	155,00 €			300	516,00 €	300	482,00 €	300	120,00 €	300	270,00 €	300	250,00 €
350	181,00 €			350	585,00 €			350	125,00 €	350	305,00 €	350	289,00 €
400	215,00 €			400	640,00 €			400	137,00 €	400	347,00 €	400	300,00 €
450	270,00 €									450	423,00 €		
500	332,00 €									500	500,00 €		
600	500,00 €									600	706,00 €		

Storm collar Storm collar „Special“ Storm collar „Special“ with rear ventilation Storm collar with edge Storm collar with edge and spacers for rear ventilation Flashing kit 5-15° with storm collar Flashing kit 16-25° with storm collar




DW31Ø		DW80Ø		DW80HLØ		DW307Ø		DW2856Ø		DW81Ø		DW82Ø	
080	22,00 €	080	120,00 €	080	124,00 €	080	35,00 €	080	40,00 €	080	155,00 €	080	179,00 €
100	24,00 €	100	132,00 €	100	137,00 €	100	38,00 €	100	44,00 €	100	194,00 €	100	213,00 €
115	26,00 €	115	135,00 €	115	139,00 €	115	39,00 €	115	45,00 €	115	196,00 €	115	218,00 €
130	27,00 €	130	140,00 €	130	146,00 €	130	40,00 €	130	46,00 €	130	200,00 €	130	221,00 €
150	29,00 €	150	151,00 €	150	155,00 €	150	42,00 €	150	47,00 €	150	220,00 €	150	244,00 €
160	31,00 €	160	155,00 €	160	158,00 €	160	43,00 €	160	50,00 €	160	229,00 €	160	252,00 €
180	32,00 €	180	159,00 €	180	166,00 €	180	45,00 €	180	52,00 €	180	246,00 €	180	262,00 €
200	35,00 €	200	171,00 €	200	176,00 €	200	47,00 €	200	53,00 €	200	285,00 €	200	295,00 €
225	36,00 €	225	177,00 €	225	182,00 €	225	47,00 €	225	55,00 €	225	312,00 €	225	316,00 €
250	37,00 €	250	183,00 €	250	193,00 €	250	51,00 €	250	57,00 €	250	329,00 €	250	336,00 €
300	43,00 €	300	226,00 €	300	232,00 €	300	67,00 €	300	74,00 €	300	354,00 €	300	363,00 €
350	53,00 €	350	254,00 €	350	262,00 €	350	83,00 €	350	90,00 €	350	448,00 €	350	468,00 €
400	70,00 €	400	308,00 €	400	316,00 €	400	110,00 €	400	116,00 €	400	802,00 €	400	816,00 €
450	75,00 €	450	354,00 €	450	365,00 €	450	116,00 €	450	124,00 €	450	891,00 €	450	903,00 €
500	81,00 €	500	389,00 €	500	402,00 €	500	130,00 €	500	135,00 €	500	1.008,00 €	500	1.059,00 €
600	126,00 €	600	431,00 €	600	443,00 €	600	198,00 €	600	204,00 €	600	1.152,00 €	600	1.180,00 €


Flashing kit 26-35°
with storm collar




Flashing kit 36-45°
with storm collar




Flat flashing conical
with storm collar




Cylindrical flat
flashing with storm
collar




Flashing kit 5-15°
lead base with
storm collar



Flashing kit 16-25°
lead base with
storm collar




Flashing kit 26-35°
lead base with
storm collar, cone
150mm




DW39Ø		DW83Ø		DW52Ø		DW52ØZYØ		DW53Ø		DW59Ø		DW38Ø	
080	205,00 €	080	228,00 €	080	111,00 €	080	111,00 €	080	197,00 €	080	197,00 €	080	197,00 €
100	232,00 €	100	254,00 €	100	115,00 €	100	115,00 €	100	212,00 €	100	212,00 €	100	212,00 €
115	242,00 €	115	259,00 €	115	116,00 €	115	116,00 €	115	217,00 €	115	217,00 €	115	217,00 €
130	248,00 €	130	272,00 €	130	118,00 €	130	118,00 €	130	224,00 €	130	224,00 €	130	224,00 €
150	265,00 €	150	290,00 €	150	124,00 €	150	124,00 €	150	244,00 €	150	244,00 €	150	244,00 €
160	274,00 €	160	298,00 €	160	130,00 €	160	130,00 €	160	251,00 €	160	251,00 €	160	251,00 €
180	285,00 €	180	308,00 €	180	138,00 €	180	138,00 €	180	260,00 €	180	260,00 €	180	260,00 €
200	306,00 €	200	315,00 €	200	170,00 €	200	170,00 €	200	268,00 €	200	268,00 €	200	268,00 €
225	324,00 €	225	333,00 €	225	179,00 €	225	179,00 €	225	295,00 €	225	295,00 €	225	295,00 €
250	341,00 €	250	352,00 €	250	193,00 €	250	193,00 €	250	301,00 €	250	301,00 €	250	301,00 €
300	372,00 €	300	383,00 €	300	235,00 €	300	235,00 €	300	310,00 €	300	310,00 €	300	310,00 €
350	491,00 €	350	511,00 €	350	298,00 €	350	298,00 €	350	322,00 €	350	322,00 €	350	322,00 €
400	828,00 €	400	843,00 €	400	380,00 €	400	380,00 €	400	341,00 €	400	341,00 €	400	341,00 €
450	916,00 €	450	932,00 €	450	438,00 €	450	438,00 €	450	368,00 €	450	368,00 €	450	368,00 €
500	1.108,00 €	500	1.159,00 €	500	510,00 €	500	510,00 €	500	431,00 €	500	431,00 €	500	431,00 €
600	1.208,00 €	600	1.238,00 €	600	615,00 €	600	615,00 €	600	491,00 €	600	491,00 €	600	491,00 €

Flashing kit 36-45°
lead base with
storm collar




Flashing kit 5-15°
lead base with
storm collar, cone
150mm




§ 19
(BIMBAV)

Flashing kit 16-25°
lead base with
storm collar, cone
150mm




§ 19
(BIMBAV)

Flashing kit 26-35°
lead base with
storm collar, cone
150mm



§ 19
(BIMBAV)

Flashing kit 36-45°
lead base with
storm collar, cone
150mm




§ 19
(BIMBAV)

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



DW54Ø		DW2935Ø		DW2937Ø		DW2934Ø		DW2936Ø		DW2556-1Ø		DW2556-2Ø	
080	197,00 €	080	192,00 €	080	192,00 €	080	192,00 €	080	193,00 €	080	197,00 €	080	197,00 €
100	212,00 €	100	202,00 €	100	204,00 €	100	204,00 €	100	205,00 €	100	212,00 €	100	212,00 €
115	217,00 €	115	206,00 €	115	209,00 €	115	212,00 €	115	215,00 €	115	217,00 €	115	217,00 €
130	224,00 €	130	216,00 €	130	216,00 €	130	215,00 €	130	218,00 €	130	224,00 €	130	224,00 €
150	244,00 €	150	235,00 €	150	234,00 €	150	234,00 €	150	235,00 €	150	244,00 €	150	244,00 €
160	251,00 €	160	242,00 €	160	242,00 €	160	236,00 €	160	242,00 €	160	251,00 €	160	251,00 €
180	260,00 €	180	251,00 €	180	250,00 €	180	250,00 €	180	251,00 €	180	260,00 €	180	260,00 €
200	268,00 €	200	258,00 €	200	255,00 €	200	256,00 €	200	258,00 €	200	268,00 €	200	268,00 €
225	295,00 €	225	279,00 €	225	286,00 €	225	271,00 €	225	284,00 €	225	295,00 €	225	295,00 €
250	301,00 €	250	288,00 €	250	292,00 €	250	287,00 €	250	289,00 €	250	301,00 €	250	301,00 €
300	310,00 €									300	310,00 €	300	310,00 €
350	322,00 €												
400	341,00 €												
450	368,00 €												
500	431,00 €												
600	491,00 €												



System DW-FU



Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar








Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar



DW2556-3Ø	DW2558-1Ø	DW2558-2Ø	DW2558-3Ø	DW2557-1Ø	DW2557-2Ø	DW2557-3Ø
080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar




Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit (Silicone)
incl. screws and
sealing compound,
for metal roof, outer
Ø 150-300mm (up to
400°C)

Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre ce-
ment corrugated roof,
outer Ø 150-300mm
(up to 400°C)

Ceiling plate 0°
one-piece

Ceiling plate 1-65°
one-piece



DW2551-1Ø	DW2551-2Ø	DW2551-3Ø	ZUAC2700	ZUAC2701	DW70Ø	DW71Ø
080 197,00 €	080 197,00 €	080 197,00 €	259,00 €	259,00 €	080 66,00 €	080 72,00 €
100 212,00 €	100 212,00 €	100 212,00 €			100 72,00 €	100 77,00 €
115 217,00 €	115 217,00 €	115 217,00 €			115 74,00 €	115 78,00 €
130 224,00 €	130 224,00 €	130 224,00 €			130 75,00 €	130 81,00 €
150 244,00 €	150 244,00 €	150 244,00 €			150 77,00 €	150 85,00 €
160 251,00 €	160 251,00 €	160 251,00 €			160 78,00 €	160 86,00 €
180 260,00 €	180 260,00 €	180 260,00 €			180 81,00 €	180 87,00 €
200 268,00 €	200 268,00 €	200 268,00 €			200 85,00 €	200 93,00 €
225 295,00 €	225 295,00 €	225 295,00 €			225 98,00 €	225 106,00 €
250 301,00 €	250 301,00 €	250 301,00 €			250 107,00 €	250 116,00 €
300 310,00 €	300 310,00 €	300 310,00 €			300 124,00 €	300 137,00 €
					350 150,00 €	350 165,00 €
					400 156,00 €	400 172,00 €
					450 167,00 €	450 185,00 €
					500 179,00 €	500 200,00 €
					600 203,00 €	600 225,00 €

- *1 For wall/ceiling panels, please state the number in °.

Ceiling plate 0°, two-piece



Ceiling plate 1-65° two-piece



*1

Ventilated ceiling plate, 0°, one-piece



Ventilated ceiling plate, 1-65°, one-piece



Ventilated split ceiling plate 0°, two-piece




*1

Ventilated split ceiling plate 1-65°, two-piece




*1

Ceiling plate with seal to stop steam 0-20° (up to 450°C/Nl)



DW74Ø		DW75Ø		DW70HLØ		DW71HLØ		DW74HLØ		DW75HLØ		DW1702Ø	
080	72,00 €	080	79,00 €	080	103,00 €	080	110,00 €	080	110,00 €	080	118,00 €	080	98,00 €
100	78,00 €	100	87,00 €	100	110,00 €	100	116,00 €	100	116,00 €	100	126,00 €	100	102,00 €
115	81,00 €	115	91,00 €	115	111,00 €	115	118,00 €	115	120,00 €	115	127,00 €	115	106,00 €
130	85,00 €	130	93,00 €	130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	111,00 €
150	99,00 €	150	109,00 €	150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	137,00 €
160	100,00 €	160	110,00 €	160	118,00 €	160	125,00 €	160	137,00 €	160	149,00 €	160	139,00 €
180	101,00 €	180	111,00 €	180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	149,00 €
200	114,00 €	200	126,00 €	200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	157,00 €
225	116,00 €	225	129,00 €	225	132,00 €	225	145,00 €	225	154,00 €	225	166,00 €	225	169,00 €
250	120,00 €	250	131,00 €	250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	206,00 €
300	133,00 €	300	149,00 €	300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	232,00 €
350	158,00 €	350	174,00 €	350	185,00 €	350	202,00 €	350	198,00 €	350	215,00 €		
400	166,00 €	400	183,00 €	400	195,00 €	400	212,00 €	400	204,00 €	400	222,00 €		
450	181,00 €	450	202,00 €	450	205,00 €	450	224,00 €	450	221,00 €	450	242,00 €		
500	202,00 €	500	222,00 €	500	218,00 €	500	235,00 €	500	242,00 €	500	260,00 €		
600	212,00 €	600	232,00 €	600	243,00 €	600	262,00 €	600	250,00 €	600	270,00 €		

Ceiling plate with seal to stop steam 21-40° (up to 450°C/Nl)



Ceiling plate with seal to stop steam 41-55° (up to 450°C/Nl)



Ceiling plate 0-30° two-piece



Ceiling plate 31-45° two-piece



Ventilated split ceiling plate 0-30°, two-piece



Ventilated split ceiling plate 31-45°, two-piece



Airtight sealing collars 0°-30° for chimneys up to T400



DW1703Ø		DW1704Ø		DW99VØ		DW98VØ		DW99VHLØ		DW98VHLØ		ZUTE2195Ø	
080	118,00 €	080	137,00 €	080	58,00 €	080	72,00 €	080	94,00 €	080	110,00 €	180-195	84,00 €
100	125,00 €	100	146,00 €	100	66,00 €	100	77,00 €	100	103,00 €	100	115,00 €	200-225	92,00 €
115	130,00 €	115	153,00 €	115	67,00 €	115	78,00 €	115	105,00 €	115	116,00 €	230-245	99,00 €
130	137,00 €	130	157,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €	250-270	105,00 €
150	166,00 €	150	179,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €		
160	170,00 €	160	183,00 €	160	74,00 €	160	86,00 €	160	111,00 €	160	125,00 €		
180	179,00 €	180	195,00 €	180	75,00 €	180	87,00 €	180	113,00 €	180	126,00 €		
200	189,00 €	200	203,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €		
225	201,00 €	225	215,00 €	225	92,00 €	225	106,00 €	225	130,00 €	225	145,00 €		
250	244,00 €	250	265,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €		
300	264,00 €	300	295,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €		
				350	153,00 €	350	165,00 €	350	191,00 €	350	202,00 €		
				400	159,00 €	400	172,00 €	400	198,00 €	400	210,00 €		
				450	172,00 €	450	185,00 €	450	210,00 €	450	224,00 €		
				500	185,00 €	500	200,00 €	500	224,00 €	500	238,00 €		
				600	213,00 €	600	225,00 €	600	251,00 €	600	262,00 €		

Airtight sealing collars 30°-45° for chimneys up to T400

Adaptor EW male/DW-FU

Adaptor EW-FU with female socket/DW-FU

Adaptor DW-FU/EW male

Adaptor DW-FU/EW-FU with female socket

Adaptor EW-FU/DW-FU with integrated wall sleeve straight for FERRO

Adaptor FERRO-LUX/DW-FU



ZUTE2232Ø	DW37Ø	DW37MØ	DW37AØ	DW37AMØ	DW37GWFO	DW37FØ
200-225 111,00 €	080 53,00 €	080 61,00 €	080 53,00 €	080 61,00 €	080 103,00 €	080 61,00 €
230-245 125,00 €	100 54,00 €	100 62,00 €	100 54,00 €	100 62,00 €	100 105,00 €	100 62,00 €
250-270 135,00 €	115 57,00 €	115 63,00 €	115 57,00 €	115 63,00 €	115 106,00 €	115 63,00 €
	130 58,00 €	130 64,00 €	130 58,00 €	130 64,00 €	130 109,00 €	130 64,00 €
	150 59,00 €	150 66,00 €	150 59,00 €	150 66,00 €	150 111,00 €	150 66,00 €
	160 61,00 €	160 67,00 €	160 61,00 €	160 67,00 €	160 114,00 €	160 67,00 €
	180 62,00 €	180 68,00 €	180 62,00 €	180 68,00 €	180 120,00 €	180 68,00 €
	200 63,00 €	200 69,00 €	200 63,00 €	200 69,00 €	200 130,00 €	200 69,00 €
	225 67,00 €	225 72,00 €	225 67,00 €	225 72,00 €	225 137,00 €	225 72,00 €
	250 69,00 €	250 74,00 €	250 69,00 €	250 74,00 €	250 145,00 €	250 74,00 €
	300 74,00 €	300 79,00 €	300 74,00 €	300 79,00 €		
	350 81,00 €	350 87,00 €	350 81,00 €	350 87,00 €		
	400 102,00 €	400 107,00 €	400 102,00 €	400 107,00 €		
	450 120,00 €	450 125,00 €	450 120,00 €	450 125,00 €		
	500 130,00 €	500 137,00 €	500 130,00 €	500 137,00 €		
	600 173,00 €	600 179,00 €	600 173,00 €	600 179,00 €		

Connection piece with integrated wall sleeve

Connection piece with integrated FERRO-wall sleeve



Rgr. EW



ZUWA757Ø-Ø				ZUWA757FØ-Ø			
A 100 90,00 €	A 150 99,00 €	A 200 111,00 €	A 100 98,00 €	A 150 102,00 €	A 180 107,00 €	A 200 123,00 €	
B 080	B 110	B 130	B 080	B 100	B 080	B 160	
A 120 92,00 €	A 150 100,00 €	A 200 113,00 €	A 115 98,00 €	A 150 103,00 €	A 180 108,00 €	A 200 124,00 €	
B 080	B 120	B 150	B 080	B 110	B 100	B 180	
A 120 92,00 €	A 150 103,00 €	A 200 115,00 €	A 115 99,00 €	A 150 103,00 €	A 180 115,00 €	A 250 130,00 €	
B 100	B 130	B 160	B 100	B 115	B 120	B 200	
A 130 93,00 €	A 160 105,00 €	A 200 116,00 €	A 120 99,00 €	A 150 107,00 €	A 180 114,00 €		
B 080	B 120	B 180	B 080	B 120	B 130		
A 130 93,00 €	A 180 109,00 €	A 225 122,00 €	A 120 99,00 €	A 150 110,00 €	A 180 115,00 €		
B 100	B 120	B 200	B 100	B 130	B 150		
A 130 98,00 €	A 180 107,00 €	A 250 124,00 €	A 130 100,00 €	A 160 103,00 €	A 180 116,00 €		
B 110	B 130	B 200	B 080	B 080	B 160		
A 140 98,00 €	A 180 109,00 €		A 130 100,00 €	A 160 107,00 €	A 200 115,00 €		
B 110	B 150		B 100	B 100	B 100		
A 150 94,00 €	A 180 110,00 €		A 140 103,00 €	A 160 111,00 €	A 200 115,00 €		
B 080	B 160		B 120	B 120	B 120		
A 150 98,00 €	A 200 109,00 €		A 150 101,00 €	A 160 113,00 €	A 200 118,00 €		
B 100	B 120		B 080	B 130	B 150		

- *1 Deflector hoods for higher requirements available on request.

Isotherm tape
40mm, price per
metre



€
NET

Closing cap plastic
for drain 1/2" (up to
200°C)



€
NET

Adjustable rafter
bracket 500-
900mm



Light rafter bracket



Support 800-
1200mm



Support with joint
800-1200mm, sing-
le-braced



Support with joint
800-1200mm, dou-
ble-braced



750ISO40	750ADK1/2	DW55Ø		DW55LØ		DW40Ø		DW40MGØ		DW40MGØ	
5,00 €	5,00 €	080	158,00 €	080	84,00 €	080	105,00 €	080	219,00 €	250	230,00 €
		100	165,00 €	100	85,00 €	100	106,00 €	100	220,00 €	300	249,00 €
		115	166,00 €	115	86,00 €	115	107,00 €	115	221,00 €	350	253,00 €
		130	169,00 €	130	87,00 €	130	109,00 €	130	222,00 €	400	256,00 €
		150	172,00 €	150	90,00 €	150	110,00 €	150	224,00 €	450	269,00 €
		160	194,00 €	160	91,00 €	160	111,00 €	160	225,00 €	500	288,00 €
		180	200,00 €	180	109,00 €	180	113,00 €	180	226,00 €	600	295,00 €
		200	217,00 €	200	111,00 €	200	114,00 €	200	228,00 €		
		225	246,00 €	225	113,00 €	225	115,00 €	225	229,00 €		
		250	251,00 €	250	116,00 €	250	116,00 €				
		300	256,00 €	300	118,00 €	300	132,00 €				
		350	329,00 €	350	122,00 €	350	138,00 €				
		400	354,00 €	400	133,00 €	400	142,00 €				
		450	397,00 €			450	154,00 €				
		500	440,00 €			500	172,00 €				
		600	528,00 €			600	179,00 €				

3-point guy wire
bracket



Mounting set for
3-point guy wire
bracket (galvani-
sed)



Rgr.
KEEW

Anchor cable (gal-
vanised)



Rgr.
KEEW

Deflector hood with
drain incl. end cap
(up to 250°C, max.
exhaust gas speed
15 m/s)



*1

Stopcock, 1/2"
threaded outside
(1/2" female socket
FU126 not included)



Rgr.
EW

Ceiling suspension
for M8 threaded
rods



Threaded rod M8,
stainless steel
l=1000mm



Rgr.
EW

DW42Ø		KEEW237	KEEW242	DW34Ø		FU47	DW61Ø		VL314
080	39,00 €	58,00 €	14,00 €	080	482,00 €	32,00 €	080	62,00 €	20,00 €
100	40,00 €			100	484,00 €		100	67,00 €	
115	40,00 €			115	496,00 €		115	68,00 €	
130	42,00 €			130	510,00 €		130	69,00 €	
150	42,00 €			150	544,00 €		150	70,00 €	
160	42,00 €			160	563,00 €		160	72,00 €	
180	43,00 €			180	586,00 €		180	74,00 €	
200	44,00 €			200	629,00 €		200	75,00 €	
225	45,00 €			225	669,00 €		225	76,00 €	
250	46,00 €			250	702,00 €		250	77,00 €	
300	61,00 €			300	933,00 €		300	84,00 €	
350	72,00 €			350	1.037,00 €		350	98,00 €	
400	75,00 €			400	1.161,00 €		400	110,00 €	
450	78,00 €			450	1.305,00 €		450	130,00 €	
500	86,00 €			500	1.760,00 €		500	165,00 €	
600	100,00 €			600	2.551,00 €		600	202,00 €	



System DW-FU



Ceiling suspension
for perforated sheet
metal

2-piece wall bracket
for M10 threaded
rod

Threaded rod M10,
stainless steel
l=1000mm

Two-piece mount-
ing clamp for 1/2"
pipe

Lightning protec-
tion clamp

Closing lid with
handle for DW11

Removable soot
collector with con-
densate drain



DW62Ø		614-ZUWA1379Ø		VL316	614-ZUWA1711Ø		DW69Ø		DW43Ø		DW44Ø	
080	58,00 €	145	48,00 €	22,00 €	145	53,00 €	080	39,00 €	080	77,00 €	080	105,00 €
100	62,00 €	165	51,00 €		165	58,00 €	100	40,00 €	100	78,00 €	100	106,00 €
115	63,00 €	180	62,00 €		180	71,00 €	115	42,00 €	115	79,00 €	115	109,00 €
130	64,00 €	195	68,00 €		195	79,00 €	130	43,00 €	130	81,00 €	130	114,00 €
150	66,00 €	215	75,00 €		215	86,00 €	150	44,00 €	150	83,00 €	150	120,00 €
160	67,00 €	225	81,00 €		225	93,00 €	160	45,00 €	160	85,00 €	160	123,00 €
180	68,00 €	245	87,00 €		245	101,00 €	180	46,00 €	180	91,00 €	180	129,00 €
200	69,00 €	265	93,00 €		265	110,00 €	200	47,00 €	200	101,00 €	200	137,00 €
225	70,00 €	290	96,00 €		290	110,00 €	225	51,00 €	225	110,00 €	225	151,00 €
250	72,00 €	315	106,00 €		315	122,00 €	250	52,00 €	250	116,00 €	250	165,00 €
300	81,00 €	365	113,00 €		365	132,00 €	300	61,00 €	300	139,00 €	300	203,00 €
350	90,00 €	415	130,00 €		415	149,00 €	350	72,00 €	350	147,00 €	350	228,00 €
400	102,00 €	465	141,00 €		465	165,00 €	400	75,00 €	400	163,00 €	400	269,00 €
450	115,00 €	515	155,00 €		515	177,00 €	450	78,00 €	450	173,00 €	450	312,00 €
500	140,00 €	565	171,00 €		565	196,00 €	500	86,00 €	500	193,00 €	500	360,00 €
600	181,00 €	665	198,00 €		665	212,00 €	600	100,00 €	600	205,00 €	600	441,00 €

Length 250mm
with test point, 1/2"
female socket and
screw

Drain length
250mm for horizon-
tal and vertical
installation, 1/2"
threaded nipple

Adjustable length
for connection line
320-460mm (up to
600°C/NI)

Locking band (spa-
re part)

Locking band static
h=400mm

Folding clamp for
2-point guy wire
bracket

Roof hook for
mounting guy wire
brackets, 2 pieces



DW51Ø		DW1494Ø		DW50Ø		DW41Ø		DW3041S-2Ø		ZUDA1069	ZUDA1070
080	116,00 €	080	210,00 €	080	166,00 €	080	20,00 €	130	79,00 €	35,00 €	34,00 €
100	118,00 €	100	220,00 €	100	172,00 €	100	21,00 €	150	83,00 €		
115	120,00 €	115	227,00 €	115	179,00 €	115	22,00 €	160	87,00 €		
130	129,00 €	130	244,00 €	130	185,00 €	130	23,00 €	180	98,00 €		
150	132,00 €	150	254,00 €	150	217,00 €	150	26,00 €	200	107,00 €		
160	139,00 €	160	265,00 €	160	232,00 €	160	27,00 €				
180	151,00 €	180	285,00 €	180	252,00 €	180	28,00 €				
200	158,00 €	200	302,00 €	200	291,00 €	200	31,00 €				
225	179,00 €	225	333,00 €	225	339,00 €	225	32,00 €				
250	200,00 €	250	361,00 €	250	384,00 €	250	34,00 €				
300	252,00 €	300	436,00 €	300	530,00 €	300	35,00 €				
350	308,00 €	350	512,00 €	350	666,00 €	350	36,00 €				
400	419,00 €	400	643,00 €	400	1.033,00 €	400	37,00 €				
450	460,00 €	450	706,00 €	450	1.102,00 €	450	38,00 €				
500	472,00 €	500	735,00 €	500	1.166,00 €	500	39,00 €				
600	538,00 €	600	845,00 €	600	1.319,00 €	600	43,00 €				

- ^{*1} Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.
- ^{*2} When ordering, please specify the system diameter and distance from the wall!

Roof hook for mounting wall brackets on pitched roofs



§ 19
BIM-Schulz

Roof hook for mounting wall brackets on pitched roofs (adjustable)



§ 19
BIM-Schulz

2-point guy wire bracket



§ 19
BIM-Schulz

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
BIM-Schulz

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



§ 19
BIM-Schulz

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
BIM-Schulz

Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



§ 19
BIM-Schulz


DW2800Ø		DW2877Ø		DW1057Ø		ZUDA904-2000	ZUDA1678-2000	ZUDA904-3000	ZUDA1678-3000
080	103,00 €	080	274,00 €	080	39,00 €	198,00 €	313,00 €	227,00 €	358,00 €
100	103,00 €	100	275,00 €	100	40,00 €				
115	105,00 €	115	277,00 €	115	40,00 €				
130	110,00 €	130	282,00 €	130	42,00 €				
150	111,00 €	150	284,00 €	150	42,00 €				
160	111,00 €	160	285,00 €	160	42,00 €				
180	114,00 €	180	286,00 €	180	43,00 €				
200	122,00 €	200	295,00 €	200	44,00 €				
				225	44,00 €				
				250	45,00 €				
				300	61,00 €				
				350	72,00 €				
				400	75,00 €				

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)



§ 19
BIM-Schulz

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)



§ 19
BIM-Schulz

Stainless steel cantilever with sliding static wall bracket

^{*2}



§ 19
BIM-Schulz

ZUDA904-4000	ZUDA1678-4000	ZUTE1334Ø
313,00 €	487,00 €	080 774,00 €
		100 776,00 €
		115 778,00 €
		130 781,00 €
		150 784,00 €



DESCRIPTION

Double wall, pressure-tight stainless steel chimney

MATERIAL

Inside: 1.4404 (316L) / 1.4571 (316Ti)

Outside: 1.4301 (304)

Others on request

FINISHING

Highly polished

Optional: matt + 20%, painted: reduced discount (see condition agreement), brushed + 25%, cooper + 80%

When changing from DW-FU to copper, special adaptor DW1607 is needed.

(Replacement paint for touch up must be specifically ordered:

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

80 - 600 mm

Others on request up to 1200 mm

Copper is only available in Ø 80, 100, 115, 130, 150, 160, 180, 200, 250 and 300 mm

INSULATION

Mineral insulation 32.5 mm thick, 50 mm insulation available subject to a surcharge (+ 25%)

CONNECTION

Socket/bead plug-and-socket connection with special internal gasket and external locking band

LOCKING BAND

Included. For an assembly without T-connection, an additional locking band must be ordered for the chimney top.


GASKET

The gasket supplied varies depending on the diameter (EPDM up to 120°C or silicone up to 200°C). All possible options can be found from the table on the next page. The prices of variants not listed in the price list are available on request.

The actual price charged for components incl. gasket may differ from the price stated here, as there may be minimal differences depending on your individual discount composition of DW discount (component) and FU discount (gasket).

ORDER CODE

When ordering, please replace the placeholder "..." in the article code with the letter for the desired gasket (Standard gasket varies depending on Ø, see table).



CHARACTERISTICS

- DW-FU basic parts are made positive pressure tight by insertion of a gasket in a moulded bead
- Additional special DW-AL supplementary components available
- Moisture resistant

APPLICATION AREAS

- Standard heating appliances for oil and gas
- Condensing boilers

CE MARK NUMBER

0036 CPR 9174 003

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T120 - N1 - W - V2 - L50060 - O00 (with EPDM gasket)

T120 - P1 - W - V2 - L50060 - O00 (with EPDM gasket)

T200 - N1 - W - V2 - L50060 - O00 (with Silicone gasket)

T200 - P1 - W - V2 - L50060 - O00 (with Silicone gasket)

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 050

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T120 - P1 - W - V2 - L50060 - O00M (with EPDM gasket)

T120 - N1 - W - V2 - L50060 - O00M (with EPDM gasket)

T200 - P1 - W - V2 - L50060 - O00M (with Silicone gasket)

T200 - N1 - W - V2 - L50060 - O00M (with Silicone gasket)

- *1 From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

POSSIBLE SEALING VARIANTS

	EPDM (ALBI367)			Silicone (ALBI26)		
Variant	A	B	C	D	E	F
Ø	attached	inserted	glued-in	attached	inserted	glued-in
080 mm	x	x	x	x	x	x
100 mm	x	x	x	x	x	x
115 mm	x	x	x	x	x	x
130 mm	x	x	x	x	x	x
150 mm	x	x	x	x	x	x
160 mm	x	x	x	x	x	x
180 mm	x	x	x	x	x	x
200 mm	x	x	x	x	x	x
225 mm				x	x	x
250 mm	x		x	x		x
300 mm	x		x	x		x
350 mm	x		x	x		x
400 mm	x		x	x		x
450 mm				x		x
500 mm				x		x
600 mm				x		x

Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



DW01Ø	DW02Ø	DW49Ø	DW391	DW392	DW393	DW407
080 77,00 €	080 102,00 €	080 133,00 €	122,00 €	137,00 €	167,00 €	274,00 €
100 78,00 €	100 103,00 €	100 137,00 €				
115 79,00 €	115 105,00 €	115 145,00 €				
130 81,00 €	130 116,00 €	130 153,00 €				
150 86,00 €	150 145,00 €	150 191,00 €				
160 109,00 €	160 156,00 €	160 205,00 €				
180 116,00 €	180 171,00 €	180 225,00 €				
200 182,00 €	200 288,00 €	200 460,00 €				
225 206,00 €	225 295,00 €	225 479,00 €				
250 245,00 €	250 300,00 €	250 491,00 €				
300 272,00 €	300 316,00 €	300 551,00 €				
350 333,00 €	350 376,00 €	350 594,00 €				
400 405,00 €	400 467,00 €					
450 464,00 €	450 524,00 €					
500 523,00 €	500 539,00 €					
600 637,00 €	600 680,00 €					



CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-AL SYSTEM

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 65 mm) = max. wall
distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
080	190	080	340	080	590	080	870
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
160	125	160	275	160	525	160	805
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
225	45	225	195	225	445	225	725
		250	170	250	420	250	700
		300	120	300	370	300	650
		350	70	350	320	350	600
				400	270	400	550
				450	220	450	500
				500	170	500	450
				600	85	600	365



Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces


Water deflectors
for wall support, 2
pieces

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 250-1190mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 610-1190mm,
drain at bottom, 1/2"
threaded nipple and
door for condensate
collector

Adjustable support
for elbow with base
support l=500mm



ZUTE1425	ZUTE1426	ZUTE1427	DWAL...03Ø		DWAL...04Ø		DWAL...1017Ø		DWA1144Ø	
12,00 €	12,00 €	12,00 €	A 080	256,00 €	A 080	351,00 €	A 080	466,00 €	145	124,00 €
			A 100	266,00 €	A 100	354,00 €	A 100	469,00 €	165	127,00 €
			A 115	271,00 €	A 115	356,00 €	A 115	472,00 €	180	130,00 €
			A 130	276,00 €	A 130	365,00 €	A 130	479,00 €	195	150,00 €
			A 150	280,00 €	A 150	366,00 €	A 150	482,00 €	215	153,00 €
			A 160	299,00 €	A 160	375,00 €	A 160	491,00 €	225	162,00 €
			A 180	316,00 €	A 180	389,00 €	A 180	504,00 €	245	165,00 €
			A 200	339,00 €	A 200	399,00 €	A 200	515,00 €	265	166,00 €
			D 225	342,00 €	D 225	401,00 €	D 225	518,00 €	290	167,00 €
			C 250	346,00 €	C 250	404,00 €	C 250	521,00 €	315	171,00 €
			C 300	506,00 €	C 300	534,00 €			365	206,00 €
			C 350	513,00 €	C 350	551,00 €			415	228,00 €
			C 400	527,00 €	C 400	563,00 €			465	262,00 €
			F 450	544,00 €	F 450	575,00 €			515	310,00 €
			F 500	567,00 €	F 500	724,00 €			565	353,00 €
			F 600	673,00 €	F 600	747,00 €			665	400,00 €

- *1 Can be flexibly extended downwards with a length element DWA13/14/15 from system FURADO-A

Elbow 87° with support



Base plate with plug-in ring for bracket with support



Condensate collection bucket



Round base plate and drain and adjustable wall bracket up to 200mm (max. installation height 8m)



Base plate with condensate drain at the bottom and 1/2" nipple



Base plate with condensate side drain and 1/2" nipple



Base plate for mounting on a bracket with side drain and 1/2" threaded nipple



DWAL...57Ø	DWA2803Ø	ZUTE1255	DWAL...384Ø	DWAL...05Ø	DWAL...06Ø	DWAL...66Ø
A 080 264,00 €	145 59,00 €	69,00 €	A 080 166,00 €	A 080 114,00 €	A 080 135,00 €	A 080 136,00 €
A 100 278,00 €	165 62,00 €		A 100 175,00 €	A 100 120,00 €	A 100 138,00 €	A 100 138,00 €
A 115 284,00 €	180 66,00 €		A 115 177,00 €	A 115 122,00 €	A 115 141,00 €	A 115 147,00 €
A 130 296,00 €	195 72,00 €		A 130 185,00 €	A 130 131,00 €	A 130 158,00 €	A 130 156,00 €
A 150 340,00 €	215 79,00 €		A 150 197,00 €	A 150 135,00 €	A 150 177,00 €	A 150 173,00 €
A 160 355,00 €	225 81,00 €		A 160 224,00 €	A 160 142,00 €	A 160 192,00 €	A 160 186,00 €
A 180 368,00 €	245 83,00 €		A 180 243,00 €	A 180 155,00 €	A 180 202,00 €	A 180 199,00 €
A 200 457,00 €	265 84,00 €		A 200 259,00 €	A 200 163,00 €	A 200 214,00 €	A 200 210,00 €
D 225 514,00 €	315 86,00 €			D 225 170,00 €	D 225 242,00 €	D 225 235,00 €
C 250 572,00 €	365 92,00 €			C 250 179,00 €	C 250 266,00 €	C 250 259,00 €
C 300 683,00 €	415 99,00 €			C 300 191,00 €	C 300 293,00 €	C 300 285,00 €
C 350 756,00 €	465 103,00 €			C 350 291,00 €	C 350 332,00 €	C 350 310,00 €
C 400 860,00 €	515 135,00 €			C 400 355,00 €	C 400 477,00 €	C 400 443,00 €
F 450 967,00 €	565 170,00 €			F 450 439,00 €	F 450 511,00 €	F 450 489,00 €
F 500 1.075,00 €	665 181,00 €			F 500 495,00 €	F 500 577,00 €	F 500 557,00 €
F 600 1.292,00 €				F 600 602,00 €	F 600 673,00 €	F 600 673,00 €

Base plate without drain




Base plate without drain, suitable for elbow with support



Base plate for intermediate support



Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m



Inspection length (up to 200°C/Pl)



T-87° with drip nose



T-90° with drip nose



DWAL...09Ø	DWA09Ø	DWAL...07Ø	DWAL...08Ø	DWAL...10Ø	DWAL...11Ø	DWAL...317Ø
A 080 95,00 €	145 61,00 €	A 080 121,00 €	A 080 180,00 €	A 080 382,00 €	A 080 259,00 €	A 080 259,00 €
A 100 97,00 €	165 63,00 €	A 100 125,00 €	A 100 200,00 €	A 100 400,00 €	A 100 261,00 €	A 100 261,00 €
A 115 99,00 €	180 66,00 €	A 115 129,00 €	A 115 206,00 €	A 115 403,00 €	A 115 267,00 €	A 115 267,00 €
A 130 107,00 €	195 67,00 €	A 130 144,00 €	A 130 221,00 €	A 130 410,00 €	A 130 276,00 €	A 130 276,00 €
A 150 111,00 €	215 72,00 €	A 150 159,00 €	A 150 243,00 €	A 150 430,00 €	A 150 317,00 €	A 150 317,00 €
A 160 114,00 €	225 75,00 €	A 160 173,00 €	A 160 264,00 €	A 160 439,00 €	A 160 328,00 €	A 160 328,00 €
A 180 120,00 €	245 78,00 €	A 180 183,00 €	A 180 288,00 €	A 180 451,00 €	A 180 344,00 €	A 180 344,00 €
A 200 124,00 €	265 79,00 €	A 200 190,00 €	A 200 323,00 €	A 200 472,00 €	A 200 422,00 €	A 200 422,00 €
D 225 130,00 €	290 81,00 €	D 225 213,00 €	D 225 353,00 €	D 225 491,00 €	D 225 471,00 €	D 225 471,00 €
C 250 133,00 €	315 83,00 €	C 250 240,00 €	C 250 382,00 €	C 250 514,00 €	C 250 528,00 €	C 250 528,00 €
C 300 136,00 €	365 85,00 €	C 300 257,00 €	C 300 426,00 €	C 300 545,00 €	C 300 629,00 €	C 300 629,00 €
C 350 147,00 €	415 98,00 €	C 350 286,00 €	C 350 432,00 €	C 350 588,00 €	C 350 671,00 €	C 350 671,00 €
C 400 218,00 €	465 166,00 €	C 400 402,00 €	C 400 519,00 €	C 400 817,00 €	C 400 873,00 €	C 400 873,00 €
F 450 287,00 €	515 227,00 €	F 450 465,00 €	F 450 576,00 €	F 450 852,00 €	F 450 937,00 €	F 450 937,00 €
F 500 329,00 €	565 268,00 €	F 500 528,00 €	F 500 613,00 €	F 500 922,00 €	F 500 1.036,00 €	F 500 1.036,00 €
F 600 351,00 €	665 277,00 €	F 600 610,00 €	F 600 826,00 €	F 600 981,00 €	F 600 1.150,00 €	F 600 1.150,00 €



System DW-AL



T-45° with drip
nose

Length 1000mm

Length 500mm

Length 250mm

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Wall bracket adjus-
table 50-150mm,
double-braced



DWAL...12Ø	DWAL...13Ø	DWAL...14Ø	DWAL...15Ø	DW21Ø	DW22Ø	DW22Ø
A 080 379,00 €	A 080 190,00 €	A 080 113,00 €	A 080 91,00 €	080 51,00 €	080 84,00 €	250 101,00 €
A 100 382,00 €	A 100 192,00 €	A 100 115,00 €	A 100 94,00 €	100 52,00 €	100 85,00 €	300 116,00 €
A 115 384,00 €	A 115 194,00 €	A 115 122,00 €	A 115 97,00 €	115 54,00 €	115 85,00 €	350 122,00 €
A 130 413,00 €	A 130 206,00 €	A 130 129,00 €	A 130 101,00 €	130 57,00 €	130 86,00 €	400 138,00 €
A 150 440,00 €	A 150 232,00 €	A 150 142,00 €	A 150 110,00 €	150 58,00 €	150 87,00 €	450 173,00 €
A 160 456,00 €	A 160 249,00 €	A 160 152,00 €	A 160 114,00 €	160 59,00 €	160 87,00 €	500 193,00 €
A 180 475,00 €	A 180 261,00 €	A 180 165,00 €	A 180 120,00 €	180 61,00 €	180 90,00 €	600 258,00 €
A 200 617,00 €	A 200 291,00 €	A 200 176,00 €	A 200 140,00 €	200 62,00 €	200 93,00 €	
D 225 688,00 €	D 225 339,00 €	D 225 197,00 €	D 225 155,00 €	225 63,00 €	225 98,00 €	
C 250 760,00 €	C 250 381,00 €	C 250 217,00 €	C 250 171,00 €	250 67,00 €		
C 300 863,00 €	C 300 458,00 €	C 300 277,00 €	C 300 220,00 €	300 78,00 €		
C 350 937,00 €	C 350 595,00 €	C 350 342,00 €	C 350 242,00 €	350 81,00 €		
C 400 1.292,00 €	C 400 671,00 €	C 400 458,00 €	C 400 377,00 €	400 86,00 €		
F 450 1.395,00 €	F 450 707,00 €	F 450 503,00 €	F 450 400,00 €	450 102,00 €		
F 500 1.539,00 €	F 500 779,00 €	F 500 527,00 €	F 500 428,00 €	500 124,00 €		
F 600 1.717,00 €	F 600 898,00 €	F 600 602,00 €	F 600 486,00 €	600 129,00 €		

Wall bracket adjus-
table 50-250mm,
single-braced

Wall bracket adjus-
table 50-250mm,
double-braced

Wall bracket adjus-
table 250-360mm,
single-braced

Adjustable wall brack-
et 250-360mm,
double-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, single-brac-
ed

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, double-brac-
ed

Adjustable wall
bracket with joint,
140-300mm



DW23Ø	DW23Ø	DW24Ø	DW24Ø	DW20Ø	DW20Ø	DW24MGØ
080 98,00 €	250 114,00 €	080 131,00 €	250 150,00 €	080 91,00 €	250 120,00 €	080 248,00 €
100 99,00 €	300 130,00 €	100 131,00 €	300 166,00 €	100 93,00 €	300 139,00 €	100 249,00 €
115 99,00 €	350 133,00 €	115 131,00 €	350 169,00 €	115 93,00 €	350 173,00 €	115 250,00 €
130 101,00 €	400 167,00 €	130 135,00 €	400 203,00 €	130 101,00 €	400 273,00 €	130 251,00 €
150 103,00 €	450 215,00 €	150 137,00 €	450 250,00 €	150 101,00 €	450 320,00 €	150 252,00 €
160 103,00 €	500 246,00 €	160 138,00 €	500 280,00 €	160 102,00 €	500 333,00 €	160 253,00 €
180 105,00 €	600 301,00 €	180 139,00 €	600 313,00 €	180 103,00 €	600 361,00 €	180 254,00 €
200 109,00 €		200 145,00 €		200 105,00 €		200 258,00 €
225 110,00 €		225 146,00 €		225 109,00 €		225 260,00 €
						250 262,00 €

Extension
30x30mm for
TW20 l=1000mm

Extension
30x30mm for
TW20 l=500mm

Wall bracket static,
50mm

Wall bracket static,
adjustable 50-
150mm

Wall bracket static,
adjustable 50-
250mm

Wall bracket static,
adjustable 50-
360mm

Adjustable wall
bracket Design Plus
50-150mm



DW86	DW85	DW45Ø		DW46Ø		DW47Ø		DW48Ø		DW386Ø	
81,00 €	59,00 €	225	122,00 €	225	218,00 €	225	221,00 €	225	259,00 €	080	84,00 €
		250	126,00 €	250	227,00 €	250	233,00 €	250	275,00 €	100	85,00 €
		300	140,00 €	300	230,00 €	300	251,00 €	300	277,00 €	115	86,00 €
		350	155,00 €	350	238,00 €	350	252,00 €	350	284,00 €	130	87,00 €
		400	183,00 €	400	256,00 €	400	269,00 €	400	306,00 €	150	90,00 €
		450	228,00 €	450	284,00 €	450	300,00 €	450	343,00 €	160	91,00 €
		500	248,00 €	500	310,00 €	500	324,00 €	500	354,00 €	180	92,00 €
		600	269,00 €	600	358,00 €	600	370,00 €	600	453,00 €	200	93,00 €
										225	98,00 €
										250	101,00 €

Adjustable wall
bracket Design Plus
50-250mm

Adjustable wall
bracket Design Plus
250-360mm

Wall part of DW20
adjustable for wall
bracket 250mm
and above, single-
braced

Wall part of DW20
adjustable for wall
bracket 250mm
and above, double-
braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
single-braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
double-braced

Wall part of DW23
for adjustable wall
bracket 50-250mm,
single-braced



DW387Ø		DW389Ø		DW20-1Ø		DW20-1Ø		DW22-1Ø		DW22-1Ø		DW23-1Ø	
080	94,00 €	080	130,00 €	080	57,00 €	250	62,00 €	080	51,00 €	250	53,00 €	080	51,00 €
100	98,00 €	100	131,00 €	100	57,00 €	300	72,00 €	100	51,00 €	300	61,00 €	100	51,00 €
115	99,00 €	115	132,00 €	115	57,00 €	350	87,00 €	115	51,00 €	350	63,00 €	115	51,00 €
130	101,00 €	130	135,00 €	130	57,00 €	400	138,00 €	130	51,00 €	400	72,00 €	130	51,00 €
150	102,00 €	150	137,00 €	150	57,00 €	450	162,00 €	150	51,00 €	450	87,00 €	150	51,00 €
160	103,00 €	160	138,00 €	160	57,00 €	500	169,00 €	160	51,00 €	500	99,00 €	160	51,00 €
180	105,00 €	180	139,00 €	180	57,00 €	600	226,00 €	180	51,00 €	600	131,00 €	180	51,00 €
200	109,00 €	200	145,00 €	200	57,00 €			200	51,00 €			200	51,00 €
225	111,00 €	225	146,00 €	225	57,00 €			225	51,00 €			225	51,00 €
250	114,00 €	250	150,00 €										



System DW-AL



Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced

Front part of the wall bracket incl. bands

Mat for sound decoupling suitable for DW21

Mat for sound decoupling suitable for DW22 and DW23, for Ø080-225mm



DW23-1Ø		DW24-1Ø		DW24-1Ø		DW332Ø		for Ø			ZUAC2243
250	53,00 €	080	57,00 €	250	62,00 €	080	67,00 €	080-115	ZUAC2242-1	54,00 €	62,00 €
300	61,00 €	100	57,00 €	300	72,00 €	100	68,00 €	130	ZUAC2242-2	59,00 €	
350	63,00 €	115	57,00 €	350	87,00 €	115	72,00 €	150-160	ZUAC2242-3	61,00 €	
400	72,00 €	130	57,00 €	400	138,00 €	130	74,00 €	180	ZUAC2242-4	62,00 €	
450	87,00 €	150	57,00 €	450	162,00 €	150	75,00 €	200-225	ZUAC2242-5	67,00 €	
500	99,00 €	160	57,00 €	500	169,00 €	160	76,00 €	250	ZUAC2242-6	68,00 €	
600	131,00 €	180	57,00 €	600	226,00 €	180	77,00 €	300-350	ZUAC2242-7	81,00 €	
		200	57,00 €			200	78,00 €	400-450	ZUAC2242-8	84,00 €	
		225	57,00 €			225	91,00 €	500	ZUAC2242-9	86,00 €	
						250	98,00 €	600	ZUAC2242-10	91,00 €	
						300	109,00 €				
						350	110,00 €				
						400	116,00 €				
						450	130,00 €				
						500	153,00 €				
						600	157,00 €				

Mat for sound decoupling suitable for DW24 and DW20, for Ø080-225mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW389, for Ø080-250mm

Mat for sound decoupling suitable for DW386 and DW387, for Ø080-250mm



ZUAC2244	for Ø		ZUAC2246	ZUAC2247	ZUAC2272	ZUAC2273
63,00 €	250	ZUAC2245-2 83,00 €	50,00 €	81,00 €	62,00 €	64,00 €
	300-350	ZUAC2245-3 85,00 €				
	400-450	ZUAC2245-4 127,00 €				
	500	ZUAC2245-5 129,00 €				
	600	ZUAC2245-6 130,00 €				

Elbow 15°

Elbow 30°

Elbow 42°

Elbow 45°

Elbow 87°

Elbow 90°

Elbow 87° with inspection door (up to 200°C/PI)



DWAL...16Ø		DWAL...17Ø		DWAL...2231Ø		DWAL...18Ø		DWAL...64Ø		DWAL...60Ø		DWAL...67Ø	
A 080	113,00 €	A 080	117,00 €	A 080	126,00 €	A 080	126,00 €	A 080	232,00 €	A 080	232,00 €	A 080	345,00 €
A 100	115,00 €	A 100	121,00 €	A 100	129,00 €	A 100	129,00 €	A 100	234,00 €	A 100	234,00 €	A 100	359,00 €
A 115	119,00 €	A 115	123,00 €	A 115	132,00 €	A 115	132,00 €	A 115	237,00 €	A 115	237,00 €	A 115	363,00 €
A 130	125,00 €	A 130	129,00 €	A 130	136,00 €	A 130	136,00 €	A 130	246,00 €	A 130	246,00 €	A 130	372,00 €
A 150	136,00 €	A 150	141,00 €	A 150	142,00 €	A 150	142,00 €	A 150	253,00 €	A 150	253,00 €	A 150	382,00 €
A 160	142,00 €	A 160	145,00 €	A 160	147,00 €	A 160	147,00 €	A 160	265,00 €	A 160	265,00 €	A 160	395,00 €
A 180	148,00 €	A 180	152,00 €	A 180	157,00 €	A 180	155,00 €	A 180	278,00 €	A 180	278,00 €	A 180	407,00 €
A 200	156,00 €	A 200	162,00 €	A 200	174,00 €	A 200	174,00 €	A 200	287,00 €	A 200	287,00 €	A 200	448,00 €
D 225	162,00 €	D 225	167,00 €	D 225	189,00 €	D 225	189,00 €	D 225	309,00 €	D 225	309,00 €	D 225	473,00 €
C 250	166,00 €	C 250	172,00 €	C 250	200,00 €	C 250	200,00 €	C 250	324,00 €	C 250	324,00 €	C 250	501,00 €
C 300	214,00 €	C 300	235,00 €	C 300	269,00 €	C 300	269,00 €	C 300	395,00 €	C 300	395,00 €	C 300	637,00 €
C 350	264,00 €	C 350	287,00 €	C 350	318,00 €	C 350	318,00 €	C 350	484,00 €	C 350	484,00 €	C 350	749,00 €
C 400	345,00 €	C 400	372,00 €	C 400	392,00 €	C 400	392,00 €	C 400	521,00 €	C 400	521,00 €	C 400	848,00 €
F 450	395,00 €	F 450	431,00 €	F 450	483,00 €	F 450	483,00 €	F 450	555,00 €	F 450	555,00 €	F 450	876,00 €
F 500	486,00 €	F 500	530,00 €	F 500	568,00 €	F 500	568,00 €	F 500	738,00 €	F 500	738,00 €	F 500	1.014,00 €
F 600	563,00 €	F 600	612,00 €	F 600	661,00 €	F 600	661,00 €	F 600	981,00 €	F 600	981,00 €	F 600	1.280,00 €

Elbow 90° with inspection door (up to 200°C/PI)

End cap (up to 200°C/PI)

Storm collar

Storm collar „Special“

Storm collar „Special“ with rear ventilation

Storm collar with edge

Storm collar with edge and spacers for rear ventilation



DWAL...19Ø		DWAL32Ø		DW31Ø		DW80Ø		DW80HLØ		DW307Ø		DW2856Ø	
A 080	345,00 €	080	81,00 €	080	22,00 €	080	120,00 €	080	124,00 €	080	35,00 €	080	40,00 €
A 100	359,00 €	100	85,00 €	100	24,00 €	100	132,00 €	100	137,00 €	100	38,00 €	100	44,00 €
A 115	363,00 €	115	87,00 €	115	26,00 €	115	135,00 €	115	139,00 €	115	39,00 €	115	45,00 €
A 130	372,00 €	130	92,00 €	130	27,00 €	130	140,00 €	130	146,00 €	130	40,00 €	130	46,00 €
A 150	382,00 €	150	103,00 €	150	29,00 €	150	151,00 €	150	155,00 €	150	42,00 €	150	47,00 €
A 160	395,00 €	160	105,00 €	160	31,00 €	160	155,00 €	160	158,00 €	160	43,00 €	160	50,00 €
A 180	407,00 €	180	106,00 €	180	32,00 €	180	159,00 €	180	166,00 €	180	45,00 €	180	52,00 €
A 200	448,00 €	200	110,00 €	200	35,00 €	200	171,00 €	200	176,00 €	200	47,00 €	200	53,00 €
D 225	473,00 €	225	116,00 €	225	36,00 €	225	177,00 €	225	182,00 €	225	47,00 €	250	57,00 €
C 250	501,00 €	250	130,00 €	250	37,00 €	250	183,00 €	250	193,00 €	250	51,00 €	300	74,00 €
C 300	637,00 €	300	155,00 €	300	43,00 €	300	226,00 €	300	232,00 €	300	67,00 €	350	90,00 €
C 350	749,00 €	350	181,00 €	350	53,00 €	350	254,00 €	350	262,00 €	350	83,00 €	400	116,00 €
C 400	848,00 €	400	215,00 €	400	70,00 €	400	308,00 €	400	316,00 €	400	110,00 €	450	124,00 €
F 450	876,00 €	450	270,00 €	450	75,00 €	450	354,00 €	450	365,00 €	450	116,00 €	500	135,00 €
F 500	1.014,00 €	500	332,00 €	500	81,00 €	500	389,00 €	500	402,00 €	500	130,00 €	600	204,00 €
F 600	1.280,00 €	600	500,00 €	600	126,00 €	600	431,00 €	600	443,00 €	600	198,00 €		

Flashing kit 5-15°
with storm collar

Flashing kit 16-25°
with storm collar


Flashing kit 26-35°
with storm collar

Flashing kit 36-45°
with storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar

Flashing kit 5-15°
lead base with
storm collar



DW81Ø		DW82Ø		DW39Ø		DW83Ø		DW52Ø		DW52ØZYØ		DW53Ø	
080	155,00 €	080	179,00 €	080	205,00 €	080	228,00 €	080	111,00 €	080	111,00 €	080	197,00 €
100	194,00 €	100	213,00 €	100	232,00 €	100	254,00 €	100	115,00 €	100	115,00 €	100	212,00 €
115	196,00 €	115	218,00 €	115	242,00 €	115	259,00 €	115	116,00 €	115	116,00 €	115	217,00 €
130	200,00 €	130	221,00 €	130	248,00 €	130	272,00 €	130	118,00 €	130	118,00 €	130	224,00 €
150	220,00 €	150	244,00 €	150	265,00 €	150	290,00 €	150	124,00 €	150	124,00 €	150	244,00 €
160	229,00 €	160	252,00 €	160	274,00 €	160	298,00 €	160	130,00 €	160	130,00 €	160	251,00 €
180	246,00 €	180	262,00 €	180	285,00 €	180	308,00 €	180	138,00 €	180	138,00 €	180	260,00 €
200	285,00 €	200	295,00 €	200	306,00 €	200	315,00 €	200	170,00 €	200	170,00 €	200	268,00 €
225	312,00 €	225	316,00 €	225	324,00 €	225	333,00 €	225	179,00 €	225	179,00 €	225	295,00 €
250	329,00 €	250	336,00 €	250	341,00 €	250	352,00 €	250	193,00 €	250	193,00 €	250	301,00 €
300	354,00 €	300	363,00 €	300	372,00 €	300	383,00 €	300	235,00 €	300	235,00 €	300	310,00 €
350	448,00 €	350	468,00 €	350	491,00 €	350	511,00 €	350	298,00 €	350	298,00 €	350	322,00 €
400	802,00 €	400	816,00 €	400	828,00 €	400	843,00 €	400	380,00 €	400	380,00 €	400	341,00 €
450	891,00 €	450	903,00 €	450	916,00 €	450	932,00 €	450	438,00 €	450	438,00 €	450	368,00 €
500	1.008,00 €	500	1.059,00 €	500	1.108,00 €	500	1.159,00 €	500	510,00 €	500	510,00 €	500	431,00 €
600	1.152,00 €	600	1.180,00 €	600	1.208,00 €	600	1.238,00 €	600	615,00 €	600	615,00 €	600	491,00 €

Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar


Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar




DW59Ø		DW38Ø		DW54Ø		DW2556-1Ø		DW2556-2Ø		DW2556-3Ø		DW2558-1Ø	
080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €
100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €
115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €
130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €
150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €
160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €
180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €
200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €
225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €
250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €
300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €
350	322,00 €	350	322,00 €	350	322,00 €								
400	341,00 €	400	341,00 €	400	341,00 €								
450	368,00 €	450	368,00 €	450	368,00 €								
500	431,00 €	500	431,00 €	500	431,00 €								
600	491,00 €	600	491,00 €	600	491,00 €								

• *1 For wall/ceiling panels, please state the number in °.

Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar




Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar




NEW


Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar



Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




NEW

Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar




Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



DW2558-2Ø		DW2558-3Ø		DW2557-1Ø		DW2557-2Ø		DW2557-3Ø		DW2551-1Ø		DW2551-2Ø	
080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €
100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €
115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €	115	217,00 €
130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €
150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €
160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €	160	251,00 €
180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €
200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €
225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €
250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €
300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €


DW-AL

Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



NEW

Flashing kit (Silicone)
incl. screws and sealing
compound, for metal
roof, outer Ø 150-
300mm (up to 400°C)



€ NET

Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre ce-
ment corrugated roof,
outer Ø 150-300mm
(up to 400°C)



€ NET

Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece



Ceiling plate 0°,
two-piece



*1

Ceiling plate 1-65°
two-piece



*1

DW2551-3Ø		ZUAC2700		ZUAC2701		DW70Ø		DW71Ø		DW74Ø		DW75Ø	
080	197,00 €	259,00 €		259,00 €		080	66,00 €	080	72,00 €	080	72,00 €	080	79,00 €
100	212,00 €					100	72,00 €	100	77,00 €	100	78,00 €	100	87,00 €
115	217,00 €					115	74,00 €	115	78,00 €	115	81,00 €	115	91,00 €
130	224,00 €					130	75,00 €	130	81,00 €	130	85,00 €	130	93,00 €
150	244,00 €					150	77,00 €	150	85,00 €	150	99,00 €	150	109,00 €
160	251,00 €					160	78,00 €	160	86,00 €	160	100,00 €	160	110,00 €
180	260,00 €					180	81,00 €	180	87,00 €	180	101,00 €	180	111,00 €
200	268,00 €					200	85,00 €	200	93,00 €	200	114,00 €	200	126,00 €
225	295,00 €					225	98,00 €	225	106,00 €	225	116,00 €	225	129,00 €
250	301,00 €					250	107,00 €	250	116,00 €	250	120,00 €	250	131,00 €
300	310,00 €					300	124,00 €	300	137,00 €	300	133,00 €	300	149,00 €
						350	150,00 €	350	165,00 €	350	158,00 €	350	174,00 €
						400	156,00 €	400	172,00 €	400	166,00 €	400	183,00 €
						450	167,00 €	450	185,00 €	450	181,00 €	450	202,00 €
						500	179,00 €	500	200,00 €	500	202,00 €	500	222,00 €
						600	203,00 €	600	225,00 €	600	212,00 €	600	232,00 €



System DW-AL



Ventilated ceiling plate, 0°, one-piece

Ventilated ceiling plate, 1-65°, one-piece

Ventilated split ceiling plate 0°, two-piece

Ventilated split ceiling plate 1-65°, two-piece

Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece



*1



*1



DW70HLØ		DW71HLØ		DW74HLØ		DW75HLØ		DW99VØ		DW98VØ		DW99VHLØ	
080	103,00 €	080	110,00 €	080	110,00 €	080	118,00 €	080	58,00 €	080	72,00 €	080	94,00 €
100	110,00 €	100	116,00 €	100	116,00 €	100	126,00 €	100	66,00 €	100	77,00 €	100	103,00 €
115	111,00 €	115	118,00 €	115	120,00 €	115	127,00 €	115	67,00 €	115	78,00 €	115	105,00 €
130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	69,00 €	130	81,00 €	130	107,00 €
150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	72,00 €	150	85,00 €	150	110,00 €
160	118,00 €	160	125,00 €	160	137,00 €	160	149,00 €	160	74,00 €	160	86,00 €	160	111,00 €
180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	75,00 €	180	87,00 €	180	113,00 €
200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	81,00 €	200	93,00 €	200	120,00 €
225	132,00 €	225	145,00 €	225	154,00 €	225	166,00 €	225	92,00 €	225	106,00 €	225	130,00 €
250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	105,00 €	250	116,00 €	250	142,00 €
300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	124,00 €	300	137,00 €	300	162,00 €
350	185,00 €	350	202,00 €	350	198,00 €	350	215,00 €	350	153,00 €	350	165,00 €	350	191,00 €
400	195,00 €	400	212,00 €	400	204,00 €	400	222,00 €	400	159,00 €	400	172,00 €	400	198,00 €
450	205,00 €	450	224,00 €	450	221,00 €	450	242,00 €	450	172,00 €	450	185,00 €	450	210,00 €
500	218,00 €	500	235,00 €	500	242,00 €	500	260,00 €	500	185,00 €	500	200,00 €	500	224,00 €
600	243,00 €	600	262,00 €	600	250,00 €	600	270,00 €	600	213,00 €	600	225,00 €	600	251,00 €

Ventilated split ceiling plate 31-45°, two-piece

Adaptor EW / DW-AL

Adaptor EW-ALBI male/DW-AL

Adaptor DW-AL/ EW-ALBI with female socket

Isotherm tape 40mm, price per metre

Closing cap plastic for drain 1/2" (up to 200°C)

Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



DW98VHLØ		DWAL...37Ø		DWAL...37MØ		DWAL...37AMØ		750ISO40	750ADK1/2	750FITTINGÜ-22 1/2
080	110,00 €	A 080	74,00 €	A 080	103,00 €	A 080	82,00 €	5,00 €	5,00 €	94,00 €
100	115,00 €	A 100	76,00 €	A 100	106,00 €	A 100	84,00 €			
115	116,00 €	A 115	80,00 €	A 115	109,00 €	A 115	86,00 €			
130	120,00 €	A 130	84,00 €	A 130	116,00 €	A 130	90,00 €			
150	124,00 €	A 150	85,00 €	A 150	118,00 €	A 150	92,00 €			
160	125,00 €	A 160	88,00 €	A 160	121,00 €	A 160	94,00 €			
180	126,00 €	A 180	90,00 €	A 180	124,00 €	A 180	96,00 €			
200	131,00 €	A 200	94,00 €	A 200	131,00 €	A 200	100,00 €			
225	145,00 €	D 225	99,00 €	D 225	136,00 €	D 225	104,00 €			
250	155,00 €	C 250	103,00 €	C 250	142,00 €	C 250	108,00 €			
300	174,00 €	C 300	109,00 €	C 300	149,00 €	C 300	114,00 €			
350	202,00 €	C 350	118,00 €	C 350	161,00 €	C 350	124,00 €			
400	210,00 €	C 400	141,00 €	C 400	185,00 €	C 400	146,00 €			
450	224,00 €	F 450	164,00 €	F 450	213,00 €	F 450	169,00 €			
500	238,00 €	F 500	177,00 €	F 500	231,00 €	F 500	184,00 €			
600	262,00 €	F 600	231,00 €	F 600	295,00 €	F 600	237,00 €			

- *1 For wall/ceiling panels, please state the number in °.

Fitting 1/2" to plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904



Rgr.
EW

Siphon to the centric P1/M1



Rgr.
EW

Siphon to the right P1/M1



Rgr.
EW

Siphon to the left P1/M1



Rgr.
EW

Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1



Rgr.
EW

Adjustable rafter bracket 500-900mm



Light rafter bracket



750FITTINGV-22	ZUAC2300	ZUAC2301	ZUAC2302	ZUAC2303	DW55Ø	DW55LØ
47,00 €	66,00 €	66,00 €	66,00 €	66,00 €	080 158,00 € 100 165,00 € 115 166,00 € 130 169,00 € 150 172,00 € 160 194,00 € 180 200,00 € 200 217,00 € 225 246,00 € 250 251,00 € 300 256,00 € 350 329,00 € 400 354,00 € 450 397,00 € 500 440,00 € 600 528,00 €	080 84,00 € 100 85,00 € 115 86,00 € 130 87,00 € 150 90,00 € 160 91,00 € 180 109,00 € 200 111,00 € 225 113,00 € 250 116,00 € 300 118,00 € 350 122,00 € 400 133,00 €

Support 800-1200mm



Support with joint 800-1200mm, single-braced



Support with joint 800-1200mm, double-braced



Inspection length with door for horizontal use (up to 200°C/P1)



Adjustable length for connection line 320-460mm (up to 200°C/P1)



Gasket silicone up to 200°C



Rgr.
EW

Gasket EPDM 120°C



Rgr.
EW

DW40Ø	DW40MGØ	DW40MGØ	DWAL...294Ø	DWAL...50Ø	ALBI26Ø	ALBI367Ø
080 105,00 € 100 106,00 € 115 107,00 € 130 109,00 € 150 110,00 € 160 111,00 € 180 113,00 € 200 114,00 € 225 115,00 € 250 116,00 € 300 132,00 € 350 138,00 € 400 142,00 € 450 154,00 € 500 172,00 € 600 179,00 €	080 219,00 € 100 220,00 € 115 221,00 € 130 222,00 € 150 224,00 € 160 225,00 € 180 226,00 € 200 228,00 € 225 229,00 €	250 230,00 € 300 249,00 € 350 253,00 € 400 256,00 € 450 269,00 € 500 288,00 € 600 295,00 €	A 080 273,00 € A 100 275,00 € A 115 277,00 € A 130 300,00 € A 150 319,00 € A 160 334,00 € A 180 344,00 € A 200 356,00 € D 225 373,00 € C 250 402,00 € C 300 449,00 € C 350 495,00 € C 400 539,00 € F 450 615,00 € F 500 687,00 € F 600 775,00 €	A 080 206,00 € A 100 208,00 € A 115 211,00 € A 130 232,00 € A 150 265,00 € A 160 284,00 € A 180 303,00 € A 200 356,00 € D 225 411,00 € C 250 462,00 € C 300 629,00 € C 350 781,00 €	080 21,00 € 100 22,00 € 115 23,00 € 130 26,00 € 150 26,00 € 160 27,00 € 180 28,00 € 200 31,00 € 225 32,00 € 250 34,00 € 300 35,00 € 350 37,00 € 400 39,00 € 450 44,00 € 500 47,00 € 600 58,00 €	080 21,00 € 100 22,00 € 115 23,00 € 130 26,00 € 150 26,00 € 160 27,00 € 180 28,00 € 200 31,00 € 250 34,00 € 300 35,00 € 350 37,00 € 400 39,00 €



System DW-AL



3-point guy wire bracket

Mounting set for 3-point guy wire bracket (galvanised)

Anchor cable (galvanised)

Ceiling suspension for M8 threaded rods

Threaded rod M8, stainless steel l=1000mm

Ceiling suspension for perforated sheet metal

2-piece wall bracket for M10 threaded rod



Rgr. KEEW



Rgr. KEEW



Rgr. EW



Rgr. EW

DW42Ø		KEEW237		KEEW242		DW61Ø		VL314		DW62Ø		614-ZUWA1379Ø	
080	39,00 €	58,00 €		14,00 €		080	62,00 €	20,00 €		080	58,00 €	145	48,00 €
100	40,00 €					100	67,00 €			100	62,00 €	165	51,00 €
115	40,00 €					115	68,00 €			115	63,00 €	180	62,00 €
130	42,00 €					130	69,00 €			130	64,00 €	195	68,00 €
150	42,00 €					150	70,00 €			150	66,00 €	215	75,00 €
160	42,00 €					160	72,00 €			160	67,00 €	225	81,00 €
180	43,00 €					180	74,00 €			180	68,00 €	245	87,00 €
200	44,00 €					200	75,00 €			200	69,00 €	265	93,00 €
225	45,00 €					225	76,00 €			225	70,00 €	290	96,00 €
250	46,00 €					250	77,00 €			250	72,00 €	315	106,00 €
300	61,00 €					300	84,00 €			300	81,00 €	365	113,00 €
350	72,00 €					350	98,00 €			350	90,00 €	415	130,00 €
400	75,00 €					400	110,00 €			400	102,00 €	465	141,00 €
450	78,00 €					450	130,00 €			450	115,00 €	515	155,00 €
500	86,00 €					500	165,00 €			500	140,00 €	565	171,00 €
600	100,00 €					600	202,00 €			600	181,00 €	615	193,00 €
												665	198,00 €

Threaded rod M10, stainless steel l=1000mm

Lightning protection clamp

Length 250mm with test point, 1/2" female socket and screw

Drain length 250mm for horizontal and vertical installation, 1/2" threaded nipple

Locking band (spare part)

Folding clamp for 2-point guy wire bracket

Roof hook for mounting guy wire brackets, 2 pieces



Rgr. EW



€ NET



€ NET

VL316		DW69Ø		DWAL...51Ø		DWAL...1494Ø		DW41Ø		ZUDA1069		ZUDA1070	
22,00 €		080	39,00 €	A 080	137,00 €	A 080	231,00 €	080	20,00 €	35,00 €		34,00 €	
		100	40,00 €	A 100	140,00 €	A 100	242,00 €	100	21,00 €				
		115	42,00 €	A 115	143,00 €	A 115	250,00 €	115	22,00 €				
		130	43,00 €	A 130	155,00 €	A 130	270,00 €	130	23,00 €				
		150	44,00 €	A 150	158,00 €	A 150	280,00 €	150	26,00 €				
		160	45,00 €	A 160	166,00 €	A 160	292,00 €	160	27,00 €				
		180	46,00 €	A 180	179,00 €	A 180	313,00 €	180	28,00 €				
		200	47,00 €	A 200	189,00 €	A 200	333,00 €	200	31,00 €				
		225	51,00 €	D 225	211,00 €	D 225	365,00 €	225	32,00 €				
		250	52,00 €	C 250	234,00 €	C 250	395,00 €	250	34,00 €				
		300	61,00 €	C 300	287,00 €	C 300	471,00 €	300	35,00 €				
		350	72,00 €	C 350	345,00 €	C 350	549,00 €	350	36,00 €				
		400	75,00 €	C 400	458,00 €	C 400	682,00 €	400	37,00 €				
		450	78,00 €	F 450	504,00 €	F 450	750,00 €	450	38,00 €				
		500	86,00 €	F 500	519,00 €	F 500	782,00 €	500	39,00 €				
		600	100,00 €	F 600	596,00 €	F 600	903,00 €	600	43,00 €				

- ^{*1} When ordering, please specify the system diameter and distance from the wall!

2-point guy wire bracket



§ 19
Bimschulz

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
Bimschulz

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



§ 19
Bimschulz

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19
Bimschulz

Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



§ 19
Bimschulz

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)



§ 19
Bimschulz

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)



§ 19
Bimschulz

DW1057Ø	ZUDA904-2000	ZUDA1678-2000	ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000	ZUDA1678-4000
080 39,00 €	198,00 €	313,00 €	227,00 €	358,00 €	313,00 €	487,00 €
100 40,00 €						
115 40,00 €						
130 42,00 €						
150 42,00 €						
160 42,00 €						
180 43,00 €						
200 44,00 €						
225 44,00 €						
250 45,00 €						
300 61,00 €						
350 72,00 €						
400 75,00 €						

Stainless steel cantilever with sliding static wall bracket

^{*1}

§ 19
Bimschulz



ZUTE1334Ø	
080 774,00 €	
100 776,00 €	
115 778,00 €	
130 781,00 €	
150 784,00 €	



System DW-SILVER

DESCRIPTION

DW-SILVER is suitable for connecting fireplaces for gas, EL heating oil, wood pellets, wood chips and logs for both dry and wet operation

MATERIAL

Inside: 1.4539 (904L) only for components in contact with flue gas

Outside: 1.4301 (304)

Others on request

Also available as DW-KL-SILVER on request

FINISHING

Highly polished

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

80 - 300 mm

Others on request up to 1200 mm

INSULATION

Mineral insulation 32.5 mm thick, 50 mm insulation available subject to a surcharge (+ 25%)

CONNECTION

Socket / bead with locking band

LOCKING BAND


Included. For a setup without a T-connection, an extra locking band must be ordered for the chimney top.

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: 301-DW03080).

Please refer to the respective code for deviations.



0,6 mm



32,5 mm



DW



25

CHARACTERISTICS

- Resistant to soot fire or moisture
- Particularly suitable for discharging flue gases from the combustion of pellets or wood chips in condensing operation
- Versatile exhaust system
- High flexibility, perfect also for difficult installation situations

APPLICATION AREAS

- Standard heating applications for oil and gas
- Natural wood pellets, chips and logs made from natural wood

CERTIFICATE NUMBER

Z - 7.1 - 3375

CE-CLASSIFICATIONS ACC. TO DIN 18160-1

T600 - N1 - W2¹⁾ - G50 - L00

¹⁾ for wood pellets made from natural wood
for wood chips made from natural wood
for natural firewood
for gas and fuel oil EL

CONNECTING PIPE

CERTIFICATE NUMBER

Z - 7.1 - 3375

T600 - N1 - W2 - G100M

- *1 From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm




DW01Ø		DW02Ø		DW49Ø		DW391	DW392	DW393	DW407
080	77,00 €	080	102,00 €	080	133,00 €	122,00 €	137,00 €	167,00 €	274,00 €
100	78,00 €	100	103,00 €	100	137,00 €				
115	79,00 €	115	105,00 €	115	145,00 €				
130	81,00 €	130	116,00 €	130	153,00 €				
150	86,00 €	150	145,00 €	150	191,00 €				
160	109,00 €	160	156,00 €	160	205,00 €				
180	116,00 €	180	171,00 €	180	225,00 €				
200	182,00 €	200	288,00 €	200	460,00 €				
225	206,00 €	225	295,00 €	225	479,00 €				
250	245,00 €	250	300,00 €	250	491,00 €				
300	272,00 €	300	316,00 €	300	551,00 €				

DW-SILVER

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-SILVER SYSTEM

Total length of the wall support 350 mm Total length of the wall support 500 mm Total length of the wall support 750 mm Total length of the wall support 1030 mm Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 65 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
080	190	080	340	080	590	080	870
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
160	125	160	275	160	525	160	805
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
225	45	225	195	225	445	225	725
		250	170	250	420	250	700
		300	120	300	370	300	650





System DW-SILVER



Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces


Water deflectors
for wall support, 2
pieces

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 250-1190mm
with side drain and
1/2" threaded nipple

Transparent PVC-
pipe Ø 26mm,
l=500mm to extend
the condensate
drain

Base plate with
condensate drain at
the bottom and 1/2"
nipple



€
NET



€
NET



€
NET



Rgr.
ZUAC



ZUTE1425	ZUTE1426	ZUTE1427	301-DW03Ø		301-DW04Ø		ZUAC2253	301-DW05Ø	
12,00 €	12,00 €	12,00 €	080	306,00 €	080	429,00 €	26,00 €	080	121,00 €
			100	318,00 €	100	432,00 €		100	128,00 €
			115	323,00 €	115	433,00 €		115	129,00 €
			130	325,00 €	130	441,00 €		130	137,00 €
			150	331,00 €	150	442,00 €		150	142,00 €
			160	354,00 €	160	453,00 €		160	150,00 €
			180	375,00 €	180	470,00 €		180	166,00 €
			200	401,00 €	200	479,00 €		200	172,00 €
			225	403,00 €	225	480,00 €		225	180,00 €
			250	406,00 €	250	481,00 €		250	189,00 €
			300	613,00 €	300	649,00 €		300	203,00 €

Base plate with
condensate side
drain and 1/2"
nipple

Base plate for
mounting on a bracket with side drain
and 1/2 " threaded
nipple

Base plate for inter-
mediate support

Base plate for
chimney raise
with round insert
l=220mm, max.
height from base
plate 1,5m

Base plate for
chimney raise
with round insert
l=220mm, max.
height from base
plate 2,0m

Base plate for
chimney raise
with round insert
l=220mm, max.
height from base
plate 3,0m

Inspection length
(up to 600°C/
N1) suitable for
DW08-3



*1



\$19
Bmschv



*1



\$19
Bmschv

301-DW06Ø	301-DW66Ø	301-DW07Ø	301-DW08Ø	301-DW08-2Ø	301-DW08-3Ø	301-DW10-3Ø
080 149,00 €	080 150,00 €	080 130,00 €	080 134,00 €	080 337,00 €	080 350,00 €	080 441,00 €
100 151,00 €	100 151,00 €	100 134,00 €	100 137,00 €	100 344,00 €	100 358,00 €	100 470,00 €
115 154,00 €	115 162,00 €	115 138,00 €	115 140,00 €	115 362,00 €	115 377,00 €	115 491,00 €
130 172,00 €	130 169,00 €	130 154,00 €	130 156,00 €	130 389,00 €	130 403,00 €	130 545,00 €
150 197,00 €	150 192,00 €	150 173,00 €	150 179,00 €	150 433,00 €	150 450,00 €	150 576,00 €
160 215,00 €	160 207,00 €	160 190,00 €	160 194,00 €	160 466,00 €	160 484,00 €	160 627,00 €
180 227,00 €	180 223,00 €	180 202,00 €	180 206,00 €	180 498,00 €	180 520,00 €	180 669,00 €
200 238,00 €	200 233,00 €	200 207,00 €	200 216,00 €	200 563,00 €	200 585,00 €	200 708,00 €
225 273,00 €	225 264,00 €	225 236,00 €	225 251,00 €	225 635,00 €	225 660,00 €	225 748,00 €
250 302,00 €	250 293,00 €	250 268,00 €	250 276,00 €	250 687,00 €	250 717,00 €	250 791,00 €
300 336,00 €	300 325,00 €	300 289,00 €	300 299,00 €	300 760,00 €	300 790,00 €	300 903,00 €

- ^{*1} Also available with a square insert on request
- ^{*2} For the weight of the draught controller of approx. 28 kg, a separate anchorage has to be provided!
- ^{*3} Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.

Inspection length
(up to 600°C/N1)

Inspection element
93° (up to 600°C/N1)
with round opening,
including clamping
band and sealing
cover

Draught limiter for
external use, suitable
for DW10

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping

Draught limiter
universal Ø 250mm
with pressure relief
valve and damping
(stainless steel)

Draught regulator
connecting piece
for ZUK250 (SG/E)

T-87° with drip
nose



NEW



€ NET



€ NET



€ NET



301-DW10Ø	301-DW3055Ø	ZUK130DW	ZUK250SG	ZUK250SG-E	301-DW1756Ø	301-DW11Ø
080 420,00 €	350 812,00 €	344,00 €	2.025,00 €	2.420,00 €	250 1.208,00 €	080 310,00 €
100 423,00 €	400 1.247,00 €				300 1.343,00 €	100 311,00 €
115 437,00 €	450 1.356,00 €					115 318,00 €
130 444,00 €	500 1.875,00 €					130 325,00 €
150 470,00 €	600 1.945,00 €					150 379,00 €
160 478,00 €						160 392,00 €
180 492,00 €						180 411,00 €
200 513,00 €						200 509,00 €
225 532,00 €						225 571,00 €
250 554,00 €						250 643,00 €
300 589,00 €						300 773,00 €

T-45° with drip
nose

Length 1000mm

Length 500mm

Length 250mm

Length 2000mm
with static locking
band

Length 1000mm
incl. static locking
band

Length 500mm incl.
static locking band



§ 19
(BIMBAV)



§ 19
(BIMBAV)



§ 19
(BIMBAV)

301-DW12Ø	301-DW13Ø	301-DW14Ø	301-DW15Ø	301-DW339Ø	301-DW3013-2Ø	301-DW3014-2Ø
080 466,00 €	080 254,00 €	080 138,00 €	080 105,00 €	130 818,00 €	080 323,00 €	080 207,00 €
100 468,00 €	100 255,00 €	100 140,00 €	100 108,00 €	150 908,00 €	100 332,00 €	100 215,00 €
115 470,00 €	115 257,00 €	115 149,00 €	115 111,00 €	160 971,00 €	115 338,00 €	115 230,00 €
130 504,00 €	130 270,00 €	130 155,00 €	130 113,00 €	180 1.035,00 €	130 353,00 €	130 237,00 €
150 539,00 €	150 309,00 €	150 174,00 €	150 126,00 €	200 1.151,00 €	150 395,00 €	150 260,00 €
160 558,00 €	160 333,00 €	160 188,00 €	160 131,00 €		160 423,00 €	160 278,00 €
180 582,00 €	180 350,00 €	180 206,00 €	180 138,00 €		180 453,00 €	180 308,00 €
200 762,00 €	200 390,00 €	200 218,00 €	200 164,00 €		200 506,00 €	200 332,00 €
225 853,00 €	225 461,00 €	225 248,00 €	225 185,00 €			
250 944,00 €	250 521,00 €	250 275,00 €	250 206,00 €			
300 1.077,00 €	300 635,00 €	300 363,00 €	300 278,00 €			



System DW-SILVER



Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Length 1000mm
with adjustable wall
sleeve for FERRO

Length 1000mm
double female incl.
2 clamping bands

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Wall bracket adjus-
table 50-150mm,
double-braced

Wall bracket adjus-
table 50-250mm,
single-braced



301-DW261Ø		301-DW262Ø		301-DW2909Ø		DW21Ø		DW22Ø		DW22Ø		DW23Ø	
080	203,00 €	080	316,00 €	080	269,00 €	080	51,00 €	080	84,00 €	250	101,00 €	080	98,00 €
100	205,00 €	100	318,00 €	100	270,00 €	100	52,00 €	100	85,00 €	300	116,00 €	100	99,00 €
115	206,00 €	115	319,00 €	115	272,00 €	115	54,00 €	115	85,00 €			115	99,00 €
130	218,00 €	130	341,00 €	130	284,00 €	130	57,00 €	130	86,00 €			130	101,00 €
150	237,00 €	150	379,00 €	150	327,00 €	150	58,00 €	150	87,00 €			150	103,00 €
160	253,00 €	160	401,00 €	160	351,00 €	160	59,00 €	160	87,00 €			160	103,00 €
180	266,00 €	180	433,00 €	180	368,00 €	180	61,00 €	180	90,00 €			180	105,00 €
200	284,00 €	200	459,00 €	200	411,00 €	200	62,00 €	200	93,00 €			200	109,00 €
225	311,00 €	225	514,00 €	225	483,00 €	225	63,00 €	225	98,00 €			225	110,00 €
250	340,00 €	250	567,00 €	250	548,00 €	250	67,00 €						
300	419,00 €	300	682,00 €	300	665,00 €	300	78,00 €						

Wall bracket adjus-
table 50-250mm,
double-braced

Wall bracket adjus-
table 250-360mm,
single-braced

Adjustable wall bra-
cket 250-360mm,
double-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, single-bra-
ced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm, double-
braced

Adjustable wall
bracket with joint,
140-300mm

Extension
30x30mm for
TW20 l=1000mm



DW23Ø		DW24Ø		DW24Ø		DW20Ø		DW20Ø		DW24MGØ		DW86	
250	114,00 €	080	131,00 €	250	150,00 €	080	91,00 €	250	120,00 €	080	248,00 €		81,00 €
300	130,00 €	100	131,00 €	300	166,00 €	100	93,00 €	300	139,00 €	100	249,00 €		
		115	131,00 €			115	93,00 €			115	250,00 €		
		130	135,00 €			130	101,00 €			130	251,00 €		
		150	137,00 €			150	101,00 €			150	252,00 €		
		160	138,00 €			160	102,00 €			160	253,00 €		
		180	139,00 €			180	103,00 €			180	254,00 €		
		200	145,00 €			200	105,00 €			200	258,00 €		
		225	146,00 €			225	109,00 €			225	260,00 €		
										250	262,00 €		

Extension
30x30mm for
TW20 l=500mm

Wall bracket static,
50mm

Wall bracket static,
adjustable 50-
150mm

Wall bracket static,
adjustable 50-
250mm

Wall bracket static,
adjustable 50-
360mm

Adjustable wall
bracket Design Plus
50-150mm

Adjustable wall
bracket Design Plus
50-250mm



§ 19
BIM-SCHNITT



§ 19
BIM-SCHNITT



§ 19
BIM-SCHNITT



DW85	DW45Ø	DW46Ø	DW47Ø	DW48Ø	DW386Ø	DW387Ø
59,00 €	225 122,00 € 250 126,00 € 300 140,00 €	225 218,00 € 250 227,00 € 300 230,00 €	225 221,00 € 250 233,00 € 300 251,00 €	225 259,00 € 250 275,00 € 300 277,00 €	080 84,00 € 100 85,00 € 115 86,00 € 130 87,00 € 150 90,00 € 160 91,00 € 180 92,00 € 200 93,00 € 225 98,00 € 250 101,00 €	080 94,00 € 100 98,00 € 115 99,00 € 130 101,00 € 150 102,00 € 160 103,00 € 180 105,00 € 200 109,00 € 225 111,00 € 250 114,00 €

DW-SILVER

Adjustable wall
bracket Design Plus
250-360mm

Wall part of DW20
adjustable for wall
bracket 250mm
and above, single-
braced

Wall part of DW20
adjustable for wall
bracket 250mm
and above, double-
braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
single-braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
double-braced

Wall part of DW23
for adjustable wall
bracket 50-250mm,
single-braced

Wall part of DW22
for adjustable wall
bracket 50-150mm,
double-braced



DW389Ø	DW20-1Ø	DW20-1Ø	DW22-1Ø	DW22-1Ø	DW23-1Ø	DW23-1Ø
080 130,00 € 100 131,00 € 115 132,00 € 130 135,00 € 150 137,00 € 160 138,00 € 180 139,00 € 200 145,00 € 225 146,00 € 250 150,00 €	080 57,00 € 100 57,00 € 115 57,00 € 130 57,00 € 150 57,00 € 160 57,00 € 180 57,00 € 200 57,00 € 225 57,00 €	250 62,00 € 300 72,00 €	080 51,00 € 100 51,00 € 115 51,00 € 130 51,00 € 150 51,00 € 160 51,00 € 180 51,00 € 200 51,00 € 225 51,00 €	250 53,00 € 300 61,00 €	080 51,00 € 100 51,00 € 115 51,00 € 130 51,00 € 150 51,00 € 160 51,00 € 180 51,00 € 200 51,00 € 225 51,00 €	250 53,00 € 300 61,00 €



System DW-SILVER



Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced

Front part of the wall bracket incl. bands

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°



DW24-1Ø		DW24-1Ø		DW332Ø		301-DW16Ø		301-DW17Ø		301-DW18Ø		301-DW64Ø	
080	57,00 €	250	62,00 €	080	67,00 €	080	120,00 €	080	128,00 €	080	138,00 €	080	276,00 €
100	57,00 €	300	72,00 €	100	68,00 €	100	121,00 €	100	130,00 €	100	140,00 €	100	277,00 €
115	57,00 €			115	72,00 €	115	128,00 €	115	132,00 €	115	142,00 €	115	280,00 €
130	57,00 €			130	74,00 €	130	130,00 €	130	137,00 €	130	143,00 €	130	288,00 €
150	57,00 €			150	75,00 €	150	143,00 €	150	150,00 €	150	151,00 €	150	296,00 €
160	57,00 €			160	76,00 €	160	150,00 €	160	156,00 €	160	159,00 €	160	311,00 €
180	57,00 €			180	77,00 €	180	159,00 €	180	163,00 €	180	168,00 €	180	325,00 €
200	57,00 €			200	78,00 €	200	164,00 €	200	171,00 €	200	189,00 €	200	333,00 €
225	57,00 €			225	91,00 €	225	169,00 €	225	176,00 €	225	205,00 €	225	361,00 €
				250	98,00 €	250	172,00 €	250	180,00 €	250	218,00 €	250	379,00 €
				300	109,00 €	300	233,00 €	300	260,00 €	300	306,00 €	300	470,00 €

Elbow 90°

Elbow configurable 1°-44°

Elbow 87° with inspection door for solid fuels

Elbow 90° with inspection door for solid fuels (201-600°C/Ni)

End cap (up to 600°C/HI)

Rain cap


Rain cap with spark protection grid



*1



§ 19
Brennstoff



301-DW60Ø		301-DW2801Ø		301-DW67GØ		301-DW19GØ		301-DW32Ø		DW33Ø		DW33AØ	
080	276,00 €	080	218,00 €	080	416,00 €	080	416,00 €	080	106,00 €	080	58,00 €	080	122,00 €
100	277,00 €	100	220,00 €	100	418,00 €	100	418,00 €	100	111,00 €	100	59,00 €	100	124,00 €
115	280,00 €	115	223,00 €	115	419,00 €	115	419,00 €	115	117,00 €	115	63,00 €	115	126,00 €
130	288,00 €	130	224,00 €	130	428,00 €	130	428,00 €	130	120,00 €	130	67,00 €	130	129,00 €
150	296,00 €	150	233,00 €	150	440,00 €	150	440,00 €	150	134,00 €	150	72,00 €	150	167,00 €
160	311,00 €	160	237,00 €	160	452,00 €	160	452,00 €	160	138,00 €	160	74,00 €	160	169,00 €
180	325,00 €	180	247,00 €	180	463,00 €	180	463,00 €	180	140,00 €	180	75,00 €	180	171,00 €
200	333,00 €	200	267,00 €	200	511,00 €	200	511,00 €	200	143,00 €	200	86,00 €	200	218,00 €
225	361,00 €	225	285,00 €	225	514,00 €	225	514,00 €	225	151,00 €	225	92,00 €	225	222,00 €
250	379,00 €	250	297,00 €	250	523,00 €	250	523,00 €	250	169,00 €	250	105,00 €	250	233,00 €
300	470,00 €	300	465,00 €	300	527,00 €	300	527,00 €	300	202,00 €	300	120,00 €	300	250,00 €

- ^{*1} When ordering, please specify the desired number of degrees at the opposite angle to the roof pitch. For solid fuels, the maximum offset is 30°. For larger offsets, please contact our technical department.

Storm collar

Storm collar „Special“



Storm collar „Special“ with rear ventilation

Storm collar with edge

Storm collar with edge and spacers for rear ventilation

Flashing kit 5-15° with storm collar

Flashing kit 16-25° with storm collar



DW31Ø	DW80Ø	DW80HLØ	DW307Ø	DW2856Ø	DW81Ø	DW82Ø
080 22,00 €	080 120,00 €	080 124,00 €	080 35,00 €	080 40,00 €	080 155,00 €	080 179,00 €
100 24,00 €	100 132,00 €	100 137,00 €	100 38,00 €	100 44,00 €	100 194,00 €	100 213,00 €
115 26,00 €	115 135,00 €	115 139,00 €	115 39,00 €	115 45,00 €	115 196,00 €	115 218,00 €
130 27,00 €	130 140,00 €	130 146,00 €	130 40,00 €	130 46,00 €	130 200,00 €	130 221,00 €
150 29,00 €	150 151,00 €	150 155,00 €	150 42,00 €	150 47,00 €	150 220,00 €	150 244,00 €
160 31,00 €	160 155,00 €	160 158,00 €	160 43,00 €	160 50,00 €	160 229,00 €	160 252,00 €
180 32,00 €	180 159,00 €	180 166,00 €	180 45,00 €	180 52,00 €	180 246,00 €	180 262,00 €
200 35,00 €	200 171,00 €	200 176,00 €	200 47,00 €	200 53,00 €	200 285,00 €	200 295,00 €
225 36,00 €	225 177,00 €	225 182,00 €	225 47,00 €	250 57,00 €	225 312,00 €	225 316,00 €
250 37,00 €	250 183,00 €	250 193,00 €	250 51,00 €	300 74,00 €	250 329,00 €	250 336,00 €
300 43,00 €	300 226,00 €	300 232,00 €	300 67,00 €		300 354,00 €	300 363,00 €

DW-SILVER

Flashing kit 26-35° with storm collar

Flashing kit 36-45° with storm collar







Flat flashing conical with storm collar

Cylindrical flat flashing with storm collar

Flashing kit 5-15° lead base with storm collar

Flashing kit 16-25° lead base with storm collar

Flashing kit 26-35° lead base with storm collar, cone 150mm



DW39Ø	DW83Ø	DW52Ø	DW52ØZY	DW53Ø	DW59Ø	DW38Ø
080 205,00 €	080 228,00 €	080 111,00 €	080 111,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 232,00 €	100 254,00 €	100 115,00 €	100 115,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 242,00 €	115 259,00 €	115 116,00 €	115 116,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 248,00 €	130 272,00 €	130 118,00 €	130 118,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 265,00 €	150 290,00 €	150 124,00 €	150 124,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 274,00 €	160 298,00 €	160 130,00 €	160 130,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 285,00 €	180 308,00 €	180 138,00 €	180 138,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 306,00 €	200 315,00 €	200 170,00 €	200 170,00 €	200 268,00 €	200 268,00 €	200 268,00 €
225 324,00 €	225 333,00 €	225 179,00 €	225 179,00 €	225 295,00 €	225 295,00 €	225 295,00 €
250 341,00 €	250 352,00 €	250 193,00 €	250 193,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 372,00 €	300 383,00 €	300 235,00 €	300 235,00 €	300 310,00 €	300 310,00 €	300 310,00 €



System DW-SILVER



Flashing kit 36-45°
lead base with
storm collar

Flashing kit 5-15°
lead base with
storm collar, cone
150mm







Flashing kit 16-25°
lead base with
storm collar, cone
150mm

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar, cone
150mm

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



DW54Ø	DW2935Ø	DW2937Ø	DW2934Ø	DW2936Ø	DW2556-1Ø	DW2556-2Ø
080 197,00 €	080 192,00 €	080 192,00 €	080 192,00 €	080 193,00 €	080 197,00 €	080 197,00 €
100 212,00 €	100 202,00 €	100 204,00 €	100 204,00 €	100 205,00 €	100 212,00 €	100 212,00 €
115 217,00 €	115 206,00 €	115 209,00 €	115 212,00 €	115 215,00 €	115 217,00 €	115 217,00 €
130 224,00 €	130 216,00 €	130 216,00 €	130 215,00 €	130 218,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 235,00 €	150 234,00 €	150 234,00 €	150 235,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 242,00 €	160 242,00 €	160 236,00 €	160 242,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 251,00 €	180 250,00 €	180 250,00 €	180 251,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 258,00 €	200 255,00 €	200 256,00 €	200 258,00 €	200 268,00 €	200 268,00 €
225 295,00 €	225 279,00 €	225 286,00 €	225 271,00 €	225 284,00 €	225 295,00 €	225 295,00 €
250 301,00 €	250 288,00 €	250 292,00 €	250 287,00 €	250 289,00 €	250 301,00 €	250 301,00 €
300 310,00 €					300 310,00 €	300 310,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar








Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar


Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




DW2556-3Ø	DW2558-1Ø	DW2558-2Ø	DW2558-3Ø	DW2557-1Ø	DW2557-2Ø	DW2557-3Ø
080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

- *1 For wall/ceiling panels, please state the number in °.


Flashing kit 36-45° with FastFlash plate elastomer black and storm collar



Flashing kit 36-45° with FastFlash plate elastomer red and storm collar



Flashing kit 36-45° with FastFlash plate elastomer grey and storm collar



Flashing kit (Silicone) incl. screws and sealing compound, for metal roof, outer Ø 150-300mm (up to 400°C)



Flashing kit (Silicone) incl. screws and sealing compound, for fibre cement corrugated roof, outer Ø 150-300mm (up to 400°C)



Ceiling plate 0° one-piece



Ceiling plate 1-65° one-piece



*1

DW2551-1Ø		DW2551-2Ø		DW2551-3Ø		ZUAC2700	ZUAC2701	DW70Ø		DW71Ø	
080	197,00 €	080	197,00 €	080	197,00 €	259,00 €	259,00 €	080	66,00 €	080	72,00 €
100	212,00 €	100	212,00 €	100	212,00 €			100	72,00 €	100	77,00 €
115	217,00 €	115	217,00 €	115	217,00 €			115	74,00 €	115	78,00 €
130	224,00 €	130	224,00 €	130	224,00 €			130	75,00 €	130	81,00 €
150	244,00 €	150	244,00 €	150	244,00 €			150	77,00 €	150	85,00 €
160	251,00 €	160	251,00 €	160	251,00 €			160	78,00 €	160	86,00 €
180	260,00 €	180	260,00 €	180	260,00 €			180	81,00 €	180	87,00 €
200	268,00 €	200	268,00 €	200	268,00 €			200	85,00 €	200	93,00 €
225	295,00 €	225	295,00 €	225	295,00 €			225	98,00 €	225	106,00 €
250	301,00 €	250	301,00 €	250	301,00 €			250	107,00 €	250	116,00 €
300	310,00 €	300	310,00 €	300	310,00 €			300	124,00 €	300	137,00 €

DW-SILVER

Ceiling plate 0°, two-piece



Ceiling plate 1-65° two-piece



*1

Ventilated ceiling plate, 0°, one-piece



Ventilated ceiling plate, 1-65°, one-piece



*1

Ventilated split ceiling plate 0°, two-piece




Ventilated split ceiling plate 1-65°, two-piece



*1

Ceiling plate with seal to stop steam 0-20° (up to 450°C/N1)



DW74Ø		DW75Ø		DW70HLØ		DW71HLØ		DW74HLØ		DW75HLØ		DW1702Ø	
080	72,00 €	080	79,00 €	080	103,00 €	080	110,00 €	080	110,00 €	080	118,00 €	080	98,00 €
100	78,00 €	100	87,00 €	100	110,00 €	100	116,00 €	100	116,00 €	100	126,00 €	100	102,00 €
115	81,00 €	115	91,00 €	115	111,00 €	115	118,00 €	115	120,00 €	115	127,00 €	115	106,00 €
130	85,00 €	130	93,00 €	130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	111,00 €
150	99,00 €	150	109,00 €	150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	137,00 €
160	100,00 €	160	110,00 €	160	118,00 €	160	125,00 €	160	137,00 €	160	149,00 €	160	139,00 €
180	101,00 €	180	111,00 €	180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	149,00 €
200	114,00 €	200	126,00 €	200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	157,00 €
225	116,00 €	225	129,00 €	225	132,00 €	225	145,00 €	225	154,00 €	225	166,00 €	225	169,00 €
250	120,00 €	250	131,00 €	250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	206,00 €
300	133,00 €	300	149,00 €	300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	232,00 €



System DW-SILVER



Ceiling plate with seal to stop steam 21-40° (up to 450°C/N1)

Ceiling plate with seal to stop steam 41-55° (up to 450°C/N1)


Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece

Ventilated split ceiling plate 31-45°, two-piece

Airtight sealing collars 0°-30° for chimneys up to T400



DW1703Ø		DW1704Ø		DW99VØ		DW98VØ		DW99VHLØ		DW98VHLØ		ZUTE2195Ø	
080	118,00 €	080	137,00 €	080	58,00 €	080	72,00 €	080	94,00 €	080	110,00 €	180-195	84,00 €
100	125,00 €	100	146,00 €	100	66,00 €	100	77,00 €	100	103,00 €	100	115,00 €	200-225	92,00 €
115	130,00 €	115	153,00 €	115	67,00 €	115	78,00 €	115	105,00 €	115	116,00 €	230-245	99,00 €
130	137,00 €	130	157,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €	250-270	105,00 €
150	166,00 €	150	179,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €		
160	170,00 €	160	183,00 €	160	74,00 €	160	86,00 €	160	111,00 €	160	125,00 €		
180	179,00 €	180	195,00 €	180	75,00 €	180	87,00 €	180	113,00 €	180	126,00 €		
200	189,00 €	200	203,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €		
225	201,00 €	225	215,00 €	225	92,00 €	225	106,00 €	225	130,00 €	225	145,00 €		
250	244,00 €	250	265,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €		
300	264,00 €	300	295,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €		

Airtight sealing collars 30°-45° for chimneys up to T400

Adaptor EW male/DW-SILVER

Adaptor EW-SILVER/DW-SILVER

Adaptor DW-SILVER/EW male

Adaptor DW-SILVER/EW-SILVER with female socket


Adaptor EW-SILVER/DW-SILVER with integrated wall sleeve straight for FERRO



ZUTE2232Ø		301-DW37Ø		301-DW37MØ		301-DW37AØ		301-DW37AMØ		301-DW37GWFØ	
200-225	111,00 €	080	69,00 €	080	80,00 €	080	69,00 €	080	80,00 €	080	134,00 €
230-245	125,00 €	100	71,00 €	100	81,00 €	100	71,00 €	100	81,00 €	100	137,00 €
250-270	135,00 €	115	75,00 €	115	82,00 €	115	75,00 €	115	82,00 €	115	138,00 €
		130	76,00 €	130	84,00 €	130	76,00 €	130	84,00 €	130	142,00 €
		150	77,00 €	150	86,00 €	150	77,00 €	150	86,00 €	150	145,00 €
		160	80,00 €	160	88,00 €	160	80,00 €	160	88,00 €	160	149,00 €
		180	81,00 €	180	89,00 €	180	81,00 €	180	89,00 €	180	156,00 €
		200	82,00 €	200	90,00 €	200	82,00 €	200	90,00 €	200	169,00 €
		225	88,00 €	225	94,00 €	225	88,00 €	225	94,00 €	225	179,00 €
		250	90,00 €	250	97,00 €	250	90,00 €	250	97,00 €	250	189,00 €
		300	97,00 €	300	103,00 €	300	97,00 €	300	103,00 €		

Connection piece with integrated wall sleeve

Connection piece with integrated FERRO-wall sleeve



617-ZUWA757Ø-Ø				617-ZUWA757FØ-Ø			
A 100	135,00 €	A 160	158,00 €	A 200	174,00 €	A 100	147,00 €
B 080		B 120		B 180		B 150	153,00 €
A 130	140,00 €	A 180	164,00 €	A 225	183,00 €	A 115	147,00 €
B 080		B 120		B 200		B 080	
A 130	140,00 €	A 180	161,00 €	A 250	186,00 €	A 115	149,00 €
B 100		B 130		B 200		B 100	
A 130	147,00 €	A 180	164,00 €			A 120	149,00 €
B 110		B 150				B 080	
A 150	141,00 €	A 180	165,00 €			A 120	149,00 €
B 080		B 160				B 100	
A 150	147,00 €	A 200	164,00 €			A 130	150,00 €
B 100		B 120				B 080	
A 150	149,00 €	A 200	167,00 €			A 130	150,00 €
B 110		B 130				B 100	
A 150	150,00 €	A 200	170,00 €			A 140	155,00 €
B 120		B 150				B 120	
A 150	155,00 €	A 200	173,00 €			A 150	152,00 €
B 130		B 160				B 080	
						A 160	170,00 €
						B 130	
						A 180	161,00 €
						B 080	
						A 150	155,00 €
						B 110	
						A 150	155,00 €
						B 115	
						A 180	162,00 €
						B 100	
						A 180	173,00 €
						B 120	
						A 180	171,00 €
						B 130	
						A 180	173,00 €
						B 150	
						A 180	174,00 €
						B 160	
						A 200	173,00 €
						B 100	
						A 200	173,00 €
						B 120	
						A 200	177,00 €
						B 150	

Isotherm tape
40mm, price per
metre



€
NET

Closing cap plastic
for drain 1/2" (up to
200°C)



€
NET

Adjustable rafter
bracket 500-
900mm



Light rafter bracket



Support 800-
1200mm



Support with joint
800-1200mm, sing-
le-bracedd



Support with joint
800-1200mm, dou-
ble-braced



750ISO40	750ADK1/2	DW55Ø	DW55LØ	DW40Ø	DW40MGØ	DW40MGØ
5,00 €	5,00 €	080 158,00 €	080 84,00 €	080 105,00 €	080 219,00 €	250 230,00 €
		100 165,00 €	100 85,00 €	100 106,00 €	100 220,00 €	300 249,00 €
		115 166,00 €	115 86,00 €	115 107,00 €	115 221,00 €	
		130 169,00 €	130 87,00 €	130 109,00 €	130 222,00 €	
		150 172,00 €	150 90,00 €	150 110,00 €	150 224,00 €	
		160 194,00 €	160 91,00 €	160 111,00 €	160 225,00 €	
		180 200,00 €	180 109,00 €	180 113,00 €	180 226,00 €	
		200 217,00 €	200 111,00 €	200 114,00 €	200 228,00 €	
		225 246,00 €	225 113,00 €	225 115,00 €	225 229,00 €	
		250 251,00 €	250 116,00 €	250 116,00 €		
		300 256,00 €	300 118,00 €	300 132,00 €		



System DW-SILVER



3-point guy wire
bracket

Mounting set for
3-point guy wire
bracket (galvani-
sed)

Anchor cable (gal-
vanised)

Stopcock, 1/2"
threaded outside
(1/2" female socket
FU126 not included)

Ceiling suspension
for M8 threaded
rods

Threaded rod M8,
stainless steel
l=1000mm

Ceiling suspension
for perforated sheet
metal



Rgr.
KEEW



Rgr.
KEEW



Rgr.
EW



Rgr.
EW



DW42Ø		KEEW237		KEEW242		FU47		DW61Ø		VL314		DW62Ø	
080	39,00 €		58,00 €		14,00 €		32,00 €	080	62,00 €		20,00 €	080	58,00 €
100	40,00 €							100	67,00 €			100	62,00 €
115	40,00 €							115	68,00 €			115	63,00 €
130	42,00 €							130	69,00 €			130	64,00 €
150	42,00 €							150	70,00 €			150	66,00 €
160	42,00 €							160	72,00 €			160	67,00 €
180	43,00 €							180	74,00 €			180	68,00 €
200	44,00 €							200	75,00 €			200	69,00 €
225	45,00 €							225	76,00 €			225	70,00 €
250	46,00 €							250	77,00 €			250	72,00 €
300	61,00 €							300	84,00 €			300	81,00 €

2-piece wall bracket
for M10 threaded
rod

Threaded rod M10,
stainless steel
l=1000mm

Lightning protec-
tion clamp

Closing lid with
handle for DW11

Adjustable length
for connection line
320-460mm (up to
600°C/N1)

Locking band (spa-
re part)

Locking band static
h=400mm



Rgr.
EW



Rgr.
EW



\$19
Brenco

ZUWA1379Ø		VL316		DW69Ø		DW44BØ		301-DW50Ø		DW41Ø		DW3041S-2Ø	
145	48,00 €		22,00 €	080	39,00 €	080	167,00 €	080	216,00 €	080	20,00 €	130	79,00 €
165	51,00 €			100	40,00 €	100	176,00 €	100	224,00 €	100	21,00 €	150	83,00 €
180	62,00 €			115	42,00 €	115	185,00 €	115	233,00 €	115	22,00 €	160	87,00 €
195	68,00 €			130	43,00 €	130	196,00 €	130	241,00 €	130	23,00 €	180	98,00 €
215	75,00 €			150	44,00 €	150	209,00 €	150	283,00 €	150	26,00 €	200	107,00 €
225	81,00 €			160	45,00 €	160	217,00 €	160	302,00 €	160	27,00 €		
245	87,00 €			180	46,00 €	180	226,00 €	180	328,00 €	180	28,00 €		
265	93,00 €			200	47,00 €	200	229,00 €	200	379,00 €	200	31,00 €		
290	96,00 €			225	51,00 €	225	262,00 €	225	441,00 €	225	32,00 €		
315	106,00 €			250	52,00 €	250	286,00 €	250	500,00 €	250	34,00 €		
365	113,00 €			300	61,00 €	300	324,00 €	300	689,00 €	300	35,00 €		

- *1 Please note the correct assembly according to our assembly instructions „free cantilever height up to 5 m“.
- *2 When ordering, please specify the system diameter and distance from the wall!

Folding clamp for
2-point guy wire
bracket

Roof hook for
mounting guy wire
brackets, 2 pieces

Roof hook for
mounting wall
brackets on pitched
roofs

Roof hook for
mounting wall
brackets on pitched
roofs (adjustable)

2-point guy wire
bracket

Anchor tubes ad-
justable up to 2m, 2
rods Ø17.1x1.5mm/
Ø20x1mm (for wind
load zones 1+2, up to
Ø200mm)

Anchor tubes ad-
justable up to 2m, 2
rods Ø38.2x2mm/
Ø42.4x2mm (for all
wind load zones)

						
€ NET	€ NET	§ 19 (BmSchV)	§ 19 (BmSchV)	§ 19 (BmSchV)	§ 19 (BmSchV)	§ 19 (BmSchV)
ZUDA1069	ZUDA1070	DW2800Ø	DW2877Ø	DW1057Ø	ZUDA904-2000	ZUDA1678-2000
35,00 €	34,00 €	080 103,00 € 100 103,00 € 115 105,00 € 130 110,00 € 150 111,00 € 160 111,00 € 180 114,00 € 200 122,00 €	080 274,00 € 100 275,00 € 115 277,00 € 130 282,00 € 150 284,00 € 160 285,00 € 180 286,00 € 200 295,00 €	080 39,00 € 100 40,00 € 115 40,00 € 130 42,00 € 150 42,00 € 160 42,00 € 180 43,00 € 200 44,00 € 225 44,00 € 250 45,00 € 300 61,00 €	198,00 €	313,00 €



Anchor tubes ad-
justable up to 3m, 2
rods Ø17.1x1.5mm/
Ø20x1mm (for wind
load zones 1+2, up to
Ø200mm)

Anchor tubes ad-
justable up to 3m, 2
rods Ø38.2x2mm/
Ø42.4x2mm (for all
wind load zones)

Anchor tubes
adjustable up to 4m,
consisting of 2x3
interlocking pipes (for
wind load zone 1+2, up
to Ø200mm)

Anchor tubes ad-
justable up to 4m,
consisting of 2x3
interlocking pipes (for
all wind load
zones)

Stainless steel can-
tilever with sliding
static wall bracket

				
§ 19 (BmSchV)	§ 19 (BmSchV)	§ 19 (BmSchV)	§ 19 (BmSchV)	§ 19 (BmSchV)
ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000	ZUDA1678-4000	ZUTE1334Ø
227,00 €	358,00 €	313,00 €	487,00 €	080 774,00 € 100 776,00 € 115 778,00 € 130 781,00 € 150 784,00 €



System DW-ECO 2.0

DESCRIPTION

Double wall system made of stainless steel for all standard fireplaces in negative pressure operation, in dry or wet operation

MATERIAL

Inside: L99

Outside: 1.4301 (304)

FINISHING

Highly polished

Optional: matt + 25%, painted

(Replacement paint for touch up must be ordered separately.

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.5 mm

INSIDE DIAMETER

130 - 600 mm

Others on request from 80 mm

INSULATION

Mineral insulation 25 mm thick

CONNECTION

Socket / bead plug-and-socket connection with locking band

LOCKING BAND

Included


For an assembly without T-connection, an additional locking band must be ordered for the chimney top.

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: DWETN13200).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Low-cost alternative to double wall system DW-FU
- 70 mm wide, recessed locking band
- Resistant to soot fires and moisture

APPLICATION AREAS

- Standard fireplaces / heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 015

CE CLASSIFICATIONS ACC. TO DIN EN 1856-1

T400 - N1 - W - V2 - L99050 - Oxx

T600 - N1 - W - V2 - L99050 - Oxx

T600 - N1 - W - V2 - L99050 - Gxx¹

xx = Clearances to flammable materials depend on the diameter, see declaration of performance

¹ = in Germany only possible in dry operation mode

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 054

CE-CLASSIFICATIONS ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L99050 - O50M

T600 - N1 - W - V2 - L99050 - G100M¹

T600 - N1 - W - V2 - L99050 - O100M

DW-ECO Basis package
1x base plate with condensate drain at the bottom, 1x inspection element, 1x T-90° with water nose, 1x end cap, 1x length 500mm shortable



205-DWETN-JGP01Ø	
150	811,00 €


ADVANTAGE SET

The most important basic components packaged ready for construction and cheaper than buying them individually!

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT & CROSS BEAM FOR THE DW-ECO 2.0 SYSTEM

Total length of the wall support 350 mm Total length of the wall support 500 mm Total length of the wall support 750 mm Total length of the wall support 1030 mm Component length (e.g. 350 mm type I) - 15 mm - (Ø inside + 50 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
130	155	130	305	130	555	130	835
150	135	150	285	150	535	150	815
160	125	160	275	160	525	160	805
180	108	180	255	180	505	180	785
200	85	200	235	200	485	200	765
		250	185	250	436	250	715
		300	135	300	385	300	665
		350	85	350	335	350	615
				400	285	400	565
				450	235	450	515
				500	185	500	465
				600	85	600	365





System DW-ECO 2.0



Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



DW01Ø		DW02Ø		DW49Ø		DW391	DW392	DW393	DW407
130	81,00 €	130	116,00 €	130	153,00 €	122,00 €	137,00 €	167,00 €	274,00 €
150	86,00 €	150	145,00 €	150	191,00 €				
160	109,00 €	160	156,00 €	160	205,00 €				
180	116,00 €	180	171,00 €	180	225,00 €				
200	182,00 €	200	288,00 €	200	460,00 €				
250	245,00 €	250	300,00 €	250	491,00 €				
300	272,00 €	300	316,00 €	300	551,00 €				
350	333,00 €	350	376,00 €	350	594,00 €				
400	405,00 €	400	467,00 €						
450	464,00 €	450	524,00 €						
500	523,00 €	500	539,00 €						
600	637,00 €	600	680,00 €						

Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces

Adjustable support
foot 190-630mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 190-1130mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 520-1140mm
with drain at bottom,
1/2" threaded nipple
and door for con-
densate collector

Transparent PVC-
pipe Ø 26mm,
l=500mm to extend
the condensate
drain



ZUTE1425	ZUTE1426	ZUTE1427	215-DWECO03Ø	215-DWECO04Ø	215-DWECO1017Ø	ZUAC2253
12,00 €	12,00 €	12,00 €	130 239,00 €	130 322,00 €	130 438,00 €	26,00 €
			150 249,00 €	150 324,00 €	150 439,00 €	
			160 262,00 €	160 334,00 €	160 449,00 €	
			180 276,00 €	180 341,00 €	180 457,00 €	
			200 299,00 €	200 351,00 €	200 465,00 €	
			250 301,00 €	250 353,00 €	250 467,00 €	
			300 448,00 €	300 476,00 €		
			350 452,00 €	350 490,00 €		
			400 463,00 €	400 499,00 €		
			450 480,00 €	450 507,00 €		
			500 495,00 €	500 641,00 €		
			600 552,00 €	600 671,00 €		

- ^{*1} Also available with a square insert on request
- ^{*2} From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

Base plate with condensate drain at the bottom and 1/2" nipple



Base plate with condensate side drain and 1/2" nipple



Base plate for intermediate support



Base plate for mounting on a bracket with side drain and 1/2" threaded nipple



Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m



Base plate for chimney raise with round insert l=220mm, max. height from base plate 2,0m



Base plate with removable soot collector



205-DWETN05Ø	205-DWETN06Ø	205-DWETN07Ø	205-DWETN66Ø	205-DWETN08Ø	205-DWETN08-2Ø	205-DWETN1592Ø
130 99,00 €	130 124,00 €	130 102,00 €	130 120,00 €	130 102,00 €	130 282,00 €	130 159,00 €
150 102,00 €	150 139,00 €	150 113,00 €	150 137,00 €	150 115,00 €	150 312,00 €	150 179,00 €
160 110,00 €	160 153,00 €	160 123,00 €	160 150,00 €	160 125,00 €	160 334,00 €	160 189,00 €
180 116,00 €	180 163,00 €	180 130,00 €	180 159,00 €	180 133,00 €	180 358,00 €	180 198,00 €
200 123,00 €	200 171,00 €	200 135,00 €	200 167,00 €	200 139,00 €	200 407,00 €	200 228,00 €
250 135,00 €	250 218,00 €	250 172,00 €	250 206,00 €	250 177,00 €	250 495,00 €	250 264,00 €
300 145,00 €	300 239,00 €	300 185,00 €	300 228,00 €	300 197,00 €	300 548,00 €	300 409,00 €
350 250,00 €	350 258,00 €	350 238,00 €	350 239,00 €	350 243,00 €	350 572,00 €	
400 272,00 €	400 384,00 €	400 316,00 €	400 353,00 €	400 386,00 €	400 708,00 €	
450 354,00 €	450 408,00 €	450 368,00 €	450 389,00 €	450 417,00 €	450 780,00 €	
500 383,00 €	500 463,00 €	500 417,00 €	500 447,00 €	500 459,00 €	500 856,00 €	
600 484,00 €	600 546,00 €	600 494,00 €	600 546,00 €	600 494,00 €	600 949,00 €	

Inspection length (up to 600°C/N1)



Inspection element 93° (up to 600°C/N1) with round opening, including clamping band and sealing cover



Inspection length extruded (up to 600°C/N1), square door 210x140mm



Inspection length with soot safety door (up to 600°C/N1)



Inspection length with round opening, lid for oil and gas (up to 400°C/N1)



Inspection length with round opening, lid with star grip (up to 600°C/N1)



Inspection length (up to 600°C/N1) with square door 210x140mm with water repellent



205-DWETN10Ø	205-DWETN3055Ø	205-DWETN2942Ø	205-DWETN10RSTØ	205-DWETN10RØ	205-DWETN10RGØ	215-DWECO2939Ø
130 290,00 €	350 505,00 €	130 247,00 €	130 439,00 €	130 235,00 €	130 250,00 €	130 419,00 €
150 306,00 €	400 593,00 €	150 260,00 €	150 455,00 €	150 254,00 €	150 269,00 €	150 431,00 €
160 312,00 €	450 834,00 €	180 270,00 €	160 460,00 €	160 262,00 €	160 276,00 €	160 432,00 €
180 316,00 €	500 1.092,00 €	200 282,00 €	180 467,00 €	180 272,00 €	180 286,00 €	180 437,00 €
200 332,00 €	600 1.158,00 €		200 482,00 €	200 285,00 €	200 299,00 €	200 458,00 €
250 353,00 €			250 502,00 €	250 295,00 €	250 308,00 €	250 484,00 €
300 378,00 €			300 526,00 €	300 317,00 €	300 333,00 €	300 511,00 €
				350 395,00 €	350 409,00 €	
				400 514,00 €	400 527,00 €	
				450 572,00 €	450 586,00 €	
				500 598,00 €	500 613,00 €	
				600 685,00 €	600 697,00 €	



System DW-ECO 2.0



Inspection length
with integrated
base plate (up to
600°C/N1)

T-87°

T-90°

T-45° with drip
nose

T-90° with cleaning
opening on the op-
posite side, at the
same height, (up to
600°C/N1)

Length 1000mm

Length 500mm



*1



205-DWETN383Ø		205-DWETN1055Ø		205-DWETN11Ø		205-DWETN12Ø		205-DWETN309Ø		205-DWETN13Ø		205-DWETN14Ø	
130	360,00 €	130	288,00 €	130	195,00 €	130	321,00 €	130	417,00 €	130	153,00 €	130	91,00 €
150	378,00 €	150	307,00 €	150	226,00 €	150	344,00 €	150	449,00 €	150	172,00 €	150	100,00 €
160	392,00 €	160	309,00 €	160	235,00 €	160	358,00 €	160	459,00 €	160	183,00 €	160	109,00 €
180	405,00 €	180	324,00 €	180	248,00 €	180	370,00 €	180	468,00 €	180	196,00 €	180	116,00 €
200	426,00 €	200	357,00 €	200	306,00 €	200	488,00 €	200	584,00 €	200	219,00 €	200	123,00 €
250	458,00 €	250	392,00 €	250	384,00 €	250	603,00 €	250	663,00 €	250	289,00 €	250	155,00 €
300	491,00 €	300	472,00 €	300	459,00 €	300	689,00 €	300	742,00 €	300	352,00 €	300	202,00 €
		350	526,00 €	350	520,00 €	350	718,00 €			350	492,00 €	350	265,00 €
		400	685,00 €	400	659,00 €	400	1.150,00 €			400	551,00 €	400	368,00 €
		450	730,00 €	450	683,00 €	450	1.177,00 €			450	579,00 €	450	404,00 €
		500	857,00 €	500	809,00 €	500	1.300,00 €			500	641,00 €	500	418,00 €
		600	982,00 €	600	971,00 €	600	1.475,00 €			600	749,00 €	600	484,00 €

Length 250mm

Length 1000mm
incl. static locking
band

Length 500mm incl.
static locking band

Length 1000mm
with adjustable wall
sleeve for FERRO

Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Wall bracket 50mm


Adjustable wall
bracket 50-150mm,
single-braced



\$19
Bridgely



\$19
Bridgely



205-DWETN15Ø		205-DWETN3013-2Ø		205-DWETN3014-2Ø		DWECO262Ø		DWECO261Ø		DWECO21Ø		DWECO22Ø	
130	64,00 €	130	211,00 €	130	149,00 €	130	245,00 €	130	156,00 €	130	47,00 €	130	84,00 €
150	70,00 €	150	235,00 €	150	163,00 €	150	250,00 €	150	170,00 €	150	52,00 €	150	85,00 €
160	75,00 €	160	248,00 €	160	174,00 €	160	262,00 €	160	173,00 €	160	53,00 €	160	86,00 €
180	78,00 €	180	266,00 €	180	187,00 €	180	264,00 €	180	177,00 €	180	54,00 €	180	87,00 €
200	90,00 €	200	298,00 €	200	201,00 €	200	306,00 €	200	201,00 €	200	57,00 €	200	90,00 €
250	116,00 €					250	407,00 €	250	243,00 €	250	61,00 €	250	98,00 €
300	156,00 €									300	74,00 €		
350	181,00 €									350	81,00 €		
400	298,00 €									400	86,00 €		
450	313,00 €									450	102,00 €		
500	334,00 €									500	124,00 €		
600	381,00 €									600	129,00 €		

- *1 Use in coordination with the authorized district chimney sweep.

Wall bracket adjustable 50-150mm, double-braced

Adjustable wall bracket 50-250mm, single-braced

Adjustable wall bracket 50-250mm, double-braced

Adjustable wall bracket 250-360mm, single-braced

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm

Wall and head piece for wall bracket, wall distance min 250mm



DWECO220		DWECO230		DWECO230		DWECO240		DWECO240		DWECO200		DWECO200	
300	114,00 €	130	101,00 €	300	130,00 €	130	135,00 €	300	166,00 €	130	98,00 €	300	137,00 €
350	122,00 €	150	103,00 €	350	133,00 €	150	137,00 €	350	169,00 €	150	99,00 €	350	173,00 €
400	138,00 €	160	105,00 €	400	167,00 €	160	138,00 €	400	203,00 €	160	100,00 €	400	273,00 €
450	173,00 €	180	106,00 €	450	215,00 €	180	139,00 €	450	250,00 €	180	101,00 €	450	320,00 €
500	193,00 €	200	109,00 €	500	246,00 €	200	145,00 €	500	280,00 €	200	102,00 €	500	333,00 €
600	258,00 €	250	114,00 €	600	301,00 €	250	150,00 €	600	313,00 €	250	116,00 €	600	361,00 €

Adjustable wall bracket with joint, 140-300mm

Extension 30x30mm for TW20 l=1000mm

Extension 30x30mm for TW20 l=500mm

Wall bracket static, 50mm

Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Wall bracket static, adjustable 50-360mm



DWECO24MG0		DW86		DW85		DWECO450		DWECO460		DWECO470		DWECO480	
130	250,00 €	81,00 €		59,00 €		130	92,00 €	130	163,00 €	130	202,00 €	250	275,00 €
150	252,00 €					150	98,00 €	150	181,00 €	150	204,00 €	300	277,00 €
160	253,00 €					180	99,00 €	160	182,00 €	160	205,00 €	350	284,00 €
180	254,00 €					200	107,00 €	180	203,00 €	180	206,00 €	400	305,00 €
200	258,00 €					250	126,00 €	200	205,00 €	200	209,00 €	450	343,00 €
250	262,00 €					300	140,00 €	250	227,00 €	250	233,00 €	500	354,00 €
						350	155,00 €	300	230,00 €	300	251,00 €	600	453,00 €
						400	183,00 €	350	238,00 €	350	252,00 €		
						450	228,00 €	400	256,00 €	400	269,00 €		
						500	248,00 €	450	284,00 €	450	300,00 €		
						600	269,00 €	500	310,00 €	500	324,00 €		
								600	358,00 €	600	370,00 €		



System DW-ECO 2.0



Adjustable wall
bracket 50-70mm

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 90°

Elbow configurable
1°-44°

Elbow 90° with
inspection door (up
to 600°/N1)



DWECO690Ø	205-DWETN16Ø	205-DWETN17Ø	205-DWETN18Ø	205-DWETN60Ø	205-DWETN2801Ø	205-DWETN19Ø
130 27,00 €	130 86,00 €	130 92,00 €	130 99,00 €	130 201,00 €	130 159,00 €	130 298,00 €
150 28,00 €	150 98,00 €	150 101,00 €	150 102,00 €	150 205,00 €	150 163,00 €	150 307,00 €
180 31,00 €	160 102,00 €	160 106,00 €	160 107,00 €	160 215,00 €	160 169,00 €	160 314,00 €
200 32,00 €	180 107,00 €	180 110,00 €	180 113,00 €	180 225,00 €	180 174,00 €	180 322,00 €
250 34,00 €	200 110,00 €	200 116,00 €	200 127,00 €	200 230,00 €	200 189,00 €	200 358,00 €
300 39,00 €	250 116,00 €	250 122,00 €	250 149,00 €	250 261,00 €	250 210,00 €	250 365,00 €
	300 157,00 €	300 172,00 €	300 206,00 €	300 325,00 €	300 269,00 €	300 368,00 €
	350 201,00 €	350 220,00 €	350 248,00 €	350 427,00 €	350 369,00 €	350 429,00 €
	400 268,00 €	400 293,00 €	400 337,00 €	400 456,00 €	400 458,00 €	400 516,00 €
	450 308,00 €	450 338,00 €	450 384,00 €	450 488,00 €	450 506,00 €	450 537,00 €
	500 384,00 €	500 421,00 €	500 456,00 €	500 658,00 €	500 577,00 €	500 659,00 €
	600 449,00 €	600 495,00 €	600 538,00 €	600 821,00 €	600 659,00 €	600 880,00 €

End cap

End pipe for DW-
ECO 2.0

Bonnet type „Hol-
land“ with rotatable
inspection plate

Muzzle closure with
louvre hood

Rain cap

Rain cap with end
terminal

Storm collar



205-DWETN32Ø	205-DWETN2904Ø	215-DWECO92HSØ	205-DWETN337Ø	215-DWECO33Ø	205-DWETN1076Ø	DWECO31Ø
130 47,00 €	130 180,00 €	130 243,00 €	130 286,00 €	130 67,00 €	130 107,00 €	130 27,00 €
150 51,00 €	150 201,00 €	150 245,00 €	150 299,00 €	150 72,00 €	150 111,00 €	150 29,00 €
160 52,00 €	160 212,00 €	160 258,00 €	160 333,00 €	160 74,00 €	160 114,00 €	160 31,00 €
180 53,00 €	180 225,00 €	180 273,00 €	180 352,00 €	180 75,00 €	180 116,00 €	180 32,00 €
200 54,00 €	200 246,00 €	200 284,00 €	200 370,00 €	200 86,00 €	200 131,00 €	200 35,00 €
250 58,00 €		250 387,00 €	250 396,00 €	250 105,00 €	250 150,00 €	250 37,00 €
300 63,00 €		300 516,00 €	300 434,00 €	300 120,00 €	300 169,00 €	300 43,00 €
350 74,00 €		350 638,00 €		350 125,00 €	350 186,00 €	350 53,00 €
400 93,00 €		400 641,00 €		400 137,00 €	400 215,00 €	400 70,00 €
450 106,00 €				450 156,00 €	450 244,00 €	450 75,00 €
500 116,00 €				500 172,00 €	500 273,00 €	500 81,00 €
600 155,00 €				600 193,00 €	600 332,00 €	600 126,00 €

- ^{*1} Not suitable for standard 205-DWETN32 muzzle
- ^{*2} When ordering, please specify the desired number of degrees at the opposite angle to the roof pitch. For solid fuels, the maximum offset is 30°. For larger offsets, please contact our technical department.

Clip-on rain cap

Storm collar
„Special“ with rear
ventilation

Storm collar with
edge

Storm collar with
edge and spacers
for rear ventilation



Storm collar fitting
over DW-ECO
locking band

Flashing kit 5-15°
with storm collar

Flashing kit 16-25°
with storm collar



^{*1}



DWECO33-1Ø	DWECO80HLØ	DWECO307Ø	DWECO2856Ø	DWECO2910Ø	DWECO81Ø	DWECO82Ø
130 67,00 €	130 146,00 €	130 40,00 €	130 46,00 €	130 27,00 €	130 200,00 €	130 221,00 €
150 72,00 €	150 155,00 €	150 42,00 €	150 47,00 €	150 29,00 €	150 220,00 €	150 244,00 €
160 74,00 €	160 158,00 €	160 43,00 €	160 50,00 €	160 31,00 €	160 229,00 €	160 252,00 €
180 75,00 €	180 166,00 €	180 45,00 €	180 52,00 €	180 32,00 €	180 246,00 €	180 262,00 €
200 86,00 €	200 176,00 €	200 46,00 €	200 53,00 €	200 35,00 €	200 285,00 €	200 295,00 €
250 105,00 €	250 191,00 €	250 51,00 €	250 57,00 €	250 37,00 €	250 329,00 €	250 336,00 €
300 120,00 €	300 232,00 €	300 67,00 €	300 74,00 €	300 43,00 €	300 354,00 €	300 363,00 €
	350 262,00 €	350 83,00 €	350 90,00 €	350 53,00 €	350 448,00 €	350 468,00 €
	400 316,00 €	400 110,00 €	400 116,00 €	400 70,00 €	400 802,00 €	400 816,00 €
	450 365,00 €	450 116,00 €	450 124,00 €	450 75,00 €	450 891,00 €	450 903,00 €
	500 402,00 €	500 130,00 €	500 135,00 €	500 81,00 €	500 1.008,00 €	500 1.059,00 €
	600 443,00 €	600 198,00 €	600 204,00 €	600 126,00 €	600 1.152,00 €	600 1.180,00 €

DW-ECO 2.0

Flashing kit 26-35°
with storm collar

Flashing kit 36-45°
with storm collar





Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm



DWECO39Ø	DWECO83Ø	DWECO52Ø	DWECO52ØZY	DWECO53Ø	DWECO59Ø	DWECO38Ø
130 248,00 €	130 272,00 €	130 118,00 €	130 118,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 265,00 €	150 290,00 €	150 124,00 €	150 124,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 274,00 €	160 298,00 €	160 130,00 €	160 130,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 285,00 €	180 308,00 €	180 138,00 €	180 138,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 306,00 €	200 315,00 €	200 170,00 €	200 170,00 €	200 268,00 €	200 268,00 €	200 268,00 €
250 341,00 €	250 352,00 €	250 193,00 €	250 193,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 372,00 €	300 383,00 €	300 235,00 €	300 235,00 €	300 310,00 €	300 310,00 €	300 310,00 €
350 491,00 €	350 511,00 €	350 298,00 €	350 298,00 €	350 322,00 €	350 322,00 €	350 322,00 €
400 828,00 €	400 843,00 €	400 380,00 €	400 380,00 €	400 341,00 €	400 341,00 €	400 341,00 €
450 916,00 €	450 932,00 €	450 438,00 €	450 438,00 €	450 368,00 €	450 368,00 €	450 368,00 €
500 1.108,00 €	500 1.159,00 €	500 510,00 €	500 510,00 €	500 431,00 €	500 431,00 €	500 431,00 €
600 1.208,00 €	600 1.238,00 €	600 615,00 €	600 615,00 €	600 491,00 €	600 491,00 €	600 491,00 €



System DW-ECO 2.0



Flashing kit 36-45°
lead base with
storm collar

Flashing kit 5-15°
lead base with
storm collar, cone
150mm







Flashing kit 16-25°
lead base with
storm collar, cone
150mm

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar, cone
150mm

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



DWECO54Ø	DWECO2935Ø	DWECO2937Ø	DWECO2934Ø	DWECO2936Ø	DWECO2556-1Ø	DWECO2556-2Ø
130 224,00 €	130 216,00 €	130 216,00 €	130 215,00 €	130 218,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 235,00 €	150 234,00 €	150 234,00 €	150 235,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 242,00 €	160 242,00 €	160 236,00 €	160 242,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 251,00 €	180 250,00 €	180 250,00 €	180 251,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 258,00 €	200 255,00 €	200 256,00 €	200 258,00 €	200 268,00 €	200 268,00 €
250 301,00 €	250 288,00 €	250 292,00 €	250 287,00 €	250 289,00 €	250 301,00 €	250 301,00 €
300 310,00 €					300 310,00 €	300 310,00 €
350 322,00 €						
400 341,00 €						
450 368,00 €						
500 431,00 €						
600 491,00 €						

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar








Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar


Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




DWECO2556-3Ø	DWECO2558-1Ø	DWECO2558-2Ø	DWECO2558-3Ø	DWECO2557-1Ø	DWECO2557-2Ø	DWECO2557-3Ø
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

- *1 For wall/ceiling panels, please state the number in °.


Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



Flashing kit (Silicone)
incl. screws and
sealing compound,
for metal roof, outer
Ø 150-300mm (up to
400°C)



Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre
cement corrugated
roof, outer Ø 150-
300mm (up to 400°C)



Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece



*1


DWECO2551-1Ø		DWECO2551-2Ø		DWECO2551-3Ø		ZUAC2700	ZUAC2701	DWECO70Ø		DWECO71Ø	
130	224,00 €	130	224,00 €	130	224,00 €	259,00 €	259,00 €	130	74,00 €	130	81,00 €
150	244,00 €	150	244,00 €	150	244,00 €			150	77,00 €	150	85,00 €
160	251,00 €	160	251,00 €	160	251,00 €			160	79,00 €	160	87,00 €
180	260,00 €	180	260,00 €	180	260,00 €			180	81,00 €	180	91,00 €
200	268,00 €	200	268,00 €	200	268,00 €			200	85,00 €	200	93,00 €
250	301,00 €	250	301,00 €	250	301,00 €			250	107,00 €	250	116,00 €
300	310,00 €	300	310,00 €	300	310,00 €			300	124,00 €	300	137,00 €
								350	157,00 €	350	172,00 €
								400	165,00 €	400	182,00 €
								450	176,00 €	450	197,00 €
								500	191,00 €	500	209,00 €
								600	203,00 €	600	225,00 €

DW-ECO 2.0

Ceiling plate 0°
two-piece



Ceiling plate 1-65°
two-piece



*1

Ventilated ceiling
plate, 0°, one-piece



Ventilated ceiling
plate, 1-65°, one-
piece



*1

Ventilated split
ceiling plate 0°,
two-piece



Ventilated split
ceiling plate 1-65°,
two-piece



*1

Ceiling plate with
seal to stop steam
connection 0-20°
(up to 450°C/N1)



DWECO74Ø		DWECO75Ø		DWECO70HLØ		DWECO71HLØ		DWECO74HLØ		DWECO75HLØ		DWECO1702Ø	
130	85,00 €	130	93,00 €	130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	102,00 €
150	99,00 €	150	109,00 €	150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	125,00 €
160	100,00 €	160	110,00 €	160	118,00 €	160	126,00 €	160	137,00 €	160	149,00 €	160	129,00 €
180	101,00 €	180	111,00 €	180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	137,00 €
200	114,00 €	200	126,00 €	200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	145,00 €
250	116,00 €	250	131,00 €	250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	194,00 €
300	133,00 €	300	149,00 €	300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	219,00 €
350	158,00 €	350	174,00 €	350	185,00 €	350	202,00 €	350	198,00 €	350	215,00 €		
400	166,00 €	400	183,00 €	400	195,00 €	400	212,00 €	400	204,00 €	400	222,00 €		
450	181,00 €	450	202,00 €	450	205,00 €	450	224,00 €	450	221,00 €	450	242,00 €		
500	202,00 €	500	222,00 €	500	218,00 €	500	235,00 €	500	242,00 €	500	260,00 €		
600	212,00 €	600	232,00 €	600	243,00 €	600	262,00 €	600	250,00 €	600	270,00 €		



System DW-ECO 2.0



Ceiling plate with seal to stop steam connection 21-40° (up to 450°C/Nl)

Ceiling plate with seal to stop steam connection 41-55° (up to 450°C/Nl)

Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece

Ventilated split ceiling plate 31-45°, two-piece

Airtight sealing collars 0°-30° for chimneys up to T400



DWECO1703Ø		DWECO1704Ø		DWECO99VØ		DWECO98VØ		DWECO99VHLØ		DWECO98VHLØ		ZUTE2195Ø
130	126,00 €	130	147,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €	180-195 84,00 €
150	154,00 €	150	169,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €	200-225 92,00 €
160	158,00 €	160	172,00 €	160	74,00 €	160	87,00 €	160	111,00 €	160	125,00 €	230-245 99,00 €
180	166,00 €	180	180,00 €	180	75,00 €	180	91,00 €	180	113,00 €	180	126,00 €	250-270 105,00 €
200	174,00 €	200	193,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €	
250	232,00 €	250	258,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €	
300	254,00 €	300	280,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €	
				350	153,00 €	350	165,00 €	350	191,00 €	350	202,00 €	
				400	159,00 €	400	172,00 €	400	198,00 €	400	210,00 €	
				450	182,00 €	450	185,00 €	450	210,00 €	450	224,00 €	
				500	197,00 €	500	200,00 €	500	224,00 €	500	238,00 €	
				600	213,00 €	600	225,00 €	600	250,00 €	600	262,00 €	

Airtight sealing collars 30°-45° for chimneys up to T400

Adaptor EW/DW-ECO

Adaptor EW-FU with female socket/DW-ECO

Adaptor DW-ECO/EW-FU male

Adaptor DW-ECO/EW-FU with female socket

Adaptor FERRO-LUX/DW-ECO

Adaptor EW-FU/DW-ECO with integrated wall sleeve straight for FERRO



ZUTE2232Ø	205-DWETN37Ø		205-DWETN37MØ		205-DWETN37AØ		205-DWETN37AMØ		205-DWETN37FØ		215-DWECO37GWFØ
200-225 111,00 €	130	53,00 €	130	59,00 €	130	53,00 €	130	59,00 €	130	59,00 €	130 101,00 €
230-245 125,00 €	150	54,00 €	150	61,00 €	150	54,00 €	150	61,00 €	150	61,00 €	150 106,00 €
250-270 135,00 €	160	57,00 €	160	62,00 €	160	57,00 €	160	62,00 €	160	62,00 €	160 109,00 €
	180	58,00 €	180	63,00 €	180	58,00 €	180	63,00 €	180	63,00 €	180 111,00 €
	200	61,00 €	200	67,00 €	200	61,00 €	200	67,00 €	200	67,00 €	200 120,00 €
	250	66,00 €	250	70,00 €	250	66,00 €	250	70,00 €	250	70,00 €	250 133,00 €
	300	70,00 €	300	76,00 €	300	70,00 €	300	76,00 €			
	350	78,00 €	350	84,00 €	350	78,00 €	350	84,00 €			
	400	98,00 €	400	103,00 €	400	98,00 €	400	103,00 €			
	450	114,00 €	450	120,00 €	450	114,00 €	450	120,00 €			
	500	125,00 €	500	130,00 €	500	125,00 €	500	130,00 €			
	600	163,00 €	600	169,00 €	600	163,00 €	600	169,00 €			

Isotherm tape
40mm, price per
metre

Closing cap plastic
for drain 1/2" (up to
200°C)

Locking band

Locking band static
h=400mm

Closing lid with
handle for DWE-
CO11

Removable soot
collector with con-
densate drain

Drain length
250mm for horizon-
tal and vertical
installation, 1/2"
threaded nipple



€
NET



€
NET



§ 19
BIMBA



750ISO40	750ADK1/2	DWECO989Ø	DWECO989SØ	215-DWECO43Ø	215-DWECO44Ø	205-DWETN1494Ø
5,00 €	5,00 €	130 20,00 € 150 21,00 € 160 22,00 € 180 23,00 € 200 26,00 € 250 27,00 € 300 28,00 € 350 31,00 € 400 32,00 € 450 35,00 € 500 36,00 € 600 42,00 €	130 78,00 € 150 84,00 € 160 87,00 € 180 94,00 € 200 105,00 €	130 77,00 € 150 78,00 € 160 83,00 € 180 87,00 € 200 99,00 € 250 115,00 € 300 130,00 € 350 137,00 € 400 142,00 € 450 154,00 € 500 166,00 € 600 179,00 €	130 110,00 € 150 114,00 € 160 122,00 € 180 124,00 € 200 131,00 € 250 145,00 € 300 157,00 € 350 195,00 € 400 220,00 € 450 256,00 € 500 298,00 € 600 441,00 €	130 221,00 € 150 233,00 € 160 248,00 € 180 262,00 € 200 276,00 € 250 329,00 € 300 397,00 € 350 475,00 € 400 593,00 € 450 648,00 € 500 678,00 € 600 784,00 €

Length 250mm
with test point, 1/2"
female socket and
screw

Inspection length
with door for hori-
zontal use (up to
600°C/N1)

Adjustable length
for connection line
320-460mm (up to
600°C/N1)

Adjustable rafter
bracket, 500-
900mm

Light rafter bracket

3-point guy wire
bracket

Mounting set for
3-point guy wire
bracket (galvani-
sed)



Rgr.
KEEW

205-DWETN51Ø	205-DWETN68Ø	205-DWETN50Ø	DWECO55Ø	DWECO55LØ	DWECO42Ø	KEEW237
130 107,00 € 150 113,00 € 160 122,00 € 180 129,00 € 200 135,00 € 250 166,00 € 300 213,00 € 350 269,00 € 400 367,00 € 450 404,00 € 500 411,00 € 600 480,00 €	130 209,00 € 150 222,00 € 160 228,00 € 180 235,00 € 200 244,00 € 250 273,00 € 300 313,00 € 350 368,00 € 400 384,00 € 450 439,00 € 500 578,00 € 600 648,00 €	130 155,00 € 150 181,00 € 160 198,00 € 180 212,00 € 200 244,00 € 250 317,00 € 300 440,00 € 350 563,00 € 400 873,00 € 450 933,00 € 500 987,00 € 600 1.174,00 €	130 155,00 € 150 166,00 € 160 171,00 € 180 174,00 € 200 201,00 € 250 226,00 € 300 235,00 € 350 320,00 € 400 343,00 € 450 387,00 € 500 427,00 € 600 479,00 €	130 87,00 € 150 90,00 € 160 91,00 € 180 109,00 € 200 111,00 € 250 116,00 € 300 118,00 € 350 122,00 €	130 42,00 € 150 43,00 € 160 44,00 € 180 45,00 € 200 46,00 € 250 47,00 € 300 59,00 € 350 72,00 € 400 74,00 € 450 75,00 € 500 81,00 € 600 93,00 €	58,00 €



System DW-ECO 2.0



Anchor cable (galvanised)

Roof hook for mounting wall brackets on pitched roofs

Roof hook for mounting wall brackets on pitched roofs (adjustable)

Folding clamp for 2-point guy wire bracket

Roof hook for mounting guy wire brackets, 2 pieces

2-point guy wire bracket

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



Rgr. KEEW



\$ 19 Brmsdy



\$ 19 Brmsdy



€ NET



€ NET



\$ 19 Brmsdy



\$ 19 Brmsdy

KEEW242	DWECO2800Ø	DWECO2877Ø	ZUDA1069	ZUDA1070	DWECO1057Ø	ZUDA904-2000
14,00 €	130 102,00 € 150 107,00 € 160 107,00 € 180 110,00 € 200 111,00 €	130 278,00 € 150 282,00 € 160 283,00 € 180 284,00 € 200 288,00 €	35,00 €	34,00 €	130 42,00 € 150 43,00 € 160 44,00 € 180 45,00 € 200 46,00 € 225 46,00 € 250 47,00 € 300 59,00 € 350 72,00 € 400 74,00 €	198,00 €

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)


Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)


Stainless steel cantilever with sliding static wall bracket



\$ 19 Brmsdy



\$ 19 Brmsdy



\$ 19 Brmsdy



\$ 19 Brmsdy



\$ 19 Brmsdy



\$ 19 Brmsdy

ZUDA1678-2000	ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000	ZUDA1678-4000	ZUTE1334Ø
313,00 €	227,00 €	358,00 €	313,00 €	487,00 €	130 781,00 € 150 784,00 €

- *1 When ordering, please specify the system diameter and distance from the wall!

INSTALLATION TUTORIALS

SCAN & LEARN

Scan the QR code – and get started with practical step-by-step videos on YouTube!

- ✓ No more long searches on YouTube
- ✓ Each video is tailored to a specific assembly aid or product series
- ✓ Step-by-step explanations – directly from the manufacturer
- ✓ Perfect for on the go: accessible on mobile devices and PCs

NEW



You can find our tips and tricks in video form here...

Scan the QR code and discover exciting tutorial videos on YouTube.

Whether you're looking for the basics or advanced tips, the videos are entertaining, helpful, and tailored to your needs.
[Just click here to open the playlist.](#)



SCAN NOW



System DW-ECO 2.0 AL

DESCRIPTION

Double wall, pressure-tight system made of stainless steel

MATERIAL

Inside: L99

Outside: 1.4301 (304)

Others on request

FINISHING

Highly polished

Optional: matt + 25%

WALL THICKNESS

Inside / Outside each 0.5 mm

Others on request

INSIDE DIAMETER

130 - 600 mm

Others on request from 80 mm

INSULATION

Mineral insulation 25 mm thick

CONNECTION

Socket / bead plug-and-socket connection with special internal gasket and external locking band

LOCKING BAND

Included

For an assembly without T-connection, an additional locking band must be ordered for the chimney top



GASKET

The gasket supplied varies depending on the diameter (EPDM up to 120°C or silicone up to 200°C). All possible options can be found from the table on the next page. The prices of variants not listed in the price list are available on request.

The actual price charged for components incl. gasket may differ from the price stated here, as there may be minimal differences depending on your individual discount composition of DW discount (component) and FU discount (gasket).

ORDER CODE

When ordering, please replace the placeholder “...” in the article code with the letter for the desired gasket (Standard gasket varies depending on Ø, see table).



CHARACTERISTICS

- DW-ECO 2.0 base parts are made pressure-tight by inserting a gasket in a molded bead
- Low-cost alternative to double wall system DW-AL
- 70 mm wide, recessed locking band
- Moisture resistant

APPLICATION AREAS

- Standard heating appliances for oil and gas
- Condensing boilers

CE MARK NUMBER

0036 CPR 9174 046

CE CLASSIFICATIONS ACC. TO DIN EN 1856-1

T120 - P1 - W - V2 - L99050 - O00 (with EPDM gasket)

T120 - N1 - W - V2 - L99050 - O00 (with EPDM gasket)

T200 - P1 - W - V2 - L99050 - O00 (with Silicone gasket)

T200 - N1 - W - V2 - L99050 - O00 (with Silicone gasket)

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 053

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T120 - P1 - W - V2 - L99050 - O00M (with EPDM gasket)

T120 - N1 - W - V2 - L99050 - O00M (with EPDM gasket)

T200 - P1 - W - V2 - L99050 - O00M (with Silicone gasket)

T200 - N1 - W - V2 - L99050 - O00M (with Silicone gasket)

- ^{*1} From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

POSSIBLE GASKET OPTIONS

	EPDM (ALBI367)			Silicone (ALBI26)		
Variant	A	B	C	D	E	F
Ø	attached	inserted	glued-in	attached	inserted	glued-in
130 mm	x	x	x	x	x	x
150 mm	x	x	x	x	x	x
160 mm	x	x	x	x	x	x
180 mm	x	x	x	x	x	x
200 mm	x	x	x	x	x	x
250 mm	x		x	x		x
300 mm	x		x	x		x
350 mm	x		x	x		x
400 mm	x		x	x		x
450 mm				x		x
500 mm				x		x
600 mm				x		x

Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



^{*1}



^{*1}



^{*1}



DW01Ø		DW02Ø		DW49Ø		DW391		DW392		DW393		DW407	
130	81,00 €	130	116,00 €	130	153,00 €	130	122,00 €	130	137,00 €	130	167,00 €	130	274,00 €
150	86,00 €	150	145,00 €	150	191,00 €			150					
160	109,00 €	160	156,00 €	160	205,00 €			160					
180	116,00 €	180	171,00 €	180	225,00 €			180					
200	182,00 €	200	288,00 €	200	460,00 €			200					
250	245,00 €	250	300,00 €	250	491,00 €			250					
300	272,00 €	300	316,00 €	300	551,00 €			300					
350	333,00 €	350	376,00 €	350	594,00 €			350					
400	405,00 €	400	467,00 €										
450	464,00 €	450	524,00 €										
500	523,00 €	500	539,00 €										
600	637,00 €	600	680,00 €										



System DW-ECO 2.0 AL



CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-ECO 2.0 AL

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 50 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
130	155	130	305	130	555	130	835
150	135	150	285	150	535	150	815
160	125	160	275	160	525	160	805
180	105	180	255	180	505	180	785
200	85	200	235	200	485	200	765
		250	185	250	435	250	715
		300	135	300	385	300	665
		350	85	350	335	350	615
				400	285	400	565
				450	235	450	515
				500	185	500	465
				600	85	600	365



Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces


Water deflectors
for wall support, 2
pieces

Adjustable support
foot 190-630mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 190-1130mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 480-1120mm
with drain at bottom,
1/2" threaded nipple
and door for conden-
sate collector

Adjustable support
for elbow with base
support l=500mm



ZUTE1425	ZUTE1426	ZUTE1427	215-DWECO-AL...03Ø	215-DWECO-AL...04Ø	215-DWECO-AL...1017Ø	DWA251144Ø
12,00 €	12,00 €	12,00 €	A 130 265,00 €	A 130 348,00 €	A 130 464,00 €	180 130,00 €
			A 150 275,00 €	A 150 350,00 €	A 150 465,00 €	200 153,00 €
			A 160 289,00 €	A 160 361,00 €	A 160 476,00 €	210 157,00 €
			A 180 304,00 €	A 180 369,00 €	A 180 485,00 €	230 163,00 €
			A 200 330,00 €	A 200 382,00 €	A 200 496,00 €	250 166,00 €
			C 250 335,00 €	C 250 387,00 €	C 250 501,00 €	300 171,00 €
			C 300 483,00 €	C 300 511,00 €		350 206,00 €
			C 350 489,00 €	C 350 527,00 €		400 228,00 €
			C 400 502,00 €	C 400 538,00 €		450 262,00 €
			F 450 524,00 €	F 450 551,00 €		500 310,00 €
			F 500 542,00 €	F 500 688,00 €		550 348,00 €
			F 600 610,00 €	F 600 729,00 €		650 395,00 €

- *1 Can be flexibly extended downwards with a length element DWA13/14/15 from system FURADO-A

Elbow 87° with support



Base plate with plug-in ring for bracket with support



Base plate with condensate drain at the bottom and 1/2" nipple




Base plate with condensate side drain and 1/2" nipple



Base plate for intermediate support



Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m



Base plate without drain, suitable for elbow with support



205-DWETN-AL...57Ø		DWA252803Ø		205-DWETN-AL...05Ø		205-DWETN-AL...06Ø		205-DWETN-AL...07Ø		205-DWETN-AL...08Ø		DWA2509Ø	
A 130	268,00 €	180	66,00 €	A 130	125,00 €	A 130	150,00 €	A 130	128,00 €	A 130	198,00 €	180	66,00 €
A 150	307,00 €	200	74,00 €	A 150	128,00 €	A 150	165,00 €	A 150	139,00 €	A 150	220,00 €	200	70,00 €
A 160	320,00 €	210	78,00 €	A 160	137,00 €	A 160	180,00 €	A 160	150,00 €	A 160	239,00 €	210	74,00 €
A 180	333,00 €	230	81,00 €	A 180	144,00 €	A 180	191,00 €	A 180	158,00 €	A 180	260,00 €	230	77,00 €
A 200	410,00 €	250	84,00 €	A 200	154,00 €	A 200	202,00 €	A 200	166,00 €	A 200	291,00 €	250	78,00 €
C 250	515,00 €	300	86,00 €	C 250	169,00 €	C 250	252,00 €	C 250	206,00 €	C 250	346,00 €	300	79,00 €
C 300	613,00 €	350	91,00 €	C 300	180,00 €	C 300	274,00 €	C 300	220,00 €	C 300	384,00 €	350	83,00 €
C 350	676,00 €	400	98,00 €	C 350	287,00 €	C 350	295,00 €	C 350	275,00 €	C 350	390,00 €	400	93,00 €
C 400	768,00 €	450	101,00 €	C 400	311,00 €	C 400	423,00 €	C 400	355,00 €	C 400	466,00 €	450	159,00 €
F 450	866,00 €	500	132,00 €	F 450	398,00 €	F 450	452,00 €	F 450	412,00 €	F 450	519,00 €	500	222,00 €
F 500	961,00 €	550	152,00 €	F 500	430,00 €	F 500	510,00 €	F 500	464,00 €	F 500	548,00 €	550	260,00 €
F 600	1.156,00 €	650	176,00 €	F 600	542,00 €	F 600	604,00 €	F 600	552,00 €	F 600	742,00 €	650	270,00 €

DW-ECO 2.0 AL

Inspection length (up to 200°C/PI)



Length 1000mm



Length 500mm



Length 250mm



Wall bracket 50mm



Adjustable wall bracket 50-150mm, single-braced



Wall bracket adjustable 50-150mm, double-braced



205-DWETN-AL...10Ø		205-DWETN-AL...13Ø		205-DWETN-AL...14Ø		205-DWETN-AL...15Ø		DWECO21Ø		DWECO22Ø		DWECO22Ø	
A 130	367,00 €	A 130	179,00 €	A 130	117,00 €	A 130	90,00 €	130	47,00 €	130	84,00 €	300	114,00 €
A 150	384,00 €	A 150	198,00 €	A 150	126,00 €	A 150	96,00 €	150	52,00 €	150	85,00 €	350	122,00 €
A 160	394,00 €	A 160	210,00 €	A 160	136,00 €	A 160	102,00 €	160	53,00 €	160	86,00 €	400	138,00 €
A 180	405,00 €	A 180	224,00 €	A 180	144,00 €	A 180	106,00 €	180	54,00 €	180	87,00 €	450	173,00 €
A 200	426,00 €	A 200	250,00 €	A 200	154,00 €	A 200	121,00 €	200	57,00 €	200	90,00 €	500	193,00 €
C 250	460,00 €	C 250	323,00 €	C 250	189,00 €	C 250	150,00 €	250	61,00 €	250	98,00 €	600	258,00 €
C 300	487,00 €	C 300	387,00 €	C 300	237,00 €	C 300	191,00 €	300	74,00 €				
C 350	529,00 €	C 350	529,00 €	C 350	302,00 €	C 350	218,00 €	350	81,00 €				
C 400	732,00 €	C 400	590,00 €	C 400	407,00 €	C 400	337,00 €	400	86,00 €				
F 450	764,00 €	F 450	623,00 €	F 450	448,00 €	F 450	357,00 €	450	102,00 €				
F 500	825,00 €	F 500	688,00 €	F 500	465,00 €	F 500	381,00 €	500	124,00 €				
F 600	880,00 €	F 600	807,00 €	F 600	542,00 €	F 600	439,00 €	600	129,00 €				



System DW-ECO 2.0 AL



Adjustable wall bracket 50-250mm, single-braced

Adjustable wall bracket 50-250mm, double-braced

Adjustable wall bracket 250-360mm, single-braced

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm

Wall and head piece for wall bracket, wall distance min 250mm

Adjustable wall bracket with joint, 140-300mm



DWECO23Ø		DWECO23Ø		DWECO24Ø		DWECO24Ø		DWECO20Ø		DWECO20Ø		DWECO24MGØ	
130	101,00 €	300	130,00 €	130	135,00 €	300	166,00 €	130	98,00 €	300	137,00 €	130	250,00 €
150	103,00 €	350	133,00 €	150	137,00 €	350	169,00 €	150	99,00 €	350	173,00 €	150	252,00 €
160	105,00 €	400	167,00 €	160	138,00 €	400	203,00 €	160	100,00 €	400	273,00 €	160	253,00 €
180	106,00 €	450	215,00 €	180	139,00 €	450	250,00 €	180	101,00 €	450	320,00 €	180	254,00 €
200	109,00 €	500	246,00 €	200	145,00 €	500	280,00 €	200	102,00 €	500	333,00 €	200	258,00 €
250	114,00 €	600	301,00 €	250	150,00 €	600	313,00 €	250	116,00 €	600	361,00 €	250	262,00 €

Extension 30x30mm for TW20 l=1000mm

Extension 30x30mm for TW20 l=500mm

Wall bracket static, 50mm

Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Wall bracket static, adjustable 50-360mm

Elbow 15°



DW86		DW85		DWECO45Ø		DWECO46Ø		DWECO47Ø		DWECO48Ø		205-DWETN-AL...16Ø	
81,00 €		59,00 €		130	92,00 €	130	163,00 €	130	202,00 €	250	275,00 €	A 130	117,00 €
				150	98,00 €	150	181,00 €	150	204,00 €	300	277,00 €	A 150	126,00 €
				180	99,00 €	160	182,00 €	160	205,00 €	350	284,00 €	A 160	134,00 €
				200	107,00 €	180	203,00 €	180	206,00 €	400	305,00 €	A 180	141,00 €
				250	126,00 €	200	205,00 €	200	209,00 €	450	343,00 €	A 200	147,00 €
				300	140,00 €	250	227,00 €	250	233,00 €	500	354,00 €	C 250	156,00 €
				350	155,00 €	300	230,00 €	300	251,00 €	600	453,00 €	C 300	200,00 €
				400	183,00 €	350	238,00 €	350	252,00 €			C 350	248,00 €
				450	228,00 €	400	256,00 €	400	269,00 €			C 400	320,00 €
				500	248,00 €	450	284,00 €	450	300,00 €			F 450	367,00 €
				600	269,00 €	500	310,00 €	500	324,00 €			F 500	442,00 €
						600	358,00 €	600	370,00 €			F 600	507,00 €

Elbow 30°



Elbow 45°



Elbow 87°



Elbow 90°



T-87°



Elbow 87° with inspection door (up to 200°C/P1)



Elbow 90° with inspection door (up to 200°C/P1)



205-DWETN-AL...17Ø		205-DWETN-AL...18Ø		205-DWETN-AL...64Ø		205-DWETN-AL...60Ø		205-DWETN-AL...1055Ø		205-DWETN-AL...67Ø		205-DWETN-AL...19Ø	
A 130	124,00 €	A 130	126,00 €	A 130	227,00 €	A 130	227,00 €	A 130	314,00 €	A 130	334,00 €	A 130	334,00 €
A 150	131,00 €	A 150	133,00 €	A 150	231,00 €	A 150	231,00 €	A 150	333,00 €	A 150	343,00 €	A 150	343,00 €
A 160	138,00 €	A 160	140,00 €	A 160	242,00 €	A 160	242,00 €	A 160	336,00 €	A 160	356,00 €	A 160	356,00 €
A 180	144,00 €	A 180	145,00 €	A 180	253,00 €	A 180	253,00 €	A 180	352,00 €	A 180	365,00 €	A 180	365,00 €
A 200	153,00 €	A 200	164,00 €	A 200	261,00 €	A 200	261,00 €	A 200	388,00 €	A 200	404,00 €	A 200	404,00 €
C 250	160,00 €	C 250	190,00 €	C 250	295,00 €	C 250	295,00 €	C 250	426,00 €	C 250	450,00 €	C 250	450,00 €
C 300	215,00 €	C 300	241,00 €	C 300	360,00 €	C 300	360,00 €	C 300	507,00 €	C 300	572,00 €	C 300	572,00 €
C 350	266,00 €	C 350	285,00 €	C 350	464,00 €	C 350	464,00 €	C 350	563,00 €	C 350	670,00 €	C 350	670,00 €
C 400	346,00 €	C 400	376,00 €	C 400	495,00 €	C 400	495,00 €	C 400	724,00 €	C 400	759,00 €	C 400	759,00 €
F 450	397,00 €	F 450	428,00 €	F 450	532,00 €	F 450	532,00 €	F 450	774,00 €	F 450	786,00 €	F 450	786,00 €
F 500	489,00 €	F 500	528,00 €	F 500	705,00 €	F 500	705,00 €	F 500	904,00 €	F 500	912,00 €	F 500	912,00 €
F 600	553,00 €	F 600	596,00 €	F 600	878,00 €	F 600	878,00 €	F 600	1.040,00 €	F 600	1.145,00 €	F 600	1.145,00 €

DW-ECO 2.0 AL

End cap (up to 200°C/P1)



End pipe for DW-ECO 2.0



Storm collar



Storm collar with edge




Storm collar with edge and spacers for rear ventilation



Storm collar fitting over DW-ECO locking band



Flashing kit 5-15° with storm collar



205-DWETN-AL32Ø		205-DWETN2904Ø		DWECO31Ø		DWECO307Ø		DWECO2856Ø		DWECO2910Ø		DWECO81Ø	
130	85,00 €	130	180,00 €	130	27,00 €	130	40,00 €	130	46,00 €	130	27,00 €	130	200,00 €
150	98,00 €	150	201,00 €	150	29,00 €	150	42,00 €	150	47,00 €	150	29,00 €	150	220,00 €
160	99,00 €	160	212,00 €	160	31,00 €	160	43,00 €	160	50,00 €	160	31,00 €	160	229,00 €
180	101,00 €	180	225,00 €	180	32,00 €	180	45,00 €	180	52,00 €	180	32,00 €	180	246,00 €
200	102,00 €	200	246,00 €	200	35,00 €	200	46,00 €	200	53,00 €	200	35,00 €	200	285,00 €
250	123,00 €			250	37,00 €	250	51,00 €	250	57,00 €	250	37,00 €	250	329,00 €
300	145,00 €			300	43,00 €	300	67,00 €	300	74,00 €	300	43,00 €	300	354,00 €
350	169,00 €			350	53,00 €	350	83,00 €	350	90,00 €	350	53,00 €	350	448,00 €
400	200,00 €			400	70,00 €	400	110,00 €	400	116,00 €	400	70,00 €	400	802,00 €
450	250,00 €			450	75,00 €	450	116,00 €	450	124,00 €	450	75,00 €	450	891,00 €
500	307,00 €			500	81,00 €	500	130,00 €	500	135,00 €	500	81,00 €	500	1.008,00 €
600	460,00 €			600	126,00 €	600	198,00 €	600	204,00 €	600	126,00 €	600	1.152,00 €



System DW-ECO 2.0 AL



Flashing kit 16-25°
with storm collar

Flashing kit 26-35°
with storm collar




Flashing kit 36-45°
with storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar



DWECO82Ø	DWECO39Ø	DWECO83Ø	DWECO52Ø	DWECO52ØZY	DWECO53Ø	DWECO59Ø
130 221,00 €	130 248,00 €	130 272,00 €	130 118,00 €	130 118,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 265,00 €	150 290,00 €	150 124,00 €	150 124,00 €	150 244,00 €	150 244,00 €
160 252,00 €	160 274,00 €	160 298,00 €	160 130,00 €	160 130,00 €	160 251,00 €	160 251,00 €
180 262,00 €	180 285,00 €	180 308,00 €	180 138,00 €	180 138,00 €	180 260,00 €	180 260,00 €
200 295,00 €	200 306,00 €	200 315,00 €	200 170,00 €	200 170,00 €	200 268,00 €	200 268,00 €
250 336,00 €	250 341,00 €	250 352,00 €	250 193,00 €	250 193,00 €	250 301,00 €	250 301,00 €
300 363,00 €	300 372,00 €	300 383,00 €	300 235,00 €	300 235,00 €	300 310,00 €	300 310,00 €
350 468,00 €	350 491,00 €	350 511,00 €	350 298,00 €	350 298,00 €	350 322,00 €	350 322,00 €
400 816,00 €	400 828,00 €	400 843,00 €	400 380,00 €	400 380,00 €	400 341,00 €	400 341,00 €
450 903,00 €	450 916,00 €	450 932,00 €	450 438,00 €	450 438,00 €	450 368,00 €	450 368,00 €
500 1.059,00 €	500 1.108,00 €	500 1.159,00 €	500 510,00 €	500 510,00 €	500 431,00 €	500 431,00 €
600 1.180,00 €	600 1.208,00 €	600 1.238,00 €	600 615,00 €	600 615,00 €	600 491,00 €	600 491,00 €

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar







Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar


Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar




DWECO38Ø	DWECO54Ø	DWECO2556-1Ø	DWECO2556-2Ø	DWECO2556-3Ø	DWECO2558-1Ø	DWECO2558-2Ø
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €
350 322,00 €	350 322,00 €					
400 341,00 €	400 341,00 €					
450 368,00 €	450 368,00 €					
500 431,00 €	500 431,00 €					
600 491,00 €	600 491,00 €					

- *1 For wall/ceiling panels, please state the number in °.


Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar



Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



DWECO2558-3Ø	DWECO2557-1Ø	DWECO2557-2Ø	DWECO2557-3Ø	DWECO2551-1Ø	DWECO2551-2Ø	DWECO2551-3Ø
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €

Flashing kit (Silicone)
incl. screws and
sealing compound,
for metal roof, outer
Ø 150-300mm (up to
400°C)



Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre ce-
ment corrugated roof,
outer Ø 150-300mm
(up to 400°C)



Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece



Ceiling plate 0°
two-piece

*1



Ceiling plate 1-65°
two-piece



Ventilated ceiling
plate, 0°, one-piece

*1



ZUAC2700	ZUAC2701	DWECO70Ø	DWECO71Ø	DWECO74Ø	DWECO75Ø	DWECO70HLØ
259,00 €	259,00 €	130 74,00 €	130 81,00 €	130 85,00 €	130 93,00 €	130 113,00 €
		150 77,00 €	150 85,00 €	150 99,00 €	150 109,00 €	150 116,00 €
		160 79,00 €	160 87,00 €	160 100,00 €	160 110,00 €	160 118,00 €
		180 81,00 €	180 91,00 €	180 101,00 €	180 111,00 €	180 120,00 €
		200 85,00 €	200 93,00 €	200 114,00 €	200 126,00 €	200 124,00 €
		250 107,00 €	250 116,00 €	250 116,00 €	250 131,00 €	250 145,00 €
		300 124,00 €	300 137,00 €	300 133,00 €	300 149,00 €	300 162,00 €
		350 157,00 €	350 172,00 €	350 158,00 €	350 174,00 €	350 185,00 €
		400 165,00 €	400 182,00 €	400 166,00 €	400 183,00 €	400 195,00 €
		450 176,00 €	450 197,00 €	450 181,00 €	450 202,00 €	450 205,00 €
		500 191,00 €	500 209,00 €	500 202,00 €	500 222,00 €	500 218,00 €
		600 203,00 €	600 225,00 €	600 212,00 €	600 232,00 €	600 243,00 €



System DW-ECO 2.0 AL



Ventilated ceiling plate, 1-65°, one-piece

Ventilated split ceiling plate 0°, two-piece

Ventilated split ceiling plate 1-65°, two-piece

Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece

Ventilated split ceiling plate 31-45°, two-piece



*1



*1



DWECO71HLØ		DWECO74HLØ		DWECO75HLØ		DWECO99VØ		DWECO98VØ		DWECO99VHLØ		DWECO98VHLØ	
130	122,00 €	130	124,00 €	130	131,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €
150	124,00 €	150	135,00 €	150	146,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €
160	126,00 €	160	137,00 €	160	149,00 €	160	74,00 €	160	87,00 €	160	111,00 €	160	125,00 €
180	127,00 €	180	145,00 €	180	150,00 €	180	75,00 €	180	91,00 €	180	113,00 €	180	126,00 €
200	131,00 €	200	153,00 €	200	165,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €
250	155,00 €	250	155,00 €	250	170,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €
300	174,00 €	300	172,00 €	300	185,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €
350	202,00 €	350	198,00 €	350	215,00 €	350	153,00 €	350	165,00 €	350	191,00 €	350	202,00 €
400	212,00 €	400	204,00 €	400	222,00 €	400	159,00 €	400	172,00 €	400	198,00 €	400	210,00 €
450	224,00 €	450	221,00 €	450	242,00 €	450	182,00 €	450	185,00 €	450	210,00 €	450	224,00 €
500	235,00 €	500	242,00 €	500	260,00 €	500	197,00 €	500	200,00 €	500	224,00 €	500	238,00 €
600	262,00 €	600	250,00 €	600	270,00 €	600	213,00 €	600	225,00 €	600	250,00 €	600	262,00 €

Adaptor EW/DW-ECO-AL

Adaptor EW-ALBI/DW-ECO-AL

Adaptor DW-ECO-AL/EW-ALBI with female socket

Closing cap plastic for drain 1/2" (up to 200°C)

Locking band

Length 250mm with test point, 1/2" female socket and screw

Drain length 250mm for horizontal and vertical installation, 1/2" threaded nipple



205-DWETN-AL...37Ø		205-DWETN-AL...37MØ		205-DWETN-AL...37AMØ		750ADK1/2	DWECO989Ø		205-DWETN-AL...51Ø		205-DWETN-AL...149Ø	
A 130	79,00 €	A 130	111,00 €	A 130	85,00 €	5,00 €	130	20,00 €	A 130	133,00 €	A 130	247,00 €
A 150	80,00 €	A 150	113,00 €	A 150	87,00 €		150	21,00 €	A 150	139,00 €	A 150	259,00 €
A 160	84,00 €	A 160	116,00 €	A 160	89,00 €		160	22,00 €	A 160	149,00 €	A 160	275,00 €
A 180	86,00 €	A 180	119,00 €	A 180	91,00 €		180	23,00 €	A 180	157,00 €	A 180	290,00 €
A 200	92,00 €	A 200	129,00 €	A 200	98,00 €		200	26,00 €	A 200	166,00 €	A 200	307,00 €
C 250	100,00 €	C 250	138,00 €	C 250	104,00 €		250	27,00 €	C 250	200,00 €	C 250	363,00 €
C 300	105,00 €	C 300	146,00 €	C 300	111,00 €		300	28,00 €	C 300	248,00 €	C 300	432,00 €
C 350	115,00 €	C 350	158,00 €	C 350	121,00 €		350	31,00 €	C 350	306,00 €	C 350	512,00 €
C 400	137,00 €	C 400	181,00 €	C 400	142,00 €		400	32,00 €	C 400	406,00 €	C 400	632,00 €
F 450	158,00 €	F 450	208,00 €	F 450	164,00 €		450	35,00 €	F 450	448,00 €	F 450	692,00 €
F 500	172,00 €	F 500	224,00 €	F 500	177,00 €		500	36,00 €	F 500	458,00 €	F 500	725,00 €
F 600	221,00 €	F 600	285,00 €	F 600	227,00 €		600	42,00 €	F 600	538,00 €	F 600	842,00 €

- ^{*1} For wall/ceiling panels, please state the number in °.

Fitting 1/2" to plug-in sleeve Ø22mm suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904

Fitting 1/2" with inner thread 1/2" suitable for ZUAC2300, ZUAC2301, ZUAC2302, ZUAC2303 and ZUTE1904

Siphon to the centric P1/M1

Siphon to the right P1/M1

Siphon to the left P1/M1

Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1

Inspection length with door for horizontal use (up to 200°C/P1)

						
						
750FITTINGV-22	750FITTINGÜ-22 1/2	ZUAC2300	ZUAC2301	ZUAC2302	ZUAC2303	205-DWETN-AL...294Ø
47,00 €	94,00 €	66,00 €	66,00 €	66,00 €	66,00 €	A 130 272,00 € A 150 286,00 € A 160 301,00 € A 180 312,00 € A 200 321,00 € C 250 363,00 € C 300 403,00 € C 350 446,00 € C 400 484,00 €

Adjustable length for connection line 320-460mm (up to 200°C/P1)

Gasket silicone up to 200°C

Gasket EPDM 120°C

Adjustable rafter bracket, 500-900mm

Light rafter bracket

3-point guy wire bracket

2-point guy wire bracket

						
						
205-DWETN-AL...50Ø	ALBI26Ø	ALBI367Ø	DWECO55Ø	DWECO55LØ	DWECO42Ø	DWECO1057Ø
A 130 209,00 €	130 26,00 €	130 26,00 €	130 155,00 €	130 87,00 €	130 42,00 €	130 42,00 €
A 150 240,00 €	150 26,00 €	150 26,00 €	150 166,00 €	150 90,00 €	150 43,00 €	150 43,00 €
A 160 256,00 €	160 27,00 €	160 27,00 €	160 171,00 €	160 91,00 €	160 44,00 €	160 44,00 €
A 180 276,00 €	180 28,00 €	180 28,00 €	180 174,00 €	180 109,00 €	180 45,00 €	180 45,00 €
A 200 324,00 €	200 31,00 €	200 31,00 €	200 201,00 €	200 111,00 €	200 46,00 €	200 46,00 €
C 250 415,00 €	250 34,00 €	250 34,00 €	250 226,00 €	250 116,00 €	250 47,00 €	250 47,00 €
C 300 563,00 €	300 35,00 €	300 35,00 €	300 235,00 €	300 118,00 €	300 59,00 €	300 59,00 €
C 350 702,00 €	350 37,00 €	350 37,00 €	350 320,00 €	350 122,00 €	350 72,00 €	350 72,00 €
	400 39,00 €	400 39,00 €	400 343,00 €		400 74,00 €	400 74,00 €
	450 44,00 €		450 387,00 €		450 75,00 €	450 75,00 €
	500 47,00 €		500 427,00 €		500 81,00 €	500 81,00 €
	600 58,00 €		600 479,00 €		600 93,00 €	600 93,00 €



System DW-ECO 2.0 AL



Mounting set for 3-point guy wire bracket (galvanised)

Anchor cable (galvanised)

Folding clamp for 2-point guy wire bracket

Roof hook for mounting guy wire brackets, 2 pieces

2-point guy wire bracket

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



Rgr. KEEW



Rgr. KEEW



c NET



c NET



\$ 19 Brimdy



\$ 19 Brimdy



\$ 19 Brimdy

KEEW237	KEEW242	ZUDA1069	ZUDA1070	DWECO1057Ø	ZUDA904-2000	ZUDA1678-2000
58,00 €	14,00 €	35,00 €	34,00 €	130 42,00 € 150 43,00 € 160 44,00 € 180 45,00 € 200 46,00 € 225 46,00 € 250 47,00 € 300 59,00 € 350 72,00 € 400 74,00 €	198,00 €	313,00 €

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)

Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)

Stainless steel cantilever with sliding static wall bracket



\$ 19 Brimdy



\$ 19 Brimdy



\$ 19 Brimdy



\$ 19 Brimdy

\$ 19 Brimdy

ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000	ZUDA1678-4000	ZUTE1334Ø
227,00 €	358,00 €	313,00 €	487,00 €	130 781,00 € 150 784,00 €

*1



- *1 When ordering, please specify the system diameter and distance from the wall!



System DW-BLACK

DESCRIPTION

Black matt powder-coated double wall system made of stainless steel for all standard fireplaces in negative pressure operation, in dry or wet operation

MATERIAL

Inside: L99

Outside: Elo-galvanized

FINISHING

Black matt powder-coated (RAL 9011MB)

Colours:

DW-GREY (RAL 7016M)

DW-WHITE (RAL 9010M)

WALL THICKNESS

Inside / outside each 0.5 mm

INSIDE DIAMETER

130 - 200 mm

INSULATION

Mineral insulation with 25 mm thickness

CONNECTION

Plug connection socket / bead with clamping band

LOCKING BAND

Included

ORDER CODE

The article code for your order results from:

Article code + Ø (Ex: 16-290-DWETN05130).

Please refer to the respective code for deviations. If you require different colors, please use the following article codes instead of 16-290-DWETN05...(black):

28-290-DWETN05... DW-GREY

47-290-DWETN05... DW-WHITE



CHARACTERISTICS

- Inexpensive black matt powder-coated exhaust system
- 70 mm wide, recessed locking band
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard fireplaces for oil, gas and solid fuels (natural wood, coke, peat, coal*)

* excluding anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 137

CE CLASSIFICATION ACC. TO DIN EN 1856-1

T450 - N1 - W - V2 - L99050 - G80

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 138

CE-CLASSIFICATION ACC. TO DIN EN 1856-2

T450 - N1 - W - V2 - L99050 - G170 M

STYLISH LOOK, SMART PRICE!

Our DW systems with powder coating in matt black, white, or gray are the price-conscious alternative to the classic painted DW-ECO – without compromising on style.



DW-BLACK



DW-WHITE



DW-GREY

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-BLACK


Total length of the wall support 350 mm

Total length of the wall support 500 mm

Total length of the wall support 750 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 50 mm) = max. wall distance

16-DW391		16-DW392		16-DW393	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
130	155	130	305	130	555
150	135	150	285	150	535
180	108	180	255	180	505
200	85	200	235	200	485



Cantilevers type I 350mm

Cantilevers type II 500mm




Cantilevers Type III 750mm

Base plate with condensate drain at the bottom and 1/2" nipple

Base plate for intermediate support

Base plate for mounting on a bracket with side drain and 1/2" threaded nipple

Closing cap plastic for drain 1/2" (up to 200°C)



16-DW391		16-DW392		16-DW393		16-290-DWETN05Ø		16-290-DWETN07Ø		16-290-DWETN66Ø		750ADK1/2	
134,00 €		151,00 €		185,00 €		130	109,00 €	130	113,00 €	130	132,00 €	5,00 €	
						150	113,00 €	150	125,00 €	150	151,00 €		
						180	129,00 €	180	142,00 €	180	176,00 €		
						200	135,00 €	200	150,00 €	200	185,00 €		

Base plate for chimney raise 450°C/Nl (round insert sleeve), max. height from base plate 1,5m

Inspection length (up to 450°C/Nl)

Inspection length (up to 600°C/Nl) square door 210x140mm

Inspection length extruded (up to 600°C/Nl), square door 210x140mm

T-90°

Length 1000mm


Length 500mm



16-290-DWETN08Ø		16-290-DWETN2747Ø		16-205-DWETN10Ø		16-205-DWETN2942Ø		16-290-DWETN2866Ø		16-290-DWETN13Ø		16-290-DWETN14Ø	
130	113,00 €	130	256,00 €	130	320,00 €	130	272,00 €	130	215,00 €	130	167,00 €	130	100,00 €
150	127,00 €	150	312,00 €	150	337,00 €	150	287,00 €	150	249,00 €	150	190,00 €	150	110,00 €
180	147,00 €	180	334,00 €	180	348,00 €	180	297,00 €	180	273,00 €	180	217,00 €	180	129,00 €
200	154,00 €	200	399,00 €	200	365,00 €	200	311,00 €	200	337,00 €	200	242,00 €	200	135,00 €



System DW-BLACK



Length 250mm

Length 500mm
with integrated wall
sleeve shortenable
for FERRO

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Elbow 90°



16-290-DWETN15Ø	16-290-DWETN1661Ø	16-290-DWETN16Ø	16-290-DWETN17Ø	16-290-DWETN18Ø	16-290-DWETN64Ø	16-290-DWETN60Ø
130 71,00 €	130 171,00 €	130 96,00 €	130 101,00 €	130 109,00 €	130 221,00 €	130 221,00 €
150 77,00 €	150 188,00 €	150 108,00 €	150 111,00 €	150 113,00 €	150 227,00 €	150 227,00 €
180 86,00 €	180 195,00 €	180 117,00 €	180 123,00 €	180 125,00 €	180 248,00 €	180 248,00 €
200 99,00 €	200 221,00 €	200 123,00 €	200 129,00 €	200 140,00 €	200 254,00 €	200 254,00 €

Elbow 90° with
inspection door

End cap (up to
450°C/N1)

End pipe for DW-
BLACK

Rain cap

Storm collar

Adaptor EW/DW-
BLACK

Adaptor DW-
BLACK/EW



NEW



NEW



NEW

16-205-DWETN19Ø	16-205-DWETN32Ø	16-205-DWETN2904Ø	16-215-DWECO33Ø	16-390-DWECO31Ø	16-290-DWETN37Ø	16-205-DWETN37AØ
130 328,00 €	130 52,00 €	130 198,00 €	130 74,00 €	130 31,00 €	130 59,00 €	130 59,00 €
150 338,00 €	150 57,00 €	150 222,00 €	150 79,00 €	150 34,00 €	150 61,00 €	150 61,00 €
180 356,00 €	180 59,00 €	180 248,00 €	180 83,00 €	180 36,00 €	180 64,00 €	180 65,00 €
200 394,00 €	200 61,00 €	200 271,00 €	200 96,00 €	200 38,00 €	200 67,00 €	200 67,00 €

Adaptor DW-
BLACK/EW-FU
with female socket

Adaptor EW/
DW-BLACK with
integrated wall
sleeve straight for
FERRO

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Adjustable wall
bracket 50-250mm,
single-braced

Adjustable wall brack-
et 250-360mm,
single-braced

Wall and head pie-
ce for wall bracket,
wall distance min
250mm



NEW



16-205-DWETN37AMØ	16-290-DWETN37GWFØ	16-DWECO21Ø	16-DWECO22Ø	16-DWECO23Ø	16-DWECO24Ø	16-DWECO20Ø
130 66,00 €	130 106,00 €	130 52,00 €	130 93,00 €	130 111,00 €	130 150,00 €	130 108,00 €
150 67,00 €	150 111,00 €	150 58,00 €	150 95,00 €	150 114,00 €	150 151,00 €	150 109,00 €
180 69,00 €	180 116,00 €	180 61,00 €	180 98,00 €	180 116,00 €	180 154,00 €	180 111,00 €
200 74,00 €	200 125,00 €	200 63,00 €	200 99,00 €	200 122,00 €	200 161,00 €	200 113,00 €

Extension
30x30mm for
DWECO20 single-
braced l=1000mm



16-DW86
90,00 €

Extension
30x30mm for
DWECO20 single-
braced l=500mm




16-DW85
66,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar




16-DWECO2556-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



16-DWECO2556-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar



16-DWECO2556-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar




16-DWECO2558-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar



16-DWECO2558-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar



16-DWECO2558-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar




16-DWECO2557-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar



16-DWECO2557-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar



16-DWECO2557-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



16-DWECO2551-1Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



16-DWECO2551-2Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



16-DWECO2551-3Ø
130 247,00 €
150 269,00 €
180 287,00 €
200 295,00 €

Ventilated ceiling
plate, 1-65°, one-
piece



16-DWECO71Ø
130 90,00 €
150 95,00 €
180 100,00 €
200 102,00 €

Ceiling plate 0°
two-piece



16-DWECO74Ø
130 95,00 €
150 109,00 €
180 111,00 €
200 126,00 €

Ceiling plate 1-65°
two-piece



16-DWECO75Ø
130 102,00 €
150 121,00 €
180 123,00 €
200 139,00 €

Ventilated ceiling
plate, 0°, one-piece



16-DWECO70HLØ
130 125,00 €
150 129,00 €
180 132,00 €
200 136,00 €

Ventilated ceiling
plate, 1-65°, one-
piece



16-DWECO71HLØ
130 134,00 €
150 136,00 €
180 140,00 €
200 144,00 €

Ventilated split
ceiling plate 0°,
two-piece



16-DWECO74HLØ
130 136,00 €
150 149,00 €
180 160,00 €
200 168,00 €

Ventilated split
ceiling plate 1-65°,
two-piece



16-DWECO75HLØ
130 144,00 €
150 162,00 €
180 165,00 €
200 182,00 €

Ceiling plate 0-30°
two-piece

Ceiling plate 31-45°
two-piece

Ceiling plate 31-45°
two-piece

Ceiling plate 0-30°
two-piece

Locking band 2.0

Adjustable rafter
bracket, 500-
900mm

3-point guy wire
bracket



16-DWECO99VØ		16-DWECO98VØ		16-DWECO98VHLØ		16-DWECO99VHLØ		16-DWECO989Ø		16-DWECO55Ø		16-DWECO42Ø	
130	76,00 €	130	90,00 €	130	132,00 €	130	118,00 €	130	22,00 €	130	170,00 €	130	46,00 €
150	79,00 €	150	95,00 €	150	136,00 €	150	122,00 €	150	23,00 €	150	183,00 €	150	47,00 €
180	83,00 €	180	100,00 €	180	139,00 €	180	125,00 €	180	26,00 €	180	193,00 €	180	50,00 €
200	90,00 €	200	102,00 €	200	144,00 €	200	132,00 €	200	29,00 €	200	221,00 €	200	51,00 €

Spray can re-
placement color
RAL9011MB, 400ml



€
NET

16-LACK-DOSE

11,00 €



DESCRIPTION

Double wall, pressure-tight stainless steel system with conically sealed connection

MATERIAL

Inside: 1.4404 (316L) / 1.4571 (316Ti)

Optional: 1.4828 (309)

Outside: 1.4301 (304)

Also available as DW-KL-SILVER on request

FINISHING

Highly polished

Optional: matt + 20%, painted: reduced discount (see condition agreement), brushed + 25%.

(Replacement paint for touch up must be specifically ordered:

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

80 - 600 mm

Others on request up to 1000 mm

INSULATION

Mineral insulation 32.5 mm thick

50 mm insulation available subject to a surcharge (+ 25%)

CONNECTION

Conical connection technique

LOCKING BAND

Included

ORDER CODE

The article code for your order results from: Article code + Ø (Ex: DWKL03180).

Please refer to the respective code for deviations.

The appropriate amount of KL paste is automatically supplied with the order.

See the table at the end of this section for an approximate amount of paste needed.



CHARACTERISTICS

- Conical metal surface gasket
- Conical cuttable length elements available
- Pressure tight up to 5000 Pa without flanges and separate gasket
- Also suitable for high temperatures
- Resistant to soot fires and moisture

APPLICATION AREAS

- Standard heating appliances for oil, gas and solid fuels (natural wood, coke, peat, coal*)
- Condensing boilers
- Ventilation systems
- Baking ovens
- CHP, emergency power generators

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 002

CE CLASSIFICATIONS ACC. TO DIN EN 1856-1

T200 - P1 - W - V2 - L50060 - O00

T200 - H1 - W - V2 - L50060 - Oxx

T400 - N1 - D - V3 - L50060 - Gxx

T400 - N1 - W - V2 - L50060 - Oxx

T400 - P1 - W - V2 - L50060 - Oxx

T450 - H1 - W - V2 - L50060 - Oxx

T600 - N1 - D - V3 - L50060 - Gxx

T600 - H1 - W - V2 - L50060 - Gxx

xx = Clearances to flammable materials depend on the Ø, see declaration of performance

DW-KL / DW-KH CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 041

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T200 - P1 - W - V2 - L50060 - O00M

T200 - H1 - W - V2 - L50060 - O20M

T450 - H1 - W - V2 - L50060 - O50M

T600 - N1 - D - V3 - L50060 - G100M

T600 - H1 - W - V2 - L50060 - G100M



Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



DW01Ø		DW02Ø		DW49Ø		DW391	DW392	DW393	DW407
080	77,00 €	080	102,00 €	080	133,00 €	122,00 €	137,00 €	167,00 €	274,00 €
100	78,00 €	100	103,00 €	100	137,00 €				
130	81,00 €	130	116,00 €	130	153,00 €				
150	86,00 €	150	145,00 €	150	191,00 €				
180	116,00 €	180	171,00 €	180	225,00 €				
200	182,00 €	200	288,00 €	200	460,00 €				
225	206,00 €	225	295,00 €	225	479,00 €				
250	245,00 €	250	300,00 €	250	491,00 €				
300	272,00 €	300	316,00 €	300	551,00 €				
350	333,00 €			350	594,00 €				
400	405,00 €								
450	464,00 €								
500	523,00 €								
600	637,00 €								

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-KL

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 65 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
080	190	080	340	080	590	080	870
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
225	45	225	195	225	445	225	725
		250	170	250	420	250	700
		300	120	300	370	300	650
		350	70	350	320	350	600
				400	270	400	550
				450	220	450	500
				500	170	500	450
				600	85	600	365



- ^{*1} From DN350 upwards, the bracket plates must be mounted rotated by 180° contrary to the illustration! (see assembly instructions)

Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces


Water deflectors
for wall support, 2
pieces

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 250-1190mm
with side drain and
1/2" threaded nipple

Adjustable support
for elbow with base
support l=500mm

Elbow 87° with
support



€
NET



€
NET



€
NET



^{*1}

ZUTE1425	ZUTE1426	ZUTE1427	DWKL030		DWKL040		DWA11440		DWKL570	
12,00 €	12,00 €	12,00 €	080	235,00 €	080	330,00 €	145	124,00 €	080	243,00 €
			100	244,00 €	100	332,00 €	165	127,00 €	100	256,00 €
			130	250,00 €	130	339,00 €	195	150,00 €	130	270,00 €
			150	254,00 €	150	340,00 €	215	153,00 €	150	314,00 €
			180	288,00 €	180	361,00 €	245	165,00 €	180	340,00 €
			200	308,00 €	200	368,00 €	265	166,00 €	200	426,00 €
			225	310,00 €	225	369,00 €	290	167,00 €	225	482,00 €
			250	312,00 €	250	370,00 €	315	171,00 €	250	538,00 €
			300	471,00 €	300	499,00 €	365	206,00 €	300	648,00 €
			350	476,00 €	350	514,00 €	415	228,00 €	350	719,00 €
			400	488,00 €	400	524,00 €	465	262,00 €	400	821,00 €
			450	500,00 €	450	531,00 €	515	310,00 €	450	923,00 €
			500	520,00 €	500	677,00 €	565	353,00 €	500	1.028,00 €
			600	615,00 €	600	689,00 €	665	400,00 €	600	1.234,00 €

Base plate with
plug-in ring for bra-
cket with support

Elbow 87° with
support and adap-
tor to DW-KH


Base plate with
condensate drain at
the bottom and 1/2"
nipple

Base plate with
condensate side
drain and 1/2"
nipple

Base plate for
mounting on a bra-
cket with side drain
and 1/2 " threaded
nipple

Base plate for inter-
mediate support
incl. adjustable DW-
KL elbow 87°

Base plate for inter-
mediate support
incl. adjustable DW-
KH elbow 87°



DWA28030		DWKL11950		DWKL050		DWKL060		DWKL660		DWKL24110		DWKL24120	
145	59,00 €	080	274,00 €	080	93,00 €	080	114,00 €	080	115,00 €	080	387,00 €	080	414,00 €
165	62,00 €	100	290,00 €	100	98,00 €	100	116,00 €	100	116,00 €	100	401,00 €	100	431,00 €
195	72,00 €	130	302,00 €	130	105,00 €	130	132,00 €	130	130,00 €	130	452,00 €	130	481,00 €
215	79,00 €	150	354,00 €	150	109,00 €	150	151,00 €	150	147,00 €	150	496,00 €	150	535,00 €
245	83,00 €	180	380,00 €	180	127,00 €	180	174,00 €	180	171,00 €	180	540,00 €	180	577,00 €
265	84,00 €	200	467,00 €	200	132,00 €	200	183,00 €	200	179,00 €	200	571,00 €	200	616,00 €
290	85,00 €	225	528,00 €	225	138,00 €	225	210,00 €	225	203,00 €	225	658,00 €	225	713,00 €
315	86,00 €	250	591,00 €	250	145,00 €	250	232,00 €	250	225,00 €	250	743,00 €	250	810,00 €
365	92,00 €	300	746,00 €	300	156,00 €	300	258,00 €	300	250,00 €	300	851,00 €	300	958,00 €
415	99,00 €	350	812,00 €	350	254,00 €	350	295,00 €	350	273,00 €	350	897,00 €	350	999,00 €
465	103,00 €	400	921,00 €	400	316,00 €	400	438,00 €	400	404,00 €	400	1.059,00 €	400	1.173,00 €
515	135,00 €	450	1.048,00 €	450	395,00 €	450	467,00 €	450	445,00 €	450	1.245,00 €	450	1.388,00 €
565	170,00 €	500	1.217,00 €	500	448,00 €	500	530,00 €	500	510,00 €	500	1.416,00 €	500	1.585,00 €
665	181,00 €	600	1.527,00 €	600	544,00 €	600	615,00 €	600	615,00 €	600	1.725,00 €	600	2.002,00 €

Base plate for intermediate support with adaptor to DW-KH

Base plate for intermediate support


Base plate for chimney raise with round insert l=250mm, max. height from base plate 1,5m

Base plate without drain

Base plate without drain, suitable for elbow with support

Inspection length (up to 200°C/PI)

Inspection length (up to 600°C/NI)



DWKL1192Ø		DWKL07Ø		DWKL08Ø		DWKL09Ø		DWA09Ø		DWKL10Ø		DWKL10GØ	
080	131,00 €	080	100,00 €	080	159,00 €	080	74,00 €	145	61,00 €	080	361,00 €	080	378,00 €
100	137,00 €	100	103,00 €	100	177,00 €	100	75,00 €	165	63,00 €	100	378,00 €	100	391,00 €
130	151,00 €	130	118,00 €	130	195,00 €	130	81,00 €	195	67,00 €	130	384,00 €	130	397,00 €
150	172,00 €	150	133,00 €	150	217,00 €	150	85,00 €	215	72,00 €	150	404,00 €	150	417,00 €
180	195,00 €	180	155,00 €	180	259,00 €	180	92,00 €	245	78,00 €	180	423,00 €	180	436,00 €
200	203,00 €	200	159,00 €	200	291,00 €	200	93,00 €	265	79,00 €	200	441,00 €	200	456,00 €
225	228,00 €	225	181,00 €	225	320,00 €	225	98,00 €	290	81,00 €	225	459,00 €	225	475,00 €
250	260,00 €	250	206,00 €	250	347,00 €	250	99,00 €	315	83,00 €	250	480,00 €	250	492,00 €
300	317,00 €	300	222,00 €	300	391,00 €	300	101,00 €	365	85,00 €	300	510,00 €	300	523,00 €
350	341,00 €	350	249,00 €	350	395,00 €	350	110,00 €	415	98,00 €	350	551,00 €	350	568,00 €
400	464,00 €	400	363,00 €	400	480,00 €	400	179,00 €	465	166,00 €	400	778,00 €	400	790,00 €
450	545,00 €	450	421,00 €	450	531,00 €	450	243,00 €	515	227,00 €	450	808,00 €	450	822,00 €
500	667,00 €	500	481,00 €	500	566,00 €	500	282,00 €	565	268,00 €	500	875,00 €	500	887,00 €
600	849,00 €	600	552,00 €	600	767,00 €	600	293,00 €	665	277,00 €	600	923,00 €	600	936,00 €

Inspection length for wet operation (up to 250°C/HI)

Inspection length for dry operation (up to 600°C/HI)

T-45° with drip nose

T-87°

T-87° with adaptor to DW-KH

Length 1000mm

Length 500mm



DWKL10HTWØ		DWKL10HTDØ		DWKL12Ø		DWKL11Ø		DWKL1191Ø		DWKL13Ø		DWKL14Ø	
080	548,00 €	080	548,00 €	080	358,00 €	080	238,00 €	080	270,00 €	080	169,00 €	080	92,00 €
100	577,00 €	100	577,00 €	100	360,00 €	100	239,00 €	100	272,00 €	100	170,00 €	100	93,00 €
130	586,00 €	130	586,00 €	130	387,00 €	130	250,00 €	130	282,00 €	130	180,00 €	130	103,00 €
150	643,00 €	150	643,00 €	150	414,00 €	150	291,00 €	150	330,00 €	150	206,00 €	150	116,00 €
180	719,00 €	180	719,00 €	180	447,00 €	180	316,00 €	180	354,00 €	180	233,00 €	180	137,00 €
200	738,00 €	200	738,00 €	200	586,00 €	200	391,00 €	200	433,00 €	200	260,00 €	200	145,00 €
225	824,00 €	225	824,00 €	225	656,00 €	225	439,00 €	225	488,00 €	225	307,00 €	225	165,00 €
250	841,00 €	250	841,00 €	250	726,00 €	250	494,00 €	250	545,00 €	250	347,00 €	250	183,00 €
300	875,00 €	300	875,00 €	300	828,00 €	300	594,00 €	300	691,00 €	300	423,00 €	300	242,00 €
350	923,00 €	350	923,00 €	350	900,00 €	350	634,00 €	350	729,00 €	350	558,00 €	350	305,00 €
400	1.147,00 €	400	1.147,00 €	400	1.253,00 €	400	834,00 €	400	935,00 €	400	632,00 €	400	419,00 €
450	1.179,00 €	450	1.179,00 €	450	1.351,00 €	450	893,00 €	450	1.016,00 €	450	663,00 €	450	459,00 €
500	1.259,00 €	500	1.259,00 €	500	1.492,00 €	500	989,00 €	500	1.176,00 €	500	732,00 €	500	480,00 €
600	1.307,00 €	600	1.307,00 €	600	1.659,00 €	600	1.092,00 €	600	1.387,00 €	600	840,00 €	600	544,00 €

Length 330mm

Length 300mm

Length 250mm

Length 220mm

Length 980mm
conically cuttableLength 500mm
conically cuttableLength 250mm
conically cuttable

DWKL207Ø		DWKL209Ø		DWKL15Ø		DWKL208Ø		DWKLK13Ø		DWKLK14Ø		DWKLK15Ø	
080	75,00 €	080	74,00 €	080	70,00 €	080	58,00 €	080	219,00 €	080	120,00 €	080	90,00 €
100	77,00 €	100	77,00 €	100	72,00 €	100	59,00 €	100	220,00 €	100	122,00 €	100	92,00 €
130	86,00 €	130	81,00 €	130	75,00 €	130	62,00 €	130	233,00 €	130	132,00 €	130	98,00 €
150	98,00 €	150	87,00 €	150	84,00 €	150	67,00 €	150	269,00 €	150	151,00 €	150	110,00 €
180	110,00 €	180	100,00 €	180	92,00 €	180	74,00 €	180	305,00 €	180	176,00 €	180	120,00 €
200	127,00 €	200	116,00 €	200	109,00 €	200	86,00 €	200	338,00 €	200	185,00 €	200	138,00 €
225	145,00 €	225	130,00 €	225	123,00 €	225	99,00 €	225	397,00 €	225	213,00 €	225	157,00 €
250	159,00 €	250	146,00 €	250	137,00 €	250	110,00 €	250	449,00 €	250	239,00 €	250	176,00 €
300	221,00 €	300	201,00 €	300	185,00 €	300	147,00 €	300	547,00 €	300	312,00 €	300	242,00 €
350	244,00 €	350	222,00 €	350	205,00 €	350	166,00 €	350	726,00 €	350	393,00 €	350	265,00 €
400	401,00 €	400	361,00 €	400	338,00 €	400	270,00 €	400	821,00 €	400	545,00 €	400	438,00 €
450	419,00 €	450	384,00 €	450	356,00 €	450	285,00 €						
500	450,00 €	500	409,00 €	500	381,00 €	500	305,00 €						
600	507,00 €	600	459,00 €	600	428,00 €	600	340,00 €						

DW-KL

Inspection length
for horizontal use
(up to 200°C/P1)Inspection length
for horizontal use
(up to 600°C/N1)

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-bracedWall bracket adjus-
table 50-150mm,
double-bracedWall bracket adjus-
table 50-250mm,
single-bracedWall bracket adjus-
table 50-250mm,
double-braced

DWKL294Ø		DWKL294GØ		DW21Ø		DW22Ø		DW22Ø		DW23Ø		DW23Ø	
080	252,00 €	080	242,00 €	080	51,00 €	080	84,00 €	250	101,00 €	080	98,00 €	250	114,00 €
100	253,00 €	100	243,00 €	100	52,00 €	100	85,00 €	300	116,00 €	100	99,00 €	300	130,00 €
130	274,00 €	130	262,00 €	130	57,00 €	130	86,00 €	350	122,00 €	130	101,00 €	350	133,00 €
150	293,00 €	150	280,00 €	150	58,00 €	150	87,00 €	400	138,00 €	150	103,00 €	400	167,00 €
180	316,00 €	180	299,00 €	180	61,00 €	180	90,00 €	450	173,00 €	180	105,00 €	450	215,00 €
200	325,00 €	200	307,00 €	200	62,00 €	200	93,00 €	500	193,00 €	200	109,00 €	500	246,00 €
225	341,00 €	225	323,00 €	225	63,00 €	225	98,00 €	600	258,00 €	225	110,00 €	600	301,00 €
250	368,00 €	250	341,00 €	250	67,00 €								
300	414,00 €	300	391,00 €	300	78,00 €								
350	458,00 €	350	435,00 €	350	81,00 €								
400	500,00 €	400	476,00 €	400	86,00 €								
450	571,00 €	450	545,00 €	450	102,00 €								
500	640,00 €	500	617,00 €	500	124,00 €								
600	717,00 €	600	691,00 €	600	129,00 €								

Wall bracket adjustable 250-360mm, single-braced

Adjustable wall bracket 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm, single-braced

Wall and head piece for wall bracket, wall distance min 250mm, double-braced

Adjustable wall bracket with joint, 140-300mm

Extension 30x30mm for TW20 l=1000mm

Extension 30x30mm for TW20 l=500mm



DW24Ø		DW24Ø		DW20Ø		DW20Ø		DW24MGØ		DW86		DW85	
080	131,00 €	250	150,00 €	080	91,00 €	250	120,00 €	080	248,00 €		81,00 €		59,00 €
100	131,00 €	300	166,00 €	100	93,00 €	300	139,00 €	100	249,00 €				
130	135,00 €	350	169,00 €	130	101,00 €	350	173,00 €	130	251,00 €				
150	137,00 €	400	203,00 €	150	101,00 €	400	273,00 €	150	252,00 €				
180	139,00 €	450	250,00 €	180	103,00 €	450	320,00 €	180	254,00 €				
200	145,00 €	500	280,00 €	200	105,00 €	500	333,00 €	200	258,00 €				
225	146,00 €	600	313,00 €	225	109,00 €	600	361,00 €	225	260,00 €				
								250	262,00 €				

Wall bracket static, 50mm

Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Wall bracket static, adjustable 50-360mm

Adjustable wall bracket Design Plus 50-150mm

Adjustable wall bracket Design Plus 50-250mm

Adjustable wall bracket Design Plus 250-360mm



DW45Ø		DW46Ø		DW47Ø		DW48Ø		DW386Ø		DW387Ø		DW389Ø	
225	122,00 €	225	218,00 €	225	221,00 €	225	259,00 €	080	84,00 €	080	94,00 €	080	130,00 €
250	126,00 €	250	227,00 €	250	233,00 €	250	275,00 €	100	85,00 €	100	98,00 €	100	131,00 €
300	140,00 €	300	230,00 €	300	251,00 €	300	277,00 €	130	87,00 €	130	101,00 €	130	135,00 €
350	155,00 €	350	238,00 €	350	252,00 €	350	284,00 €	150	90,00 €	150	102,00 €	150	137,00 €
400	183,00 €	400	256,00 €	400	269,00 €	400	306,00 €	180	92,00 €	180	105,00 €	180	139,00 €
450	228,00 €	450	284,00 €	450	300,00 €	450	343,00 €	200	93,00 €	200	109,00 €	200	145,00 €
500	248,00 €	500	310,00 €	500	324,00 €	500	354,00 €	225	98,00 €	225	111,00 €	225	146,00 €
600	269,00 €	600	358,00 €	600	370,00 €	600	453,00 €	250	101,00 €	250	114,00 €	250	150,00 €

Mat for sound decoupling suitable for DW21

Mat for sound decoupling suitable for DW22 and DW23, for Ø080-225mm

Mat for sound decoupling suitable for DW24 and DW20, for Ø080-225mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC

for Ø			ZUAC2243	ZUAC2244	for Ø			ZUAC2246
080-115	ZUAC2242-1	54,00 €	62,00 €	63,00 €	250	ZUAC2245-2	83,00 €	50,00 €
130	ZUAC2242-2	59,00 €			300-350	ZUAC2245-3	85,00 €	
150-160	ZUAC2242-3	61,00 €			400-450	ZUAC2245-4	127,00 €	
180	ZUAC2242-4	62,00 €			500	ZUAC2245-5	129,00 €	
200-225	ZUAC2242-5	67,00 €			600	ZUAC2245-6	130,00 €	
250	ZUAC2242-6	68,00 €						
300-350	ZUAC2242-7	81,00 €						
400-450	ZUAC2242-8	84,00 €						
500	ZUAC2242-9	86,00 €						
600	ZUAC2242-10	91,00 €						

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

Mat for sound decoupling suitable for DW389, for Ø080-250mm

Mat for sound decoupling suitable for DW386 and DW387, for Ø080-250mm

Elbow 15°

Elbow 30°

Elbow 42°

Elbow 45°



Rgr. ZUAC



Rgr. ZUAC



Rgr. ZUAC



ZUAC2247	ZUAC2272	ZUAC2273	DWKL16Ø		DWKL17Ø		DWKL2231Ø		DWKL18Ø	
81,00 €	62,00 €	64,00 €	080	92,00 €	080	98,00 €	080	106,00 €	080	106,00 €
			100	93,00 €	100	100,00 €	100	107,00 €	100	107,00 €
			130	100,00 €	130	105,00 €	130	110,00 €	130	110,00 €
			150	110,00 €	150	115,00 €	150	116,00 €	150	116,00 €
			180	122,00 €	180	125,00 €	180	129,00 €	180	129,00 €
			200	126,00 €	200	131,00 €	200	145,00 €	200	145,00 €
			225	130,00 €	225	135,00 €	225	157,00 €	225	157,00 €
			250	132,00 €	250	138,00 €	250	167,00 €	250	167,00 €
			300	179,00 €	300	200,00 €	300	235,00 €	300	235,00 €
			350	227,00 €	350	250,00 €	350	282,00 €	350	282,00 €
			400	307,00 €	400	334,00 €	400	354,00 €	400	354,00 €
			450	352,00 €	450	387,00 €	450	439,00 €	450	439,00 €
			500	439,00 €	500	483,00 €	500	522,00 €	500	522,00 €
			600	505,00 €	600	554,00 €	600	603,00 €	600	603,00 €



Elbow 87°

Elbow 90°

Coupling elbow 87°, 200°C/P1 with inspection, suitable for DWKL07

Coupling elbow 87° with inspection opening, wet operation, for DWKL07 (up to 250°C/HI)

Coupling elbow 87° with inspection opening, wet operation, for DWKL07 (up to 250°C/HI)

Elbow 87° with inspection door (up to 200°C/P1)

Inspection elbow 87° with inspection door for wet operation mode (up to 250°C/HI)



DWKL64Ø	DWKL60Ø	DWKL63Ø	DWKL63HTWØ	DWKL63HTDØ	DWKL67Ø	DWKL67HTWØ
080 212,00 €	080 212,00 €	080 439,00 €	080 547,00 €	080 547,00 €	080 324,00 €	080 473,00 €
100 213,00 €	100 213,00 €	100 445,00 €	100 552,00 €	100 552,00 €	100 337,00 €	100 475,00 €
130 221,00 €	130 221,00 €	130 450,00 €	130 560,00 €	130 560,00 €	130 346,00 €	130 482,00 €
150 227,00 €	150 227,00 €	150 465,00 €	150 607,00 €	150 607,00 €	150 356,00 €	150 523,00 €
180 250,00 €	180 250,00 €	180 492,00 €	180 678,00 €	180 678,00 €	180 379,00 €	180 587,00 €
200 256,00 €	200 256,00 €	200 542,00 €	200 727,00 €	200 727,00 €	200 417,00 €	200 624,00 €
225 277,00 €	225 277,00 €	225 567,00 €	225 807,00 €	225 807,00 €	225 441,00 €	225 703,00 €
250 291,00 €	250 291,00 €	250 587,00 €	250 831,00 €	250 831,00 €	250 467,00 €	250 727,00 €
300 361,00 €	300 361,00 €	300 712,00 €	300 953,00 €	300 953,00 €	300 602,00 €	300 852,00 €
350 448,00 €	350 448,00 €	350 840,00 €	350 1.087,00 €	350 1.087,00 €	350 712,00 €	350 980,00 €
400 482,00 €	400 482,00 €	400 1.102,00 €	400 1.351,00 €	400 1.351,00 €	400 809,00 €	400 1.244,00 €
450 511,00 €	450 511,00 €	450 1.201,00 €	450 1.447,00 €	450 1.447,00 €	450 832,00 €	450 1.338,00 €
500 691,00 €	500 691,00 €	500 1.381,00 €	500 1.638,00 €	500 1.638,00 €	500 967,00 €	500 1.448,00 €
600 923,00 €	600 923,00 €	600 1.561,00 €	600 1.817,00 €	600 1.817,00 €	600 1.222,00 €	600 1.700,00 €

Inspection elbow 87° with inspection door for dry operation mode (up to 600°C/HI)

Elbow 87° with inspection door (up to 600°C/NI)

Elbow 90° with inspection door (up to 200°C/P1)

Elbow 90° with inspection door for wet operation mode (up to 250°C/HI)

Elbow 90° with inspection door for dry operation mode (up to 600°C/HI)

Elbow 90° with inspection door (up to 600°C/NI)

Elbow 87° with installation aid



DWKL67HTDØ	DWKL67GØ	DWKL19Ø	DWKL19HTWØ	DWKL19HTDØ	DWKL19GØ	DWKL876Ø
080 473,00 €	080 320,00 €	080 324,00 €	080 473,00 €	080 473,00 €	080 320,00 €	080 280,00 €
100 475,00 €	100 321,00 €	100 337,00 €	100 475,00 €	100 475,00 €	100 321,00 €	100 285,00 €
130 482,00 €	130 329,00 €	130 346,00 €	130 482,00 €	130 482,00 €	130 329,00 €	130 290,00 €
150 523,00 €	150 338,00 €	150 356,00 €	150 523,00 €	150 523,00 €	150 338,00 €	150 298,00 €
180 587,00 €	180 356,00 €	180 379,00 €	180 587,00 €	180 587,00 €	180 356,00 €	180 320,00 €
200 624,00 €	200 393,00 €	200 417,00 €	200 624,00 €	200 624,00 €	200 393,00 €	200 325,00 €
225 703,00 €	225 395,00 €	225 441,00 €	225 703,00 €	225 703,00 €	225 395,00 €	225 347,00 €
250 727,00 €	250 402,00 €	250 467,00 €	250 727,00 €	250 727,00 €	250 402,00 €	250 360,00 €
300 852,00 €	300 405,00 €	300 602,00 €	300 852,00 €	300 852,00 €	300 405,00 €	300 432,00 €
350 980,00 €	350 495,00 €	350 712,00 €	350 980,00 €	350 980,00 €	350 495,00 €	350 516,00 €
400 1.244,00 €	400 594,00 €	400 809,00 €	400 1.244,00 €	400 1.244,00 €	400 594,00 €	400 548,00 €
450 1.338,00 €	450 615,00 €	450 832,00 €	450 1.338,00 €	450 1.338,00 €	450 615,00 €	450 579,00 €
500 1.448,00 €	500 753,00 €	500 967,00 €	500 1.448,00 €	500 1.448,00 €	500 753,00 €	500 760,00 €
600 1.700,00 €	600 1.005,00 €	600 1.222,00 €	600 1.700,00 €	600 1.700,00 €	600 1.005,00 €	600 991,00 €

Elbow 90° with
installation aid



DWKL832Ø	
080	280,00 €
100	285,00 €
130	290,00 €
150	298,00 €
180	320,00 €
200	325,00 €
225	347,00 €
250	360,00 €
300	432,00 €
350	516,00 €
400	548,00 €
450	579,00 €
500	760,00 €
600	991,00 €

End cap (up to
600°C/H1)



DWKL32HTØ	
080	109,00 €
100	110,00 €
130	116,00 €
150	130,00 €
180	133,00 €
200	138,00 €
225	149,00 €
250	159,00 €
300	191,00 €
350	221,00 €
400	261,00 €
450	329,00 €
500	394,00 €
600	752,00 €

Deflector hood with
drain incl. end cap
(up to 250°C, max.
exhaust gas speed
15 m/s)



DWKL34Ø	
080	482,00 €
100	484,00 €
130	510,00 €
150	544,00 €
180	586,00 €
200	629,00 €
225	669,00 €
250	702,00 €
300	933,00 €
350	1.037,00 €
400	1.161,00 €
450	1.305,00 €
500	1.760,00 €
600	2.551,00 €

Deflector hood with
drain incl. end cap
(up to 600°C, max.
exhaust gas speed
35 m/s)



DWKL34HTØ	
080	530,00 €
100	534,00 €
130	561,00 €
150	598,00 €
180	643,00 €
200	693,00 €
225	735,00 €
250	774,00 €
300	1.026,00 €
350	1.141,00 €
400	1.278,00 €
450	1.434,00 €
500	1.938,00 €
600	2.805,00 €

Storm collar



DW31Ø	
080	22,00 €
100	24,00 €
130	27,00 €
150	29,00 €
180	32,00 €
200	35,00 €
225	36,00 €
250	37,00 €
300	43,00 €
350	53,00 €
400	70,00 €
450	75,00 €
500	81,00 €
600	126,00 €

Storm collar with
edge



DW307Ø	
080	35,00 €
100	38,00 €
130	40,00 €
150	42,00 €
180	45,00 €
200	47,00 €
225	47,00 €
250	51,00 €
300	67,00 €
350	83,00 €
400	110,00 €
450	116,00 €
500	130,00 €
600	198,00 €

Storm collar with
edge and spacers
for rear ventilation



DW2856Ø	
080	40,00 €
100	44,00 €
130	46,00 €
150	47,00 €
180	52,00 €
200	53,00 €
250	57,00 €
300	74,00 €
350	90,00 €
400	116,00 €
450	124,00 €
500	135,00 €
600	204,00 €

DW-KL

Storm collar „Spe-
cial“




DW80Ø	
080	120,00 €
100	132,00 €
130	140,00 €
150	151,00 €
180	159,00 €
200	171,00 €
225	177,00 €
250	183,00 €
300	226,00 €
350	254,00 €
400	308,00 €
450	354,00 €
500	389,00 €
600	431,00 €

Storm collar
„Special“ with rear
ventilation




DW80HLØ	
080	124,00 €
100	137,00 €
130	146,00 €
150	155,00 €
180	166,00 €
200	176,00 €
225	182,00 €
250	193,00 €
300	232,00 €
350	262,00 €
400	316,00 €
450	365,00 €
500	402,00 €
600	443,00 €

Flashing kit 5-15°
with storm collar




DW81Ø	
080	155,00 €
100	194,00 €
130	200,00 €
150	220,00 €
180	246,00 €
200	285,00 €
225	312,00 €
250	329,00 €
300	354,00 €
350	448,00 €
400	802,00 €
450	891,00 €
500	1.008,00 €
600	1.152,00 €

Flashing kit 16-25°
with storm collar




DW82Ø	
080	179,00 €
100	213,00 €
130	221,00 €
150	244,00 €
180	262,00 €
200	295,00 €
225	316,00 €
250	336,00 €
300	363,00 €
350	468,00 €
400	816,00 €
450	903,00 €
500	1.059,00 €
600	1.180,00 €

Flashing kit 26-35°
with storm collar




DW39Ø	
080	205,00 €
100	232,00 €
130	248,00 €
150	265,00 €
180	285,00 €
200	306,00 €
225	324,00 €
250	341,00 €
300	372,00 €
350	491,00 €
400	828,00 €
450	916,00 €
500	1.108,00 €
600	1.208,00 €

Flashing kit 36-45°
with storm collar



DW83Ø	
080	228,00 €
100	254,00 €
130	272,00 €
150	290,00 €
180	308,00 €
200	315,00 €
225	333,00 €
250	352,00 €
300	383,00 €
350	511,00 €
400	843,00 €
450	932,00 €
500	1.159,00 €
600	1.238,00 €

Flat flashing conical
with storm collar



DW52Ø	
080	111,00 €
100	115,00 €
130	118,00 €
150	124,00 €
180	138,00 €
200	170,00 €
225	179,00 €
250	193,00 €
300	235,00 €
350	298,00 €
400	380,00 €
450	438,00 €
500	510,00 €
600	615,00 €



System DW-KL



Cylindrical flat
flashing with storm
collar

Flashing kit 5-15°
lead base with
storm collar


Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer black and
storm collar

Flashing kit 5-15°
with FastFlash plate
elastomer red and
storm collar



DW520ZYØ		DW53Ø		DW59Ø		DW38Ø		DW54Ø		DW2556-1Ø		DW2556-2Ø	
080	111,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €
100	115,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €
130	118,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €
150	124,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €
180	138,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €
200	170,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €
225	179,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €
250	193,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €
300	235,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €
350	298,00 €	350	322,00 €	350	322,00 €	350	322,00 €	350	322,00 €				
400	380,00 €	400	341,00 €	400	341,00 €	400	341,00 €	400	341,00 €				
450	438,00 €	450	368,00 €	450	368,00 €	450	368,00 €	450	368,00 €				
500	510,00 €	500	431,00 €	500	431,00 €	500	431,00 €	500	431,00 €				
600	615,00 €	600	491,00 €	600	491,00 €	600	491,00 €	600	491,00 €				

Flashing kit 5-15°
with FastFlash plate
elastomer grey and
storm collar

Flashing kit 16-25°
with FastFlash plate
elastomer collar
black and storm
collar


Flashing kit 16-25°
with FastFlash plate
elastomer collar red
and storm collar

Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar

Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar


Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar




DW2556-3Ø		DW2558-1Ø		DW2558-2Ø		DW2558-3Ø		DW2557-1Ø		DW2557-2Ø		DW2557-3Ø	
080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €	080	197,00 €
100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €	100	212,00 €
130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €	130	224,00 €
150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €	150	244,00 €
180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €	180	260,00 €
200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €	200	268,00 €
225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €	225	295,00 €
250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €	250	301,00 €
300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €	300	310,00 €

- ^{*1} For wall/ceiling panels, please state the number in °.


Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



Flashing kit (Silicone)
incl. screws and
sealing compound,
for metal roof, outer
Ø 150-300mm (up to
400°C)



Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre
cement corrugated
roof, outer Ø 150-
300mm (up to 400°C)



Ceiling plate 0°
one-piece



Ceiling plate 1-65°
one-piece



^{*1}

DW2551-1Ø		DW2551-2Ø		DW2551-3Ø		ZUAC2700	ZUAC2701	DW70Ø		DW71Ø	
080	197,00 €	080	197,00 €	80	197,00 €	259,00 €	259,00 €	080	66,00 €	080	72,00 €
100	212,00 €	100	212,00 €	100	212,00 €			100	72,00 €	100	77,00 €
130	224,00 €	130	224,00 €	130	224,00 €			130	75,00 €	130	81,00 €
150	244,00 €	150	244,00 €	150	244,00 €			150	77,00 €	150	85,00 €
180	260,00 €	180	260,00 €	180	260,00 €			180	81,00 €	180	87,00 €
200	268,00 €	200	268,00 €	200	268,00 €			200	85,00 €	200	93,00 €
225	295,00 €	225	295,00 €	225	295,00 €			225	98,00 €	225	106,00 €
250	301,00 €	250	301,00 €	250	301,00 €			250	107,00 €	250	116,00 €
300	310,00 €	300	310,00 €	300	310,00 €			300	124,00 €	300	137,00 €
								350	150,00 €	350	165,00 €
								400	156,00 €	400	172,00 €
								450	167,00 €	450	185,00 €
								500	179,00 €	500	200,00 €
								600	203,00 €	600	225,00 €

Ceiling plate 0°,
two-piece



Ceiling plate 1-65°
two-piece



Ventilated ceiling
plate, 0°, one-piece



Ventilated ceiling
plate, 1-65°, one-
piece




Ventilated split
ceiling plate 0°,
two-piece



Ventilated split
ceiling plate 1-65°,
two-piece



Ceiling plate with
seal to stop steam
0-20° (up to
450°C/Ni)



DW74Ø		DW75Ø		DW70HLØ		DW71HLØ		DW74HLØ		DW75HLØ		DW1702Ø	
080	72,00 €	080	79,00 €	080	103,00 €	080	110,00 €	080	110,00 €	080	118,00 €	080	98,00 €
100	78,00 €	100	87,00 €	100	110,00 €	100	116,00 €	100	116,00 €	100	126,00 €	100	102,00 €
130	85,00 €	130	93,00 €	130	113,00 €	130	122,00 €	130	124,00 €	130	131,00 €	130	111,00 €
150	99,00 €	150	109,00 €	150	116,00 €	150	124,00 €	150	135,00 €	150	146,00 €	150	137,00 €
180	101,00 €	180	111,00 €	180	120,00 €	180	127,00 €	180	145,00 €	180	150,00 €	180	149,00 €
200	114,00 €	200	126,00 €	200	124,00 €	200	131,00 €	200	153,00 €	200	165,00 €	200	157,00 €
225	116,00 €	225	129,00 €	225	132,00 €	225	145,00 €	225	154,00 €	225	166,00 €	225	169,00 €
250	120,00 €	250	131,00 €	250	145,00 €	250	155,00 €	250	155,00 €	250	170,00 €	250	206,00 €
300	133,00 €	300	149,00 €	300	162,00 €	300	174,00 €	300	172,00 €	300	185,00 €	300	232,00 €
350	158,00 €	350	174,00 €	350	185,00 €	350	202,00 €	350	198,00 €	350	215,00 €		
400	166,00 €	400	183,00 €	400	195,00 €	400	212,00 €	400	204,00 €	400	222,00 €		
450	181,00 €	450	202,00 €	450	205,00 €	450	224,00 €	450	221,00 €	450	242,00 €		
500	202,00 €	500	222,00 €	500	218,00 €	500	235,00 €	500	242,00 €	500	260,00 €		
600	212,00 €	600	232,00 €	600	243,00 €	600	262,00 €	600	250,00 €	600	270,00 €		



System DW-KL



Ceiling plate with seal to stop steam 21-40° (up to 450°C/N1)

Ceiling plate with seal to stop steam 41-55° (up to 450°C/N1)


Ceiling plate 0-30° two-piece

Ceiling plate 31-45° two-piece

Ventilated split ceiling plate 0-30°, two-piece

Ventilated split ceiling plate 31-45°, two-piece

Adaptor EW-KL/DW-KL



DW1703Ø		DW1704Ø		DW99VØ		DW98VØ		DW99VHLØ		DW98VHLØ		DWKL37Ø	
080	118,00 €	080	137,00 €	080	58,00 €	080	72,00 €	080	94,00 €	080	110,00 €	080	53,00 €
100	125,00 €	100	146,00 €	100	66,00 €	100	77,00 €	100	103,00 €	100	115,00 €	100	54,00 €
130	137,00 €	130	157,00 €	130	69,00 €	130	81,00 €	130	107,00 €	130	120,00 €	130	58,00 €
150	166,00 €	150	179,00 €	150	72,00 €	150	85,00 €	150	110,00 €	150	124,00 €	150	59,00 €
180	179,00 €	180	195,00 €	180	75,00 €	180	87,00 €	180	113,00 €	180	126,00 €	180	62,00 €
200	189,00 €	200	203,00 €	200	81,00 €	200	93,00 €	200	120,00 €	200	131,00 €	200	63,00 €
225	201,00 €	225	215,00 €	225	92,00 €	225	106,00 €	225	130,00 €	225	145,00 €	225	67,00 €
250	244,00 €	250	265,00 €	250	105,00 €	250	116,00 €	250	142,00 €	250	155,00 €	250	69,00 €
300	264,00 €	300	295,00 €	300	124,00 €	300	137,00 €	300	162,00 €	300	174,00 €	300	74,00 €
				350	153,00 €	350	165,00 €	350	191,00 €	350	202,00 €	350	81,00 €
				400	159,00 €	400	172,00 €	400	198,00 €	400	210,00 €	400	102,00 €
				450	172,00 €	450	185,00 €	450	210,00 €	450	224,00 €	450	120,00 €
				500	185,00 €	500	200,00 €	500	224,00 €	500	238,00 €	500	130,00 €
				600	213,00 €	600	225,00 €	600	251,00 €	600	262,00 €	600	173,00 €

Adaptor DW-KL/EW-KL

Adaptor EW-FU/DW-KL

Closing cap plastic for drain 1/2" (up to 200°C)

Closing lid with handle for DWKL11

Length 250mm with test point, 1/2" female socket and screw

Length 250mm with drain for horizontal installation and 1/2" nozzle l=60mm

Drain length 250mm for horizontal and vertical installation, 1/2" threaded nipple



DWKL37AMØ		DWKL37CØ		750ADK1/2		DWAL1843Ø		DWKL51Ø		DWKL984Ø		DWKL1494Ø	
080	61,00 €	080	53,00 €	5,00 €		080	169,00 €	080	116,00 €	080	252,00 €	080	210,00 €
100	62,00 €	100	54,00 €			100	171,00 €	100	118,00 €	100	261,00 €	100	220,00 €
130	64,00 €	130	58,00 €			130	176,00 €	130	129,00 €	130	285,00 €	130	244,00 €
150	66,00 €	150	59,00 €			150	179,00 €	150	132,00 €	150	299,00 €	150	254,00 €
180	68,00 €	180	62,00 €			180	195,00 €	180	151,00 €	180	325,00 €	180	285,00 €
200	69,00 €	200	63,00 €			200	205,00 €	200	158,00 €	200	344,00 €	200	302,00 €
225	72,00 €	225	67,00 €			225	221,00 €	225	179,00 €	225	376,00 €	225	333,00 €
250	74,00 €	250	69,00 €			250	238,00 €	250	200,00 €	250	404,00 €	250	361,00 €
300	79,00 €	300	74,00 €			300	250,00 €	300	252,00 €	300	481,00 €	300	436,00 €
350	87,00 €	350	81,00 €			350	268,00 €	350	308,00 €	350	554,00 €	350	512,00 €
400	107,00 €	400	102,00 €			400	305,00 €	400	419,00 €	400	687,00 €	400	643,00 €
450	125,00 €	450	120,00 €			450	340,00 €	450	460,00 €	450	750,00 €	450	706,00 €
500	137,00 €	500	130,00 €			500	370,00 €	500	472,00 €	500	780,00 €	500	735,00 €
600	179,00 €	600	173,00 €			600	439,00 €	600	538,00 €	600	886,00 €	600	845,00 €

Trompet siphon with 200mm water trap height incl. 1/2" female socket P1/M1

Siphon entrance vertical top, exit horizontal straight, with sealing water height 600mm H1

Adjustable length for connection line 320-460mm (up to 200°C/P1)

Adjustable length for connection line 320-460mm (up to 400°C/N1)

Adjustable rafter bracket 500-900mm

Light rafter bracket

Ceiling suspension with sound absorbing layer for threaded rod M8, up to max. 23 kg



Rgr.
EW



Rgr.
EW



ZUAC2303	ZUTE1904	DWKL50Ø	DWKL50UØ	DW55Ø	DW55LØ	DW61VØ
66,00 €	99,00 €	080 185,00 € 100 186,00 € 130 206,00 € 150 239,00 € 180 275,00 € 200 325,00 € 225 379,00 € 250 428,00 € 300 594,00 € 350 744,00 €	080 166,00 € 100 172,00 € 130 185,00 € 150 217,00 € 180 252,00 € 200 291,00 € 225 339,00 € 250 384,00 € 300 530,00 € 350 666,00 € 400 1.033,00 € 450 1.102,00 € 500 1.166,00 € 600 1.319,00 €	080 158,00 € 100 165,00 € 130 169,00 € 150 172,00 € 180 200,00 € 200 217,00 € 225 246,00 € 250 251,00 € 300 256,00 € 350 329,00 € 400 354,00 € 450 397,00 € 500 440,00 € 600 528,00 €	080 84,00 € 100 85,00 € 130 87,00 € 150 90,00 € 180 109,00 € 200 111,00 € 225 113,00 € 250 116,00 € 300 118,00 € 350 122,00 € 400 133,00 €	080 87,00 € 100 92,00 € 130 93,00 € 150 94,00 € 180 98,00 € 200 99,00 € 225 100,00 € 250 101,00 € 300 111,00 € 350 123,00 € 400 137,00 € 450 156,00 € 500 191,00 € 600 226,00 €

DW-KL

Support 800-1200mm

Support with joint 800-1200mm, single-braced

Support with joint 800-1200mm, double-braced

3-point guy wire bracket

Mounting set for 3-point guy wire bracket (galvanised)

Anchor cable (galvanised)

Ceiling suspension for M8 threaded rods



Rgr.
KEEW



Rgr.
KEEW



DW40Ø	DW40MGØ	DW40MGØ	DW42Ø	KEEW237	KEEW242	DW61Ø
080 105,00 € 100 106,00 € 130 109,00 € 150 110,00 € 180 113,00 € 200 114,00 € 225 115,00 € 250 116,00 € 300 132,00 € 350 138,00 € 400 142,00 € 450 154,00 € 500 172,00 € 600 179,00 €	080 219,00 € 100 220,00 € 130 222,00 € 150 224,00 € 180 226,00 € 200 228,00 € 225 229,00 €	250 230,00 € 300 249,00 € 350 253,00 € 400 256,00 € 450 269,00 € 500 288,00 € 600 295,00 €	080 39,00 € 100 40,00 € 130 42,00 € 150 42,00 € 180 43,00 € 200 44,00 € 225 45,00 € 250 46,00 € 300 61,00 € 350 72,00 € 400 75,00 € 450 78,00 € 500 86,00 € 600 100,00 €	58,00 €	14,00 €	080 62,00 € 100 67,00 € 130 69,00 € 150 70,00 € 180 74,00 € 200 75,00 € 225 76,00 € 250 77,00 € 300 84,00 € 350 98,00 € 400 110,00 € 450 130,00 € 500 165,00 € 600 202,00 €

Threaded rod M8,
stainless steel
l=1000mm

Ceiling suspension
for perforated sheet
metal

2-piece wall bracket
for M10 threaded
rod

Threaded rod M10,
stainless steel
l=1000mm

Lightning protec-
tion clamp

Locking band (spa-
re part)

KL lubricant paste
1kg tin



VL314	DW62Ø	614-ZUWA1379Ø	VL316	DW69Ø	DW41Ø	750ALLR-DOSE
20,00 €	080 58,00 € 100 62,00 € 130 64,00 € 150 66,00 € 180 68,00 € 200 69,00 € 225 70,00 € 250 72,00 € 300 81,00 € 350 90,00 € 400 102,00 € 450 115,00 € 500 140,00 € 600 181,00 €	145 48,00 € 165 51,00 € 195 68,00 € 215 75,00 € 245 87,00 € 265 93,00 € 290 96,00 € 315 106,00 € 365 113,00 € 415 130,00 € 465 141,00 € 515 155,00 € 565 171,00 € 665 198,00 €	22,00 €	080 39,00 € 100 40,00 € 130 43,00 € 150 44,00 € 180 46,00 € 200 47,00 € 225 51,00 € 250 52,00 € 300 61,00 € 350 72,00 € 400 75,00 € 450 78,00 € 500 86,00 € 600 100,00 €	080 20,00 € 100 21,00 € 130 23,00 € 150 26,00 € 180 28,00 € 200 31,00 € 225 32,00 € 250 34,00 € 300 35,00 € 350 36,00 € 400 37,00 € 450 38,00 € 500 39,00 € 600 43,00 €	54,00 €

Expansion bellow
for DW-KL

Base plate for inter-
mediate support as
a fix point

Base plate for inter-
mediate support as
a fix point

Mounting aid

Flange sealing tape
white (PTFE) for
Jeremias flange

Flange seal high
temperature (up
to 1000°C) for
Jeremias revision
flange

Flange sealing tape
white (PTFE) for
Jeremias flange, roll
of 25m



DWKL511Ø	DWKL911Ø	DWKL907Ø	TLDE104Ø	750FLANSCHDJFØ	750FLANSCHD.HT.Ø	750FLANSCHDJF-R
080 693,00 € 100 750,00 € 130 847,00 € 150 896,00 € 180 1.029,00 € 200 1.051,00 € 250 1.250,00 € 300 1.766,00 € 350 2.026,00 € 400 2.134,00 € 450 2.502,00 € 500 2.871,00 € 600 3.264,00 €	080 713,00 € 100 774,00 € 130 870,00 € 150 924,00 € 180 1.063,00 € 200 1.085,00 € 250 1.289,00 € 300 1.817,00 € 350 2.085,00 € 400 2.203,00 € 450 2.578,00 € 500 2.955,00 € 600 3.353,00 €	080 127,00 € 100 133,00 € 130 154,00 € 150 172,00 € 200 206,00 € 250 269,00 € 300 288,00 € 350 321,00 €	600 260,00 € 080-100 59,00 € 130-150 76,00 € 160-180 92,00 € 200-225 100,00 € 250-300 123,00 € 350-400 176,00 € 450-500 220,00 €	080 6,00 € 100 7,00 € 130 8,00 € 150 9,00 € 180 10,00 € 200 11,00 € 225 13,00 € 250 14,00 € 300 16,00 € 350 19,00 € 400 21,00 € 450 23,00 € 500 26,00 € 600 31,00 €	080 21,00 € 100 21,00 € 130 27,00 € 150 31,00 € 180 34,00 € 200 35,00 € 225 39,00 € 250 43,00 € 300 46,00 € 350 53,00 € 400 59,00 € 450 71,00 € 500 79,00 € 600 103,00 €	259,00 €

Roof hook for mounting guy wire brackets, 2 pieces



€ NET

2-point guy wire bracket



§ 19 (BIM-Schutz)

Anchor tubes adjustable up to 2m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19 (BIM-Schutz)

Anchor tubes adjustable up to 2m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)




§ 19 (BIM-Schutz)

Anchor tubes adjustable up to 3m, 2 rods Ø17.1x1.5mm/Ø20x1mm (for wind load zones 1+2, up to Ø200mm)



§ 19 (BIM-Schutz)

Anchor tubes adjustable up to 3m, 2 rods Ø38.2x2mm/Ø42.4x2mm (for all wind load zones)



§ 19 (BIM-Schutz)


Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for wind load zone 1+2, up to Ø200mm)



§ 19 (BIM-Schutz)

ZUDA1070	DW1057Ø	ZUDA904-2000	ZUDA1678-2000	ZUDA904-3000	ZUDA1678-3000	ZUDA904-4000
34,00 €	080 39,00 €	198,00 €	313,00 €	227,00 €	358,00 €	313,00 €
	100 40,00 €					
	115 40,00 €					
	130 42,00 €					
	150 42,00 €					
	160 42,00 €					
	180 43,00 €					
	200 44,00 €					
	225 44,00 €					
	250 45,00 €					
	300 61,00 €					
	350 72,00 €					
	400 75,00 €					

Anchor tubes adjustable up to 4m, consisting of 2x3 interlocking pipes (for all wind load zones)



§ 19 (BIM-Schutz)


ZUDA1678-4000
487,00 €




CONNECTING LINE - SECURITY SET

Especially in tight installation situations or with large diameters, knocking DW-KL system elements together in the connecting line is not always easy. We therefore offer you special DW-KH system elements that enable easy force-locking of the conical plug connection using a pre-assembled locking set. To do this, the locking hook of one element is simply placed in the holder of the next element and the connection is then tightened with a wrench so that the elements slide into one another bit by bit. Done!

1.) HOOK IN PRE-ASSEMBLED SAFETY SET for conical plug connection



2.) CREATE FRICTIONAL CONNECTION by screwing



Inspection length
(up to 200°C/PI)

Inspection length
(up to 250°C/HI)

Inspection length
(up to 600°C/HI)

Length 1000mm

Length 500mm

Length 330mm

Length 300mm



DWKH10Ø	DWKH926HTWØ	DWKH926HTDØ	DWKH013Ø	DWKH014Ø	DWKH207Ø	DWKH209Ø
080 395,00 €	080 587,00 €	080 587,00 €	080 202,00 €	080 129,00 €	080 111,00 €	080 110,00 €
100 410,00 €	100 615,00 €	100 615,00 €	100 203,00 €	100 130,00 €	100 113,00 €	100 113,00 €
130 419,00 €	130 623,00 €	130 623,00 €	130 215,00 €	130 137,00 €	130 123,00 €	130 116,00 €
150 441,00 €	150 690,00 €	150 690,00 €	150 248,00 €	150 158,00 €	150 138,00 €	150 131,00 €
180 463,00 €	180 761,00 €	180 761,00 €	180 272,00 €	180 176,00 €	180 151,00 €	180 140,00 €
200 486,00 €	200 788,00 €	200 788,00 €	200 305,00 €	200 193,00 €	200 172,00 €	200 162,00 €
225 508,00 €	225 880,00 €	225 880,00 €	225 353,00 €	225 217,00 €	225 197,00 €	225 182,00 €
250 530,00 €	250 904,00 €	250 904,00 €	250 401,00 €	250 244,00 €	250 220,00 €	250 205,00 €
300 605,00 €	300 983,00 €	300 983,00 €	300 520,00 €	300 341,00 €	300 322,00 €	300 305,00 €
350 647,00 €	350 1.043,00 €	350 1.043,00 €	350 654,00 €	350 408,00 €	350 352,00 €	350 332,00 €
400 878,00 €	400 1.277,00 €	400 1.277,00 €	400 732,00 €	400 530,00 €	400 511,00 €	400 476,00 €
450 933,00 €	450 1.334,00 €	450 1.334,00 €	450 784,00 €	450 594,00 €	450 557,00 €	450 521,00 €
500 1.062,00 €	500 1.482,00 €	500 1.482,00 €	500 919,00 €	500 678,00 €	500 650,00 €	500 613,00 €
600 1.218,00 €	600 1.640,00 €	600 1.640,00 €	600 1.134,00 €	600 853,00 €	600 817,00 €	600 774,00 €

Length 250mm

Length 220mm

Elbow 15°

Elbow 30°

Elbow 45°

Elbow 60°

Elbow 87°



DWKH0150		DWKH2080		DWKH0160		DWKH0170		DWKH0180		DWKH0840		DWKH0640	
080	107,00 €	080	54,00 €	080	130,00 €	080	133,00 €	080	145,00 €	080	196,00 €	080	250,00 €
100	109,00 €	100	92,00 €	100	131,00 €	100	137,00 €	100	146,00 €	100	197,00 €	100	253,00 €
130	110,00 €	130	99,00 €	130	137,00 €	130	142,00 €	130	149,00 €	130	203,00 €	130	258,00 €
150	127,00 €	150	110,00 €	150	154,00 €	150	158,00 €	150	159,00 €	150	218,00 €	150	272,00 €
180	135,00 €	180	116,00 €	180	166,00 €	180	172,00 €	180	169,00 €	180	229,00 €	180	293,00 €
200	154,00 €	200	133,00 €	200	173,00 €	200	179,00 €	200	195,00 €	200	262,00 €	200	307,00 €
225	173,00 €	225	153,00 €	225	185,00 €	225	194,00 €	225	215,00 €	225	276,00 €	225	336,00 €
250	197,00 €	250	170,00 €	250	197,00 €	250	202,00 €	250	229,00 €	250	313,00 €	250	354,00 €
300	290,00 €	300	252,00 €	300	289,00 €	300	308,00 €	300	346,00 €	300	404,00 €	300	471,00 €
350	315,00 €	350	276,00 €	350	347,00 €	350	368,00 €	350	402,00 €	350	440,00 €	350	569,00 €
400	452,00 €	400	388,00 €	400	435,00 €	400	464,00 €	400	486,00 €	400	490,00 €	400	610,00 €
450	495,00 €	450	426,00 €	450	507,00 €	450	542,00 €	450	594,00 €	450	602,00 €	450	667,00 €
500	585,00 €	500	510,00 €	500	663,00 €	500	703,00 €	500	744,00 €	500	733,00 €	500	912,00 €
600	742,00 €	600	659,00 €	600	839,00 €	600	889,00 €	600	939,00 €	600	952,00 €	600	1.310,00 €

Elbow 90°

Elbow 87° with
inspection door (up
to 200°C/PI)Inspection elbow
87° with inspection
door, wet operation
mode (up to
250°C/HI)Inspection elbow
87° with inspection
door, dry operation
mode (up to
600°C/HI)Elbow 87° with
inspection door (up
to 400°C/NI)Elbow 90° with
inspection door (up
to 200°C/PI)Elbow 90° with
inspection door
for wet operation
mode (up to
250°C/HI)

DWKH0600		DWKH0670		DWKH927HTW0		DWKH927HTD0		DWKH9230		DWKH0190		DWKH928HTW0	
080	250,00 €	080	362,00 €	080	510,00 €	080	510,00 €	080	341,00 €	080	362,00 €	080	510,00 €
100	253,00 €	100	376,00 €	100	511,00 €	100	511,00 €	100	343,00 €	100	376,00 €	100	511,00 €
130	258,00 €	130	384,00 €	130	519,00 €	130	519,00 €	130	352,00 €	130	384,00 €	130	519,00 €
150	272,00 €	150	402,00 €	150	570,00 €	150	570,00 €	150	368,00 €	150	402,00 €	150	570,00 €
180	293,00 €	180	423,00 €	180	631,00 €	180	631,00 €	180	388,00 €	180	423,00 €	180	631,00 €
200	307,00 €	200	467,00 €	200	673,00 €	200	673,00 €	200	429,00 €	200	467,00 €	200	673,00 €
225	336,00 €	225	498,00 €	225	760,00 €	225	760,00 €	225	438,00 €	225	498,00 €	225	760,00 €
250	354,00 €	250	530,00 €	250	788,00 €	250	788,00 €	250	450,00 €	250	530,00 €	250	788,00 €
300	471,00 €	300	712,00 €	300	960,00 €	300	960,00 €	300	500,00 €	300	712,00 €	300	960,00 €
350	569,00 €	350	883,00 €	350	1.099,00 €	350	1.099,00 €	350	600,00 €	350	883,00 €	350	1.099,00 €
400	610,00 €	400	1.197,00 €	400	1.371,00 €	400	1.371,00 €	400	711,00 €	400	1.197,00 €	400	1.371,00 €
450	667,00 €	450	1.332,00 €	450	1.494,00 €	450	1.494,00 €	450	756,00 €	450	1.332,00 €	450	1.494,00 €
500	912,00 €	500	1.516,00 €	500	1.672,00 €	500	1.672,00 €	500	960,00 €	500	1.516,00 €	500	1.672,00 €
600	1.310,00 €	600	1.922,00 €	600	2.034,00 €	600	2.034,00 €	600	1.327,00 €	600	1.922,00 €	600	2.034,00 €



Connecting line DW-KH



Elbow 90° with inspection door for dry operation mode (up to 600°C/H1)

Elbow 90° with inspection door (up to 600°C/N1)

Adaptor EW-KL/DW-KH

Adaptor DW-KH/EW-KL

Length with test point for horizontal and vertical installation



DWKH928HTDØ		DWKH924Ø		DWKH037Ø		DWKH929Ø		DWKH51Ø	
080	510,00 €	080	341,00 €	080	91,00 €	080	91,00 €	080	151,00 €
100	511,00 €	100	343,00 €	100	92,00 €	100	92,00 €	100	153,00 €
130	519,00 €	130	352,00 €	130	93,00 €	130	93,00 €	130	166,00 €
150	570,00 €	150	368,00 €	150	103,00 €	150	103,00 €	150	172,00 €
180	631,00 €	180	388,00 €	180	105,00 €	180	105,00 €	180	193,00 €
200	673,00 €	200	429,00 €	200	113,00 €	200	113,00 €	200	202,00 €
225	760,00 €	225	438,00 €	225	123,00 €	225	123,00 €	225	226,00 €
250	788,00 €	250	450,00 €	250	130,00 €	250	130,00 €	250	251,00 €
300	960,00 €	300	500,00 €	300	182,00 €	300	182,00 €	300	348,00 €
350	1.099,00 €	350	600,00 €	350	202,00 €	350	202,00 €	350	403,00 €
400	1.371,00 €	400	711,00 €	400	229,00 €	400	229,00 €	400	521,00 €
450	1.494,00 €	450	756,00 €	450	274,00 €	450	274,00 €	450	587,00 €
500	1.672,00 €	500	960,00 €	500	352,00 €	500	352,00 €	500	659,00 €
600	2.034,00 €	600	1.327,00 €	600	510,00 €	600	510,00 €	600	832,00 €



DESCRIPTION

The designer chimney: Double wall design chimney system made of stainless steel with a smooth tubular column and without locking bands

MATERIAL

Inside: 1.4404 (316L) / 1.4571 (316Ti)

Outside: 1.4301 (304)

Others on request

FINISHING

Brushed

Highly polished: on request,

Painted: reduced discount (see condition agreement)

(Replacement paint for touch up must be ordered separately:

Code: LACK-DOSE, 18.00 € net per 400 ml can)

WALL THICKNESS

Inside / Outside each 0.6 mm

Others on request

INSIDE DIAMETER

130 - 300 mm

INSULATION

Mineral insulation 32.5 mm thick

CONNECTION


Push-fit connection (outer pipe)

ORDER CODE

The article code for your order results from:

Article code + Ø (Example: DWV262180).

Please refer to the respective code for deviations.



CHARACTERISTICS

- Elegant design with a smooth tubular column and brushed finish
- Cylindrical slip-on connector ends on the outer pipe eliminate the need for locking bands
- Resistant to soot fire or moisture

APPLICATION AREAS

- Standard fireplaces for oil, gas and solid fuels (natural wood, coke, peat, coal *)

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 009

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 1

T600 - N1 - D - V3 - L50050 - G50

T400 - N1 - W - V2 - L50050 - O20

T450 - N1 - W - V2 - L50050 - O50

CONNECTING PIPE

CE MARK NUMBER

0036 CPR 9174 048

CE CLASSIFICATIONS ACC. TO DIN EN 1856-2

T600 - N1 - D - V3 - L50050 - G100M

T450 - N1 - W - V2 - L50050 - O50M



System DW-VISION



Adjustable plates
for wall support 50-
150mm

Adjustable plates
for wall support
150-250mm

Adjustable plates
for wall support
250-360mm

Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm



DWV010	DWV020	DWV490	DWV391	DWV392	DWV393	DWV407
130 90,00 €	130 132,00 €	130 182,00 €	139,00 €	157,00 €	193,00 €	314,00 €
150 101,00 €	150 166,00 €	150 227,00 €				
180 132,00 €	180 197,00 €	180 272,00 €				
200 149,00 €	200 330,00 €	200 558,00 €				
250 282,00 €	250 344,00 €	250 593,00 €				
300 313,00 €	300 363,00 €	300 634,00 €				

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-VISION

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 65 mm) = max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
180	90	180	240	180	490	180	770
200	70	200	220	200	470	200	750
		250	170	250	420	250	700
				300	370	300	650



Water deflectors
for wall support, 2
pieces

Water deflectors
for wall support, 2
pieces


Water deflectors
for wall support, 2
pieces

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 250-1190mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 610-1190mm,
drain at bottom, 1/2"
threaded nipple and
door for condensate
collector

Transparent PVC-
pipe Ø 26mm,
l=500mm to extend
the condensate
drain



€ NET



€ NET



€ NET



Rgr. ZUAC

ZUTE1425	ZUTE1426	ZUTE1427	DWV030	DWV040	DWV10170	ZUAC2253
12,00 €	12,00 €	12,00 €	130 273,00 €	130 375,00 €	130 488,00 €	26,00 €
			150 280,00 €	150 378,00 €	150 492,00 €	
			180 315,00 €	180 397,00 €	180 499,00 €	
			200 339,00 €	200 408,00 €	200 523,00 €	
			250 343,00 €	250 409,00 €	250 526,00 €	
			300 540,00 €	300 575,00 €		

- ^{*1} Only suitable for mounting with a cantilever
- ^{*2} Use in coordination with the authorized district chimney sweep.

Condensate collection bucket

Round base plate and drain and adjustable wall bracket up to 200mm (max. installation height 8m)

Base plate with condensate drain at the bottom and 1/2" nipple

Base plate with condensate side drain and 1/2" nipple

Base plate for mounting on a bracket with side drain and 1/2" threaded nipple

Base plate with removable soot collector

Base plate for intermediate support



Rgr. SC



ZUTE1255	DWV384Ø	DWV05Ø	DWV06Ø	DWV66Ø	DWV1592Ø	DWV07Ø
69,00 €	130 174,00 € 150 189,00 € 180 235,00 € 200 252,00 € 250 301,00 €	130 115,00 € 150 118,00 € 180 138,00 € 200 146,00 € 250 158,00 € 300 177,00 €	130 146,00 € 150 166,00 € 180 195,00 € 200 203,00 € 250 251,00 € 300 298,00 €	130 142,00 € 150 162,00 € 180 189,00 € 200 200,00 € 250 248,00 € 300 286,00 €	130 194,00 € 150 215,00 € 180 233,00 € 200 273,00 € 250 315,00 € 300 484,00 €	130 130,00 € 150 147,00 € 180 170,00 € 200 176,00 € 250 228,00 € 300 253,00 €

Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m

Base plate without drain


Inspection length (up to 600°C/N1)

Inspection length with integrated base plate and condensate drain at bottom (up to 600°C/N1)

Inspection length Design Plus, indoors only (up to 600°C/N1)

Inspection length with „Design Plus“ door for solid fuels, outdoors (up to 600°C/N1)

Inspection length Design Plus with backstop below inspection and removable soot collector (up to 600°C/N1)



DWV08Ø	DWV09Ø	DWV10Ø	DWV383Ø	DWV381Ø	DWV381AØ	DWV1325Ø
130 131,00 € 150 150,00 € 180 173,00 € 200 182,00 € 250 232,00 € 300 265,00 €	130 87,00 € 150 93,00 € 180 102,00 € 200 103,00 € 250 106,00 € 300 114,00 €	130 379,00 € 150 397,00 € 180 414,00 € 200 434,00 € 250 467,00 € 300 520,00 €	130 438,00 € 150 459,00 € 180 495,00 € 200 516,00 € 250 561,00 € 300 624,00 €	130 321,00 € 150 339,00 € 180 354,00 € 200 370,00 € 250 400,00 € 300 443,00 €	130 321,00 € 150 339,00 € 180 354,00 € 200 370,00 € 250 400,00 € 300 443,00 €	130 402,00 € 150 417,00 € 180 433,00 € 200 450,00 € 250 584,00 €

Inspection length Design with backstop, wall sleeve for FERRO, 120mm insert and soot collector (up to 600°C/N1)

Inspection length Design Plus with door, base plate and drain at bottom, indoors only (up to 600°C/N1)

Inspection length with integrated base plate and condensate drain, outdoors (up to 600°C/N1)

T-45° with drip nose

T-87° with drip nose

T-90° with drip nose

T-87° with cleaning opening on the opposite side, at the same height (up to 600°C/N1)



^{*2}



^{*1}



^{*2}

DWV1805Ø	DWV382Ø	DWV382AØ	DWV12Ø	DWV11Ø	DWV317Ø	DWV421Ø
130 602,00 € 150 639,00 € 180 671,00 € 200 719,00 € 250 915,00 €	130 391,00 € 150 410,00 € 180 440,00 € 200 459,00 € 250 498,00 € 300 554,00 €	130 391,00 € 150 410,00 € 180 440,00 € 200 459,00 € 250 498,00 € 300 554,00 €	130 427,00 € 150 458,00 € 180 492,00 € 200 646,00 € 250 801,00 € 300 953,00 €	130 273,00 € 150 320,00 € 180 347,00 € 200 432,00 € 250 544,00 € 300 683,00 €	130 273,00 € 150 320,00 € 180 347,00 € 200 432,00 € 250 544,00 € 300 683,00 €	130 520,00 € 150 568,00 € 180 595,00 € 200 738,00 € 250 852,00 € 300 1.002,00 €

T-90° with cleaning opening on the opposite side, at the same height, up to 600°C/N1

Length 1000mm

Length 500mm

Length 250mm

Length 1000mm with adjustable wall sleeve for FERRO

Length 500mm with integrated wall sleeve shortenable for FERRO

Length 1000mm with holder for DW22-1 and DW23-2



*1



DWV309Ø		DWV13Ø		DWV14Ø		DWV15Ø		DWV262Ø		DWV261Ø		DWV1393Ø	
130	520,00 €	130	195,00 €	130	110,00 €	130	79,00 €	130	302,00 €	130	183,00 €	130	308,00 €
150	568,00 €	150	222,00 €	150	124,00 €	150	87,00 €	150	336,00 €	150	202,00 €	150	337,00 €
180	595,00 €	180	250,00 €	180	146,00 €	180	100,00 €	180	383,00 €	180	224,00 €	180	364,00 €
200	738,00 €	200	277,00 €	200	155,00 €	200	115,00 €	200	405,00 €	200	239,00 €	200	394,00 €
250	852,00 €	250	370,00 €	250	198,00 €	250	146,00 €	250	500,00 €	250	289,00 €		
300	1.002,00 €	300	486,00 €	300	275,00 €	300	213,00 €	300	602,00 €	300	370,00 €		

Length 500mm with holder for DW22-1 and DW23-2

Length 250mm with holder for DW22-1 and DW23-1

Wall bracket 50mm

Adjustable wall bracket 50-150mm

Adjustable wall bracket 50-150mm

Wall bracket adjustable 50-250mm

Wall bracket adjustable 50-250mm



DWV1392Ø		DWV1406Ø		DWV21Ø		DWV22Ø		DWV22Ø		DWV23Ø		DWV23Ø	
130	225,00 €	130	225,00 €	130	63,00 €	130	101,00 €	250	115,00 €	130	115,00 €	250	130,00 €
150	239,00 €	150	239,00 €	150	64,00 €	150	102,00 €	300	132,00 €	150	116,00 €	300	150,00 €
180	260,00 €	180	260,00 €	180	66,00 €	180	105,00 €			180	122,00 €		
200	270,00 €	200	270,00 €	200	68,00 €	200	109,00 €			200	124,00 €		
				250	76,00 €								
				300	90,00 €								

Adjustable wall bracket 250-360mm

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm

Wall and head piece for wall bracket, wall distance min 250mm

Adjustable wall bracket with joint, 140-300mm

Extension 30x30mm for TW20 l=1000mm

Extension 30x30mm for TW20 l=500mm



DWV24Ø		DWV24Ø		DWV20Ø		DWV20Ø		DWV24MGØ		DW86		DW85	
130	156,00 €	250	171,00 €	130	115,00 €	250	137,00 €	130	270,00 €		81,00 €		59,00 €
150	158,00 €	300	191,00 €	150	116,00 €	300	159,00 €	150	273,00 €				
180	159,00 €			180	118,00 €			180	275,00 €				
200	166,00 €			200	122,00 €			200	280,00 €				
								250	286,00 €				

- *1 Use in coordination with the authorized district chimney sweep.

Adjustable wall bracket Design Plus 50-150mm

Adjustable wall bracket Design Plus 50-250mm

Adjustable wall bracket Design Plus 250-360mm

Wall part of DW20 adjustable for wall bracket 250mm and above, single-braced

Wall part of DW20 adjustable for wall bracket 250mm and above, double-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, single-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced



DWV386Ø		DWV387Ø		DWV389Ø		DW20-1Ø		DW20-1Ø		DW22-1Ø		DW22-1Ø	
130	101,00 €	130	115,00 €	130	156,00 €	130	57,00 €	250	62,00 €	130	51,00 €	250	53,00 €
150	102,00 €	150	116,00 €	150	158,00 €	150	57,00 €	300	72,00 €	150	51,00 €	300	61,00 €
180	105,00 €	180	122,00 €	180	159,00 €	180	57,00 €			180	51,00 €		
200	109,00 €	200	124,00 €	200	166,00 €	200	57,00 €			200	51,00 €		
250	115,00 €	250	130,00 €	250	171,00 €								
				300	191,00 €								

Wall part of DW23 for adjustable wall bracket 50-250mm, single-braced

Wall part of DW22 for adjustable wall bracket 50-150mm, double-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, single-braced

Wall part of DW24 for adjustable wall bracket 250-360mm, double-braced

Elbow 15°

Elbow 30°

Elbow 45°



DW23-1Ø		DW23-1Ø		DW24-1Ø		DW24-1Ø		DWV16Ø		DWV17Ø		DWV18Ø	
130	51,00 €	250	53,00 €	130	57,00 €	250	62,00 €	130	109,00 €	130	115,00 €	130	122,00 €
150	51,00 €	300	61,00 €	150	57,00 €	300	72,00 €	150	120,00 €	150	125,00 €	150	127,00 €
180	51,00 €			180	57,00 €			180	132,00 €	180	137,00 €	180	139,00 €
200	51,00 €			200	57,00 €			200	137,00 €	200	145,00 €	200	158,00 €
								250	147,00 €	250	153,00 €	250	183,00 €
								300	205,00 €	300	227,00 €	300	272,00 €

Elbow 60°

Elbow 87°

Elbow 90°

Elbow 87° with inspection door (up to 600°/N1)

Elbow 90° with inspection door (up to 600°/N1)

Elbow 90° with inspection door and design lid for solid fuels (inside area) up to 600°C/N1

End cap



DWV84Ø		DWV64Ø		DWV60Ø		DWV67GØ		DWV19GØ		DWV1228Ø		DWV32Ø	
130	181,00 €	130	244,00 €	130	244,00 €	130	364,00 €	130	364,00 €	130	381,00 €	130	102,00 €
150	191,00 €	150	251,00 €	150	251,00 €	150	378,00 €	150	378,00 €	150	391,00 €	150	113,00 €
180	205,00 €	180	273,00 €	180	273,00 €	180	409,00 €	180	409,00 €	180	412,00 €	180	114,00 €
200	235,00 €	200	285,00 €	200	285,00 €	200	450,00 €	200	450,00 €	200	458,00 €	200	120,00 €
250	270,00 €	250	320,00 €	250	320,00 €	250	460,00 €	250	460,00 €	250	467,00 €	250	142,00 €
300	338,00 €	300	414,00 €	300	414,00 €	300	465,00 €	300	465,00 €	300	473,00 €	300	176,00 €



System DW-VISION



Rain cap

Rain cap with spark protection grid

Muzzle closure with louvre hood

Storm collar


Storm collar with edge

Storm collar with edge and spacers for rear ventilation

Flashing kit 5-15° with storm collar



NEW



DWV330	DWV33A0	DWV3370	DWV310	DWV3070	DWV28560	DWV810
130 76,00 €	130 138,00 €	130 344,00 €	130 32,00 €	130 44,00 €	130 54,00 €	130 228,00 €
150 81,00 €	150 177,00 €	150 361,00 €	150 34,00 €	150 45,00 €	150 55,00 €	150 252,00 €
180 86,00 €	180 181,00 €	180 434,00 €	180 35,00 €	180 53,00 €	180 59,00 €	180 284,00 €
200 101,00 €	200 228,00 €	200 445,00 €	200 36,00 €	200 54,00 €	200 62,00 €	200 325,00 €
250 122,00 €	250 250,00 €	250 458,00 €	250 38,00 €	250 57,00 €	250 66,00 €	250 379,00 €
300 137,00 €	300 288,00 €	300 524,00 €	300 47,00 €	300 76,00 €	300 84,00 €	300 408,00 €

Flashing kit 16-25° with storm collar

Flashing kit 26-35° with storm collar








Flashing kit 36-45° with storm collar

Flat flashing conical with storm collar

Cylindrical flat flashing with storm collar

Flashing kit 5-15° lead base with storm collar

Flashing kit 16-25° lead base with storm collar



DWV820	DWV390	DWV830	DWV520	DWV520ZY	DWV530	DWV590
130 253,00 €	130 285,00 €	130 313,00 €	130 135,00 €	130 135,00 €	130 256,00 €	130 256,00 €
150 280,00 €	150 307,00 €	150 334,00 €	150 142,00 €	150 142,00 €	150 277,00 €	150 277,00 €
180 305,00 €	180 325,00 €	180 354,00 €	180 158,00 €	180 158,00 €	180 301,00 €	180 301,00 €
200 338,00 €	200 351,00 €	200 362,00 €	200 196,00 €	200 196,00 €	200 308,00 €	200 308,00 €
250 387,00 €	250 394,00 €	250 404,00 €	250 220,00 €	250 220,00 €	250 346,00 €	250 346,00 €
300 417,00 €	300 428,00 €	300 438,00 €	300 270,00 €	300 270,00 €	300 352,00 €	300 352,00 €

Flashing kit 26-35° lead base with storm collar, cone 150mm

Flashing kit 36-45° lead base with storm collar






Flashing kit 5-15° with FastFlash plate elastomer black and storm collar

Flashing kit 5-15° with FastFlash plate elastomer red and storm collar



Flashing kit 5-15° with FastFlash plate elastomer grey and storm collar

Flashing kit 16-25° with FastFlash plate elastomer collar black and storm collar

Flashing kit 16-25° with FastFlash plate elastomer collar red and storm collar




NEW




DWV380	DWV540	DWV2556-10	DWV2556-20	DWV2556-30	DWV2558-10	DWV2558-20
130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €
150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €
180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €
200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €
250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €
300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €

- *1 For wall/ceiling panels, please state the number in °.


Flashing kit 16-35°
with FastFlash plate
elastomer collar
grey and storm
collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
black and storm
collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar red
and storm collar




Flashing kit 26-35°
with FastFlash plate
elastomer collar
grey and storm
collar



Flashing kit 36-45°
with FastFlash plate
elastomer black and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer red and
storm collar



Flashing kit 36-45°
with FastFlash plate
elastomer grey and
storm collar



DWV2558-3Ø	DWV2557-1Ø	DWV2557-2Ø	DWV2557-3Ø	DWV2551-1Ø	DWV2551-2Ø	DWV2551-3Ø
130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €	130 256,00 €
150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €	150 277,00 €
180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €	180 301,00 €
200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €	200 308,00 €
250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €	250 346,00 €
300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €	300 352,00 €

Flashing kit (Silicone)
incl. screws and sealing
compound, for metal
roof, outer Ø 150-
300mm (up to 400°C)



Flashing kit (Silicone)
incl. screws and sealing
compound, for fibre
cement corrugated
roof, outer Ø 150-
300mm (up to 400°C)



Ceiling plate 0°
one-piece




Ceiling plate 1-65°
one-piece



Ceiling plate 0°
two-piece



Ceiling plate 1-65°
two-piece



Ceiling plate 0-30°
two-piece




ZUAC2700	ZUAC2701	DWV70Ø	DWV71Ø	DWV74Ø	DWV75Ø	DWV99VØ
259,00 €	259,00 €	130 85,00 €	130 98,00 €	130 100,00 €	130 109,00 €	130 79,00 €
		150 87,00 €	150 100,00 €	150 113,00 €	150 124,00 €	150 81,00 €
		180 93,00 €	180 103,00 €	180 115,00 €	180 127,00 €	180 86,00 €
		200 100,00 €	200 109,00 €	200 130,00 €	200 145,00 €	200 93,00 €
		250 124,00 €	250 133,00 €	250 133,00 €	250 153,00 €	250 120,00 €
		300 140,00 €	300 157,00 €	300 154,00 €	300 170,00 €	300 140,00 €


Ceiling plate 31-45°
two-piece




Ceiling plate with
seal to stop steam
0-20° (up to
450°C/N1)



Ceiling plate with
seal to stop steam
21-40° (up to
450°C/N1)




Ceiling plate with
seal to stop steam
41-55° (up to
450°C/N1)



Airtight sealing
collars 0°-30° for
chimneys up to
T400



Airtight sealing
collars 30°-45° for
chimneys up to
T400



Adaptor EW male/
DW-VISION



DWV98VØ	DW1702Ø	DW1703Ø	DW1704Ø	ZUTE2195Ø	ZUTE2232Ø	DWV37Ø
130 98,00 €	130 111,00 €	130 137,00 €	130 157,00 €	180-195 84,00 €	200-225 111,00 €	130 62,00 €
150 100,00 €	150 137,00 €	150 166,00 €	150 179,00 €	200-225 92,00 €	230-245 125,00 €	150 64,00 €
180 103,00 €	180 149,00 €	180 179,00 €	180 195,00 €	230-245 99,00 €	250-270 135,00 €	180 66,00 €
200 109,00 €	200 157,00 €	200 189,00 €	200 203,00 €	250-270 105,00 €		200 68,00 €
250 133,00 €	250 206,00 €	250 244,00 €	250 265,00 €			250 72,00 €
300 157,00 €	300 232,00 €	300 264,00 €	300 295,00 €			300 84,00 €

Adaptor DW-VI-
SION/EW male

Adaptor EW-FU/
DW-VISION with
integrated wall
sleeve, straight

Adaptor FERRO/
DW-VISION

Isotherm tape
40mm, price per
metre

Closing cap plastic
for drain 1/2" (up to
200°C)

Closing lid with
handle for DWV11

Removable soot
collector with con-
densate drain and
locking band



DWV37AØ		DWV37GWFØ		DWV37FØ		750ISO40	750ADK1/2	DWV43Ø		DWV44Ø	
130	62,00 €	130	118,00 €	130	67,00 €	5,00 €	5,00 €	130	91,00 €	130	124,00 €
150	64,00 €	150	123,00 €	150	69,00 €			150	92,00 €	150	131,00 €
180	66,00 €	180	131,00 €	180	70,00 €			180	101,00 €	180	139,00 €
200	68,00 €	200	142,00 €	200	74,00 €			200	110,00 €	200	151,00 €
250	72,00 €	250	158,00 €	250	77,00 €			250	130,00 €	250	200,00 €
300	84,00 €							300	159,00 €	300	232,00 €

Drain/Measuring
length 250mm with
1/2" female socket
and plug screw

Adjustable length
for connection line
320-460mm (up to
600°C/N1)

Locking band as
optical protection
after cut-off



DWV51Ø		DWV50Ø		DWV41Ø	
130	139,00 €	130	204,00 €	130	32,00 €
150	146,00 €	150	238,00 €	150	34,00 €
180	166,00 €	180	276,00 €	180	35,00 €
200	173,00 €	200	321,00 €	200	36,00 €
250	239,00 €	250	419,00 €	250	37,00 €
300	290,00 €	300	610,00 €	300	38,00 €



DESCRIPTION

Double wall, pressure-tight stainless steel exhaust system with gaskets in the outer casing, which allow stress-free thermal expansion of the inner tube hence no compensators needed.

MATERIAL

Inside: 1.4404 (316L)

Outside: 1.4301 (304)

FINISHING

Highly polished

Optional: matt

WALL THICKNESS

Inside: 0.5 mm

Outside: 0.6 mm

INSIDE DIAMETER

100 - 600 mm

INSULATION

Mineral insulation 32.5 mm thick

Optional: DW-POWER 57 = 57.5 mm insulation

CONNECTION

Push-fit connection (outer pipe)

LOCKING BAND

Included

ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: DWPWR05250)



CHARACTERISTICS

- Easy to install and disassemble
- For high temperatures up to 600°C
- Pressure-tight up to 5000 Pa
- Saltwater-resistant components (available for an additional charge)
- Gaskets in the outer casing
- Stress-free thermal expansion of the inner tube possible
- Not suitable for condensing operation
- Not suitable for condensing operation (e.g. CHP)

APPLICATION AREAS

- Gas and diesel generators (without heat exchanger)
- Emergency generators / emergency power systems
- Industrial processes

CE MARK NUMBER

0036 CPR 9174 139

CE CLASSIFICATION - DIN EN 1856-1

T600 - H1 - D - V2 - L50050 - Oxx

xx = Clearances to flammable materials depend on the diameter, see performance declaration

CE MARK NUMBER

0036 CPR 9174 166

CE CLASSIFICATION - DIN EN 1856-2

T600 - H1 - D - V2 - L50050 - O100M



System DW-POWER 32



Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



*1



DW391	DW392	DW393	DW407	DWPWR1144Ø	DWPWR03Ø	DWPWR04Ø
122,00 €	137,00 €	167,00 €	274,00 €	100 123,00 €	100 203,00 €	100 278,00 €
				130 133,00 €	130 210,00 €	130 285,00 €
				150 133,00 €	150 215,00 €	150 286,00 €
				180 136,00 €	180 242,00 €	180 305,00 €
				200 137,00 €	200 259,00 €	200 311,00 €
				250 166,00 €	250 261,00 €	250 313,00 €
				300 183,00 €	300 397,00 €	300 420,00 €
				350 211,00 €	350 400,00 €	350 432,00 €
				400 249,00 €	400 409,00 €	400 440,00 €
				450 293,00 €	450 427,00 €	450 504,00 €
				500 339,00 €	500 436,00 €	500 569,00 €
				600 339,00 €	600 517,00 €	600 709,00 €

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-POWER 32

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Gesamtlänge
der Wandstütze
750 mm

Total length of
the wall support
750 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 115 mm)
= max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
100	170	100	320	100	570	100	850
130	140	130	290	130	540	130	820
150	120	150	270	150	520	150	800
		180	240	180	490	180	770
		200	220	200	470	200	750
		250	170	250	420	250	700
				300	370	300	650
				350	320	350	600
				400	270	400	550
				450	220	450	500
				500	170	500	450
				600	85	600	365



- ^{*1} Can be flexibly extended downwards with length elements
- ^{*2} Not suitable for use in the maritime sector

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm



DWPWR05Ø		DWPWR07Ø		DWPWR2803Ø		DWPWR10HTDØ		DWPWR317Ø		DWPWR12Ø		DWPWR13Ø	
100	82,00 €	100	88,00 €	100	64,00 €	100	485,00 €	100	201,00 €	100	304,00 €	100	143,00 €
130	88,00 €	130	100,00 €	130	67,00 €	130	493,00 €	130	210,00 €	130	324,00 €	130	155,00 €
150	92,00 €	150	112,00 €	150	68,00 €	150	543,00 €	150	246,00 €	150	348,00 €	150	175,00 €
180	107,00 €	180	131,00 €	180	69,00 €	180	605,00 €	180	268,00 €	180	375,00 €	180	197,00 €
200	112,00 €	200	136,00 €	200	70,00 €	200	621,00 €	200	329,00 €	200	493,00 €	200	220,00 €
250	123,00 €	250	175,00 €	250	74,00 €	250	707,00 €	250	416,00 €	250	609,00 €	250	290,00 €
300	133,00 €	300	187,00 €	300	79,00 €	300	733,00 €	300	499,00 €	300	696,00 €	300	357,00 €
350	215,00 €	350	209,00 €	350	83,00 €	350	775,00 €	350	536,00 €	350	756,00 €	350	470,00 €
400	268,00 €	400	308,00 €	400	108,00 €	400	964,00 €	400	702,00 €	400	1.054,00 €	400	532,00 €
450	316,00 €	450	358,00 €	450	137,00 €	450	1.019,00 €	450	759,00 €	450	1.106,00 €	450	577,00 €
500	378,00 €	500	402,00 €	500	138,00 €	500	1.059,00 €	500	832,00 €	500	1.255,00 €	500	616,00 €
600	457,00 €	600	464,00 €	600	150,00 €	600	1.175,00 €	600	920,00 €	600	1.395,00 €	600	705,00 €

DW-POWER 32

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Wall bracket 50mm

Adjustable wall
bracket 50-150mm,
single-braced

Wall bracket adjus-
table 50-150mm,
double-braced

Wall bracket adjus-
table 50-250mm,
single-braced



DWPWR14Ø		DWPWR15Ø		DWPWR2946Ø		DW21Ø		DW22Ø		DW22Ø		DW23Ø	
100	80,00 €	100	59,00 €	100	143,00 €	100	52,00 €	100	85,00 €	200	93,00 €	100	99,00 €
130	88,00 €	130	63,00 €	130	155,00 €	130	57,00 €	130	86,00 €	250	101,00 €	130	101,00 €
150	100,00 €	150	71,00 €	150	175,00 €	150	58,00 €	150	87,00 €	300	116,00 €	150	103,00 €
180	116,00 €	180	79,00 €	180	197,00 €	180	61,00 €	180	90,00 €	350	122,00 €	180	105,00 €
200	123,00 €	200	92,00 €	200	220,00 €	200	62,00 €			400	138,00 €		
250	157,00 €	250	116,00 €	250	290,00 €	250	67,00 €			450	173,00 €		
300	202,00 €	300	158,00 €	300	357,00 €	300	78,00 €			500	193,00 €		
350	254,00 €	350	174,00 €	350	470,00 €	350	81,00 €			600	258,00 €		
400	353,00 €	400	284,00 €	400	532,00 €	400	86,00 €						
450	380,00 €	450	306,00 €	450	578,00 €	450	102,00 €						
500	401,00 €	500	321,00 €	500	616,00 €	500	124,00 €						
600	457,00 €	600	361,00 €	600	705,00 €	600	129,00 €						



System DW-POWER 32



Wall bracket adjustable 50-250mm, double-braced

Wall bracket adjustable 250-360mm, single-braced

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm, single-braced

Wall and head piece for wall bracket, wall distance min 250mm, double-braced

Extension 30x30mm for DW20 l=500mm

Extension 30x30mm for DW20 l=1000mm

						
DW23Ø	DW24Ø	DW24Ø	DW20Ø	DW20Ø	DW85	DW86
200 109,00 €	100 131,00 €	200 145,00 €	100 93,00 €	200 105,00 €	59,00 €	81,00 €
250 114,00 €	130 135,00 €	250 150,00 €	130 101,00 €	250 120,00 €		
300 130,00 €	150 137,00 €	300 166,00 €	150 101,00 €	300 139,00 €		
350 133,00 €	180 139,00 €	350 169,00 €	180 103,00 €	350 173,00 €		
400 167,00 €		400 203,00 €		400 273,00 €		
450 215,00 €		450 250,00 €		450 320,00 €		
500 246,00 €		500 280,00 €		500 333,00 €		
600 301,00 €		600 313,00 €		600 361,00 €		

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

					
DW45Ø	DW46Ø	DW47Ø	DW48Ø	for Ø	ZUAC2246
100 87,00 €	100 163,00 €	100 196,00 €	100 205,00 €	250 ZUAC2245-2 83,00 €	50,00 €
130 92,00 €	130 163,00 €	130 202,00 €	130 222,00 €	300-350 ZUAC2245-3 85,00 €	
150 98,00 €	150 181,00 €	150 204,00 €	150 224,00 €	400-450 ZUAC2245-4 127,00 €	
180 99,00 €	180 203,00 €	180 206,00 €	180 233,00 €	500 ZUAC2245-5 129,00 €	
200 107,00 €	200 205,00 €	200 209,00 €	200 250,00 €	600 ZUAC2245-6 130,00 €	
250 126,00 €	250 227,00 €	250 233,00 €	250 275,00 €		
300 140,00 €	300 230,00 €	300 251,00 €	300 277,00 €		
350 155,00 €	350 238,00 €	350 252,00 €	350 284,00 €		
400 183,00 €	400 256,00 €	400 269,00 €	400 306,00 €		
450 228,00 €	450 284,00 €	450 300,00 €	450 343,00 €		
500 248,00 €	500 310,00 €	500 324,00 €	500 354,00 €		
600 269,00 €	600 358,00 €	600 370,00 €	600 453,00 €		

- ^{*1} Not suitable for use in the maritime sector

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece



Rgr.
ZUAC

Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



ZUAC2247	DWPWR16Ø		DWPWR17Ø		DWPWR18Ø		DWPWR60Ø		DWPWR57Ø		DWPWR1993Ø	
81,00 €	100	80,00 €	100	84,00 €	100	90,00 €	100	179,00 €	100	216,00 €	100	216,00 €
	130	84,00 €	130	88,00 €	130	94,00 €	130	185,00 €	130	228,00 €	130	228,00 €
	150	93,00 €	150	98,00 €	150	99,00 €	150	191,00 €	150	265,00 €	150	265,00 €
	180	102,00 €	180	104,00 €	180	105,00 €	180	211,00 €	180	286,00 €	180	286,00 €
	200	106,00 €	200	111,00 €	200	123,00 €	200	216,00 €	200	358,00 €	200	358,00 €
	250	112,00 €	250	117,00 €	250	141,00 €	250	246,00 €	250	454,00 €	250	454,00 €
	300	152,00 €	300	167,00 €	300	200,00 €	300	306,00 €	300	545,00 €	300	545,00 €
	350	191,00 €	350	211,00 €	350	239,00 €	350	378,00 €	350	605,00 €	350	605,00 €
	400	257,00 €	400	282,00 €	400	299,00 €	400	404,00 €	400	691,00 €	400	691,00 €
	450	307,00 €	450	338,00 €	450	362,00 €	450	485,00 €	450	774,00 €	450	774,00 €
	500	368,00 €	500	406,00 €	500	438,00 €	500	581,00 €	500	864,00 €	500	864,00 €
	600	423,00 €	600	468,00 €	600	508,00 €	600	775,00 €	600	1.038,00 €	600	1.037,00 €

DW-POWER 32

Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



Adjustable support for elbow with base support l=500mm



Storm collar



Storm collar with edge



Storm collar „Special“



DWPWR63HTDØ		DWPWR19HTDØ		DWPWR32Ø		DWPWR34Ø		DW31Ø		DW307Ø		DW80Ø	
100	461,00 €	100	398,00 €	100	72,00 €	100	406,00 €	100	24,00 €	100	38,00 €	100	132,00 €
130	472,00 €	130	405,00 €	130	79,00 €	130	430,00 €	130	27,00 €	130	40,00 €	130	140,00 €
150	512,00 €	150	440,00 €	150	87,00 €	150	458,00 €	150	29,00 €	150	42,00 €	150	151,00 €
180	570,00 €	180	493,00 €	180	88,00 €	180	493,00 €	180	32,00 €	180	45,00 €	180	159,00 €
200	612,00 €	200	525,00 €	200	93,00 €	200	531,00 €	200	35,00 €	200	47,00 €	200	171,00 €
250	697,00 €	250	610,00 €	250	110,00 €	250	590,00 €	250	37,00 €	250	51,00 €	250	183,00 €
300	800,00 €	300	716,00 €	300	131,00 €	300	784,00 €	300	43,00 €	300	67,00 €	300	226,00 €
350	915,00 €	350	823,00 €	350	156,00 €	350	870,00 €	350	53,00 €	350	83,00 €	350	254,00 €
400	1.135,00 €	400	1.045,00 €	400	182,00 €	400	978,00 €	400	70,00 €	400	110,00 €	400	308,00 €
450	1.249,00 €	450	1.147,00 €	450	228,00 €	450	1.193,00 €	450	75,00 €	450	116,00 €	450	354,00 €
500	1.378,00 €	500	1.218,00 €	500	278,00 €	500	1.480,00 €	500	81,00 €	500	130,00 €	500	389,00 €
600	1.528,00 €	600	1.427,00 €	600	422,00 €	600	2.144,00 €	600	126,00 €	600	198,00 €	600	431,00 €



System DW-POWER 32



Storm collar
„Special“ with rear
ventilation

Flashing kit 5-15°
with storm collar


Flashing kit 16-25°
with storm collar

Flashing kit 26-35°
with storm collar


Flashing kit 36-45°
with storm collar

Flat flashing conical
with storm collar


Cylindrical flat
flashing with storm
collar




Rgr.
DW




Rgr.
DW



Rgr.
DW




Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW

DW80HLØ	DW81Ø	DW82Ø	DW39Ø	DW83Ø	DW52Ø	DW52ØZY
100 137,00 €	100 194,00 €	100 213,00 €	100 232,00 €	100 254,00 €	100 115,00 €	100 115,00 €
130 146,00 €	130 200,00 €	130 221,00 €	130 248,00 €	130 272,00 €	130 118,00 €	130 118,00 €
150 155,00 €	150 220,00 €	150 244,00 €	150 265,00 €	150 290,00 €	150 124,00 €	150 124,00 €
180 166,00 €	180 246,00 €	180 262,00 €	180 285,00 €	180 308,00 €	180 138,00 €	180 138,00 €
200 176,00 €	200 285,00 €	200 295,00 €	200 306,00 €	200 315,00 €	200 170,00 €	200 170,00 €
250 193,00 €	250 329,00 €	250 336,00 €	250 341,00 €	250 352,00 €	250 193,00 €	250 193,00 €
300 232,00 €	300 354,00 €	300 363,00 €	300 372,00 €	300 383,00 €	300 235,00 €	300 235,00 €
350 262,00 €	350 448,00 €	350 468,00 €	350 491,00 €	350 511,00 €	350 298,00 €	350 298,00 €
400 316,00 €	400 802,00 €	400 816,00 €	400 828,00 €	400 843,00 €	400 380,00 €	400 380,00 €
450 365,00 €	450 891,00 €	450 903,00 €	450 916,00 €	450 932,00 €	450 438,00 €	450 438,00 €
500 402,00 €	500 1.008,00 €	500 1.059,00 €	500 1.108,00 €	500 1.159,00 €	500 510,00 €	500 510,00 €
600 443,00 €	600 1.152,00 €	600 1.180,00 €	600 1.208,00 €	600 1.238,00 €	600 615,00 €	600 615,00 €

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar


Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar


Ceiling plate 0-30°
two-piece

Ceiling plate 31-45°
two-piece


Ventilated split
ceiling plate 0-30°,
two-piece




Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW

DW53Ø	DW59Ø	DW38Ø	DW54Ø	DW99VØ	DW98VØ	DW99VHLØ
100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 66,00 €	100 77,00 €	100 103,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 69,00 €	130 81,00 €	130 107,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 72,00 €	150 85,00 €	150 110,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 75,00 €	180 87,00 €	180 113,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 81,00 €	200 93,00 €	200 120,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 105,00 €	250 116,00 €	250 142,00 €
300 310,00 €	300 310,00 €	300 310,00 €	300 310,00 €	300 124,00 €	300 137,00 €	300 162,00 €
350 322,00 €	350 322,00 €	350 322,00 €	350 322,00 €	350 153,00 €	350 165,00 €	350 191,00 €
400 341,00 €	400 341,00 €	400 341,00 €	400 341,00 €	400 159,00 €	400 172,00 €	400 198,00 €
450 368,00 €	450 368,00 €	450 368,00 €	450 368,00 €	450 172,00 €	450 185,00 €	450 210,00 €
500 431,00 €	500 431,00 €	500 431,00 €	500 431,00 €	500 185,00 €	500 200,00 €	500 224,00 €
600 491,00 €	600 491,00 €	600 491,00 €	600 491,00 €	600 213,00 €	600 225,00 €	600 251,00 €

- ^{*1} Other flanges possible on customer request, prices on request

Ventilated split ceiling plate 31-45°, two-piece

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm



Rgr. DW



^{*1}



^{*1}



DW98VHLØ	DWPWR37Ø	DWPWR37AØ	DWPWR856AØ	DWPWR856Ø	DWPWR2005Ø	DWPWR2006Ø
100 115,00 €	100 50,00 €	100 50,00 €	100 137,00 €	100 137,00 €	100 112,00 €	100 112,00 €
130 120,00 €	130 51,00 €	130 51,00 €	130 162,00 €	130 162,00 €	130 121,00 €	130 121,00 €
150 124,00 €	150 51,00 €	150 51,00 €	150 183,00 €	150 183,00 €	150 137,00 €	150 137,00 €
180 126,00 €	180 58,00 €	180 58,00 €	180 211,00 €	180 211,00 €	180 149,00 €	180 149,00 €
200 131,00 €	200 66,00 €	200 66,00 €	200 232,00 €	200 232,00 €	200 174,00 €	200 174,00 €
250 155,00 €	250 75,00 €	250 75,00 €	250 273,00 €	250 273,00 €	250 220,00 €	250 220,00 €
300 174,00 €	300 87,00 €	300 87,00 €	300 321,00 €	300 321,00 €	300 303,00 €	300 303,00 €
350 202,00 €	350 100,00 €	350 100,00 €	350 369,00 €	350 369,00 €	350 334,00 €	350 334,00 €
400 210,00 €	400 117,00 €	400 117,00 €	400 420,00 €	400 420,00 €	400 551,00 €	400 551,00 €
450 224,00 €	450 126,00 €	450 127,00 €	450 456,00 €	450 456,00 €	450 575,00 €	450 576,00 €
500 238,00 €	500 140,00 €	500 140,00 €	500 501,00 €	500 501,00 €	500 621,00 €	500 621,00 €
600 262,00 €	600 176,00 €	600 177,00 €	600 675,00 €	600 675,00 €	600 744,00 €	600 744,00 €

DW-POWER 32

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable support for elbow with base support l=500mm

Adjustable raftor bracket 500-900mm

Ceiling suspension with sound absorbing layer for threaded rod M8, up to max. 23 kg

Support 800-1200mm



Rgr. DW



Rgr. DW



Rgr. DW

DWPWR51Ø	DWPWR2637Ø	DWPWR1494Ø	DWPWR44Ø	DW55Ø	DW61VØ	DW40Ø
100 100,00 €	150 323,00 €	100 184,00 €	100 154,00 €	100 165,00 €	100 92,00 €	100 106,00 €
130 108,00 €	180 340,00 €	130 203,00 €	130 163,00 €	130 169,00 €	130 93,00 €	130 109,00 €
150 112,00 €	200 347,00 €	150 215,00 €	150 179,00 €	150 172,00 €	150 94,00 €	150 110,00 €
180 127,00 €	250 368,00 €	180 241,00 €	180 195,00 €	180 200,00 €	180 98,00 €	180 113,00 €
200 134,00 €	300 394,00 €	200 253,00 €	200 219,00 €	200 217,00 €	200 99,00 €	200 114,00 €
250 167,00 €	350 429,00 €	250 306,00 €	250 274,00 €	250 251,00 €	250 101,00 €	250 116,00 €
300 212,00 €	400 452,00 €	300 367,00 €	300 336,00 €	300 256,00 €	300 111,00 €	300 132,00 €
350 259,00 €	450 485,00 €	350 431,00 €	350 386,00 €	350 329,00 €	350 123,00 €	350 138,00 €
400 353,00 €	500 519,00 €	400 543,00 €	400 531,00 €	400 354,00 €	400 137,00 €	400 142,00 €
450 391,00 €	600 568,00 €	450 585,00 €	450 584,00 €	450 397,00 €	450 156,00 €	450 154,00 €
500 397,00 €		500 620,00 €	500 638,00 €	500 440,00 €	500 191,00 €	500 172,00 €
600 452,00 €		600 711,00 €	600 765,00 €	600 528,00 €	600 226,00 €	600 179,00 €



System DW-POWER 32



Support with joint
800-1200mm, sing-
le-bracedd

Support with joint
800-1200mm, sing-
le-bracedd

3-point guy wire
bracket

Lightning protec-
tion clamp

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
for elbow with base
support l=500mm



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



DW40MGØ		DW40MGØ		DW42Ø		DW69Ø		DWPWR989Ø		DWPWR863Ø		DWPWR1021Ø	
100	220,00 €	200	228,00 €	100	40,00 €	100	40,00 €	100	17,00 €	100	443,00 €	100	526,00 €
130	222,00 €	250	230,00 €	130	42,00 €	130	43,00 €	130	17,00 €	130	465,00 €	130	550,00 €
150	224,00 €	300	249,00 €	150	42,00 €	150	44,00 €	150	17,00 €	150	481,00 €	150	570,00 €
180	226,00 €	350	253,00 €	180	43,00 €	180	46,00 €	180	17,00 €	180	525,00 €	180	621,00 €
		400	256,00 €	200	44,00 €	200	47,00 €	200	17,00 €	200	544,00 €	200	656,00 €
		450	269,00 €	250	46,00 €	250	52,00 €	250	17,00 €	250	617,00 €	250	748,00 €
		500	288,00 €	300	61,00 €	300	61,00 €	300	19,00 €	300	767,00 €	300	953,00 €
		600	295,00 €	350	72,00 €	350	72,00 €	350	21,00 €	350	1.005,00 €	350	1.227,00 €
				400	75,00 €	400	75,00 €	400	25,00 €	400	1.075,00 €	400	1.356,00 €
				450	78,00 €	450	78,00 €	450	27,00 €	450	1.298,00 €	450	1.641,00 €
				500	86,00 €	500	86,00 €	500	29,00 €	500	1.554,00 €	500	1.967,00 €
				600	100,00 €	600	100,00 €	600	42,00 €	600	1.865,00 €	600	2.360,00 €

Adjustable support
for elbow with base
support l=500mm



Rgr.
PP

750GLEI2815-2

6,00 €



System DW-POWER 57

DESCRIPTION

Double wall, pressure-tight stainless steel exhaust system with gaskets in the outer casing, which allow stress-free thermal expansion of the inner tube hence no compensators needed.

MATERIAL

Inside: 1.4404 (316L)

Outside: 1.4301 (304)

FINISHING

Highly polished

Optional: matt

WALL THICKNESS

Inside: 0.5 mm

Outside: 0.6 mm

INSIDE DIAMETER

100 - 600 mm

INSULATION

Mineral insulation 57.5 mm thick

Optional: DW-POWER 32 = 32.5 mm insulation

CONNECTION

Push-fit connection (outer pipe)



LOCKING BAND

Included

ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: DWPW05250)



CHARACTERISTICS

- Easy to install and disassemble
- For high temperatures up to 600°C
- Pressure-tight up to 5000 Pa
- Saltwater-resistant components
(available for an additional charge)
- Gaskets in the outer casing
- Stress-free thermal expansion of the inner tube possible
- Not suitable for condensing operation
- Not suitable for condensing operation (e.g. CHP)

APPLICATION AREAS

- Gas and diesel generators (without heat exchanger)
- Emergency generators / emergency power systems
- Industrial processes

CE MARK NUMBER

0036 CPR 9174 085

CE CLASSIFICATION - DIN EN 1856-1

T600 - H1 - D - V2 - L50050 - Oxx

xx = Clearances to flammable materials depend on the diameter, see performance declaration

CE MARK NUMBER

0036 CPR 9174 088

CE CLASSIFICATION - DIN EN 1856-2

T600 - H1 - D - V2 - L50050 - O100M



System DW-POWER 57



Cantilevers type I
350mm

Cantilevers type II
500mm

Cantilevers Type III
750mm

Cantilevers type IV
1030mm

Adjustable support
for elbow with base
support l=500mm

Adjustable support
foot 250-690mm
with side drain and
1/2" threaded nipple

Adjustable support
foot 060-1020mm
with side drain and
1/2" threaded nipple



Rgr.
DW



Rgr.
DW



Rgr.
DW



Rgr.
DW



*1



DW391	DW392	DW393	DW407	DWPW1144Ø	DWPW03Ø	DWPW04Ø
122,00 €	137,00 €	167,00 €	274,00 €	100 153,00 € 130 165,00 € 150 166,00 € 180 169,00 € 200 171,00 € 250 206,00 € 300 228,00 € 350 262,00 € 400 310,00 € 450 366,00 € 500 423,00 € 600 423,00 €	100 254,00 € 130 261,00 € 150 268,00 € 180 302,00 € 200 323,00 € 250 325,00 € 300 495,00 € 350 499,00 € 400 511,00 € 450 532,00 € 500 545,00 € 600 645,00 €	100 347,00 € 130 356,00 € 150 358,00 € 180 380,00 € 200 388,00 € 250 391,00 € 300 524,00 € 350 540,00 € 400 550,00 € 450 629,00 € 500 711,00 € 600 886,00 €

CALCULATION OF THE MAXIMUM WALL DISTANCE OF WALL SUPPORT AND CROSS BEAM FOR THE SYSTEM DW-POWER 57

Total length of
the wall support
350 mm


Total length of
the wall support
500 mm

Total length of
the wall support
750 mm

Total length of
the wall support
1030 mm

Component length (e.g. 350 mm Typ I) - 15 mm - (Ø inside + 115 mm)
= max. wall distance

DW391		DW392		DW393		DW407	
Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm	Inner tube Ø	max. wall clearance in mm
100	120	100	270	100	520	100	800
130	90	130	240	130	490	130	770
150	70	150	220	150	470	150	750
		180	190	180	440	180	720
		200	170	200	420	200	700
		250	120	250	370	250	650
				300	320	300	600
				350	270	350	550
				400	220	400	500
				450	170	450	450
				500	120	500	400
				600	20	600	300



- ^{*1} Can be flexibly extended downwards with length elements
- ^{*2} Not suitable for use in the maritime sector

Base plate with 1/2" threaded nipple and condensate drain at the bottom

Base plate for intermediate support

Base plate with plug-in ring for bracket with support

Inspection length with round opening (up to 600°C/ NI)

T-90°

T-45°

Length 1000mm

						
DWPW05Ø	DWPW07Ø	DWPW2803Ø	DWPW10HTDØ	DWPW317Ø	DWPW12Ø	DWPW13Ø
100 102,00 €	100 110,00 €	100 79,00 €	100 605,00 €	100 251,00 €	100 379,00 €	100 179,00 €
130 110,00 €	130 124,00 €	130 83,00 €	130 615,00 €	130 261,00 €	130 405,00 €	130 193,00 €
150 114,00 €	150 140,00 €	150 84,00 €	150 678,00 €	150 307,00 €	150 435,00 €	150 219,00 €
180 133,00 €	180 163,00 €	180 85,00 €	180 756,00 €	180 334,00 €	180 468,00 €	180 246,00 €
200 139,00 €	200 169,00 €	200 86,00 €	200 776,00 €	200 410,00 €	200 615,00 €	200 274,00 €
250 153,00 €	250 219,00 €	250 92,00 €	250 883,00 €	250 519,00 €	250 761,00 €	250 363,00 €
300 165,00 €	300 232,00 €	300 99,00 €	300 916,00 €	300 624,00 €	300 870,00 €	300 445,00 €
350 268,00 €	350 260,00 €	350 103,00 €	350 968,00 €	350 669,00 €	350 944,00 €	350 587,00 €
400 334,00 €	400 384,00 €	400 135,00 €	400 1.204,00 €	400 877,00 €	400 1.317,00 €	400 665,00 €
450 395,00 €	450 447,00 €	450 170,00 €	450 1.273,00 €	450 949,00 €	450 1.382,00 €	450 721,00 €
500 472,00 €	500 502,00 €	500 172,00 €	500 1.323,00 €	500 1.039,00 €	500 1.569,00 €	500 770,00 €
600 571,00 €	600 579,00 €	600 187,00 €	600 1.468,00 €	600 1.148,00 €	600 1.742,00 €	600 881,00 €

DW-POWER 57

Length 500mm

Length 250mm

Length 1000mm shortable

Wall bracket 50mm

Adjustable wall bracket 50-150mm

Adjustable wall bracket 50-150mm, double-braced

Wall bracket adjustable 50-250mm

						
DWPW14Ø	DWPW15Ø	DWPW2946Ø	DWPW21Ø	DWPW22Ø	DWPW22Ø	DWPW23Ø
100 100,00 €	100 74,00 €	100 179,00 €	100 57,00 €	100 87,00 €	200 101,00 €	100 103,00 €
130 110,00 €	130 78,00 €	130 193,00 €	130 58,00 €	130 90,00 €		130 105,00 €
150 124,00 €	150 87,00 €	150 219,00 €	150 61,00 €	150 93,00 €		150 109,00 €
180 145,00 €	180 99,00 €	180 246,00 €	180 66,00 €	180 99,00 €		180 111,00 €
200 153,00 €	200 114,00 €	200 274,00 €	200 67,00 €			
250 195,00 €	250 145,00 €	250 363,00 €				
300 252,00 €	300 196,00 €	300 445,00 €				
350 317,00 €	350 217,00 €	350 587,00 €				
400 441,00 €	400 354,00 €	400 665,00 €				
450 475,00 €	450 381,00 €	450 722,00 €				
500 500,00 €	500 401,00 €	500 770,00 €				
600 571,00 €	600 450,00 €	600 881,00 €				



System DW-POWER 57



Wall bracket adjustable 50-250mm, double-braced

Adjustable wall bracket 250-360mm

Wall bracket adjustable 250-360mm, double-braced

Wall and head piece for wall bracket, wall distance min 250mm

Wall and head piece for wall bracket, wall distance min 250mm, double-braced

Extension 30x30mm for TW20 l=500mm

Extension 30x30mm for TW20 l=1000mm

						
DWPW23Ø	DWPW24Ø	DWPW24Ø	DWPW20Ø	DWPW20Ø	DW85	DW86
200 114,00 €	100 137,00 € 130 139,00 € 150 145,00 € 180 147,00 €	200 150,00 €	100 101,00 € 130 103,00 € 150 105,00 € 180 116,00 €	200 120,00 €	59,00 €	81,00 €

Wall bracket static, 50mm

Wall bracket static, adjustable 50-150mm

Wall bracket static, adjustable 50-250mm

Adjustable wall bracket 250-360mm

Mat for sound decoupling suitable for DW22 DW23, DW24 and DW20

Mat for sound decoupling suitable for DW45 DW46, DW47 and DW48, 1 piece

					
DWPW45Ø	DWPW46Ø	DWPW47Ø	DWPW48Ø	for Ø	ZUAC2246
100 98,00 € 130 99,00 € 150 107,00 € 180 122,00 € 200 126,00 € 250 140,00 € 300 155,00 € 350 183,00 € 400 228,00 € 450 240,00 € 500 258,00 € 600 470,00 €	100 181,00 € 130 205,00 € 150 205,00 € 180 218,00 € 200 227,00 € 250 230,00 € 300 238,00 € 350 256,00 € 400 284,00 € 450 310,00 € 500 334,00 € 600 470,00 €	100 204,00 € 130 206,00 € 150 209,00 € 180 222,00 € 200 233,00 € 250 251,00 € 300 252,00 € 350 269,00 € 400 300,00 € 450 324,00 € 500 347,00 € 600 487,00 €	100 224,00 € 130 233,00 € 150 250,00 € 180 259,00 € 200 275,00 € 250 277,00 € 300 284,00 € 350 306,00 € 400 343,00 € 450 374,00 € 500 404,00 € 600 594,00 €	250 ZUAC2245-2 83,00 € 500 ZUAC2245-5 129,00 € 600 ZUAC2245-6 130,00 € 300-350 ZUAC2245-3 85,00 € 400-450 ZUAC2245-4 127,00 €	50,00 €

- ^{*1} Not suitable for use in the maritime sector

Mat for sound de-coupling suitable for DW45 DW46, DW47 and DW48, 1 piece



Bgr. ZUAC

Elbow 15°



Elbow 30°



Elbow 45°



Elbow 90°



Elbow 87° with support



Elbow 90° with support



ZUAC2247	DWPW16Ø		DWPW17Ø		DWPW18Ø		DWPW60Ø		DWPW57Ø		DWPW1993Ø	
81,00 €	100	100,00 €	100	105,00 €	100	111,00 €	100	222,00 €	100	269,00 €	100	269,00 €
	130	105,00 €	130	110,00 €	130	116,00 €	130	230,00 €	130	285,00 €	130	285,00 €
	150	115,00 €	150	122,00 €	150	123,00 €	150	239,00 €	150	332,00 €	150	332,00 €
	180	127,00 €	180	129,00 €	180	131,00 €	180	262,00 €	180	358,00 €	180	358,00 €
	200	132,00 €	200	138,00 €	200	153,00 €	200	270,00 €	200	447,00 €	200	447,00 €
	250	139,00 €	250	146,00 €	250	176,00 €	250	307,00 €	250	567,00 €	250	567,00 €
	300	189,00 €	300	209,00 €	300	250,00 €	300	381,00 €	300	680,00 €	300	680,00 €
	350	239,00 €	350	262,00 €	350	298,00 €	350	472,00 €	350	756,00 €	350	756,00 €
	400	321,00 €	400	352,00 €	400	372,00 €	400	505,00 €	400	863,00 €	400	863,00 €
	450	383,00 €	450	422,00 €	450	452,00 €	450	606,00 €	450	966,00 €	450	966,00 €
	500	459,00 €	500	507,00 €	500	547,00 €	500	726,00 €	500	1.079,00 €	500	1.079,00 €
	600	528,00 €	600	584,00 €	600	634,00 €	600	968,00 €	600	1.296,00 €	600	1.295,00 €

DW-POWER 57

Coupling elbow 90° with inspection, suitable for DWPW07



Elbow 90° with inspection door (251-600°/H1)



End cap



End cap with deflector hood and inspection door (up to 600°C/H1)




Storm collar



Storm collar with edge



Storm collar „Special“



DWPW63HTDØ		DWPW19HTDØ		DWPW32Ø		DWPW34Ø		DWPW31Ø		DWPW307Ø		DWPW80Ø	
100	576,00 €	100	497,00 €	100	90,00 €	100	508,00 €	100	27,00 €	100	40,00 €	100	151,00 €
130	589,00 €	130	506,00 €	130	99,00 €	130	537,00 €	130	31,00 €	130	45,00 €	130	159,00 €
150	639,00 €	150	550,00 €	150	109,00 €	150	572,00 €	150	32,00 €	150	45,00 €	150	171,00 €
180	712,00 €	180	616,00 €	180	110,00 €	180	615,00 €	180	34,00 €	180	46,00 €	180	180,00 €
200	764,00 €	200	656,00 €	200	115,00 €	200	664,00 €	200	34,00 €	200	47,00 €	200	183,00 €
250	871,00 €	250	762,00 €	250	137,00 €	250	737,00 €	250	43,00 €	250	67,00 €	250	226,00 €
300	999,00 €	300	894,00 €	300	163,00 €	300	980,00 €	300	53,00 €	300	83,00 €	300	254,00 €
350	1.143,00 €	350	1.028,00 €	350	194,00 €	350	1.087,00 €	350	70,00 €	350	110,00 €	350	308,00 €
400	1.417,00 €	400	1.306,00 €	400	226,00 €	400	1.222,00 €	400	75,00 €	400	116,00 €	400	354,00 €
450	1.560,00 €	450	1.433,00 €	450	284,00 €	450	1.491,00 €	450	93,00 €	450	143,00 €	450	401,00 €
500	1.722,00 €	500	1.522,00 €	500	347,00 €	500	1.849,00 €	500	105,00 €	500	165,00 €	500	409,00 €
600	1.909,00 €	600	1.783,00 €	600	526,00 €	600	2.679,00 €	600	166,00 €	600	260,00 €	600	566,00 €



System DW-POWER 57



Storm collar
„Special“ with rear
ventilation

Flashing kit 5-15°
with storm collar






Flashing kit 16-25°
with storm collar

Flashing kit 26-35°
with storm collar

Flashing kit 36-45°
with storm collar

Flat flashing with
storm collar

Cylindrical flat
flashing with storm
collar



DWPW80HLØ		DWPW81Ø		DWPW82Ø		DWPW39Ø		DWPW83Ø		DWPW52Ø		DWPW52ØZY	
100	155,00 €	100	220,00 €	100	244,00 €	100	265,00 €	100	290,00 €	100	124,00 €	100	124,00 €
130	166,00 €	130	246,00 €	130	262,00 €	130	285,00 €	130	308,00 €	130	138,00 €	130	138,00 €
150	176,00 €	150	285,00 €	150	295,00 €	150	306,00 €	150	315,00 €	150	170,00 €	150	170,00 €
180	185,00 €	180	313,00 €	180	317,00 €	180	323,00 €	180	333,00 €	180	179,00 €	180	179,00 €
200	193,00 €	200	329,00 €	200	336,00 €	200	330,00 €	200	352,00 €	200	193,00 €	200	193,00 €
250	232,00 €	250	354,00 €	250	363,00 €	250	372,00 €	250	383,00 €	250	235,00 €	250	235,00 €
300	262,00 €	300	448,00 €	300	468,00 €	300	472,00 €	300	511,00 €	300	298,00 €	300	298,00 €
350	316,00 €	350	802,00 €	350	816,00 €	350	828,00 €	350	843,00 €	350	380,00 €	350	380,00 €
400	365,00 €	400	891,00 €	400	903,00 €	400	916,00 €	400	932,00 €	400	438,00 €	400	438,00 €
450	413,00 €	450	970,00 €	450	1.013,00 €	450	1.026,00 €	450	1.066,00 €	450	502,00 €	450	500,00 €
500	423,00 €	500	1.081,00 €	500	1.119,00 €	500	1.158,00 €	500	1.200,00 €	500	563,00 €	500	563,00 €
600	598,00 €	600	1.514,00 €	600	1.550,00 €	600	1.586,00 €	600	1.625,00 €	600	807,00 €	600	767,00 €

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar





Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Ceiling plate 0-30°
two-piece

Ceiling plate 0-30°
two-piece

Ventilated ceiling
plate 0-30°, two-
piece



DWPW53Ø		DWPW59Ø		DWPW38Ø		DWPW54Ø		DWPW99VØ		DWPW98VØ		DWPW99VHLØ	
100	195,00 €	100	195,00 €	100	212,00 €	100	212,00 €	100	72,00 €	100	85,00 €	100	110,00 €
130	204,00 €	130	204,00 €	130	227,00 €	130	227,00 €	130	75,00 €	130	87,00 €	130	114,00 €
150	232,00 €	150	232,00 €	150	254,00 €	150	254,00 €	150	81,00 €	150	93,00 €	150	120,00 €
180	249,00 €	180	249,00 €	180	258,00 €	180	258,00 €	180	93,00 €	180	107,00 €	180	131,00 €
200	261,00 €	200	261,00 €	200	261,00 €	200	261,00 €	200	105,00 €	200	116,00 €	200	142,00 €
250	265,00 €	250	265,00 €	250	265,00 €	250	265,00 €	250	124,00 €	250	137,00 €	250	162,00 €
300	269,00 €	300	269,00 €	300	269,00 €	300	269,00 €	300	153,00 €	300	165,00 €	300	193,00 €
350	277,00 €	350	277,00 €	350	277,00 €	350	277,00 €	350	159,00 €	350	172,00 €	350	200,00 €
400	321,00 €	400	321,00 €	400	321,00 €	400	321,00 €	400	172,00 €	400	185,00 €	400	212,00 €
450	347,00 €	450	364,00 €	450	358,00 €	450	345,00 €	450	188,00 €	450	203,00 €	450	226,00 €
500	402,00 €	500	402,00 €	500	402,00 €	500	402,00 €	500	201,00 €	500	213,00 €	500	238,00 €
600	643,00 €	600	643,00 €	600	643,00 €	600	643,00 €	600	278,00 €	600	297,00 €	600	312,00 €

- *1 Other flanges possible on customer request, prices on request

Ventilated ceiling plate 31-45°, two-piece

Adaptor EW-KL/
DW-POWER

Adaptor DW-POW-
ER/EW-KL

Adaptor DW-POW-
ER/Flange

Adaptor Flange/
DW-POWER

Adaptor DW-KL/
DW-POWER

Adaptor DW-POW-
ER/DW-KL



DWPW98VHLØ		DWPW37Ø		DWPW37AØ		DWPW856AØ		DWPW856Ø		DWPW2005Ø		DWPW2006Ø	
100	124,00 €	100	63,00 €	100	63,00 €	100	170,00 €	100	170,00 €	100	140,00 €	100	140,00 €
130	127,00 €	130	64,00 €	130	64,00 €	130	201,00 €	130	201,00 €	130	150,00 €	130	150,00 €
150	131,00 €	150	64,00 €	150	64,00 €	150	228,00 €	150	228,00 €	150	170,00 €	150	170,00 €
180	145,00 €	180	73,00 €	180	73,00 €	180	262,00 €	180	262,00 €	180	185,00 €	180	185,00 €
200	155,00 €	200	81,00 €	200	81,00 €	200	289,00 €	200	289,00 €	200	218,00 €	200	218,00 €
250	174,00 €	250	94,00 €	250	94,00 €	250	340,00 €	250	340,00 €	250	275,00 €	250	275,00 €
300	195,00 €	300	109,00 €	300	109,00 €	300	401,00 €	300	401,00 €	300	378,00 €	300	378,00 €
350	212,00 €	350	124,00 €	350	124,00 €	350	460,00 €	350	460,00 €	350	417,00 €	350	417,00 €
400	224,00 €	400	146,00 €	400	146,00 €	400	524,00 €	400	524,00 €	400	689,00 €	400	689,00 €
450	239,00 €	450	157,00 €	450	158,00 €	450	569,00 €	450	569,00 €	450	718,00 €	450	719,00 €
500	250,00 €	500	174,00 €	500	174,00 €	500	627,00 €	500	627,00 €	500	776,00 €	500	776,00 €
600	356,00 €	600	220,00 €	600	221,00 €	600	844,00 €	600	844,00 €	600	929,00 €	600	929,00 €

DW-POWER 57

Length 250mm
with test point, 1/2"
female socket and
screw

Length 500mm with
2 test points 1" (90°
radially offset) and
2 test points 3" (90°
radially offset) incl.
locking band

Length 250mm
with drain ring and
1/2" nozzle with
screw

Removable soot
collector with
condensate drain
and locking band
2.0, assembly on
DWPW07

Adjustable rafter
bracket 500-
900mm

Ceiling suspen-
sion with sound
absorbing layer for
threaded rod M8,
up to max. 23 kg

Support 800-
1200mm



DWPW51Ø		DWPW2637Ø		DWPW1494Ø		DWPW44Ø		DWPW55Ø		DWPW61VØ		DWPW40Ø	
100	124,00 €	150	404,00 €	100	229,00 €	100	191,00 €	100	172,00 €	100	93,00 €	100	110,00 €
130	135,00 €	180	424,00 €	130	254,00 €	130	203,00 €	130	194,00 €	130	98,00 €	130	111,00 €
150	139,00 €	200	433,00 €	150	268,00 €	150	222,00 €	150	217,00 €	150	98,00 €	150	114,00 €
180	158,00 €	250	459,00 €	180	300,00 €	180	244,00 €	180	229,00 €	180	99,00 €	180	116,00 €
200	167,00 €	300	492,00 €	200	316,00 €	200	273,00 €	200	246,00 €	200	100,00 €	200	116,00 €
250	209,00 €	350	536,00 €	250	381,00 €	250	341,00 €	250	256,00 €	250	111,00 €	250	132,00 €
300	264,00 €	400	564,00 €	300	458,00 €	300	419,00 €	300	329,00 €	300	123,00 €	300	138,00 €
350	323,00 €	450	606,00 €	350	539,00 €	350	482,00 €	350	354,00 €	350	137,00 €	350	142,00 €
400	441,00 €	500	648,00 €	400	678,00 €	400	664,00 €	400	397,00 €	400	156,00 €	400	154,00 €
450	488,00 €	600	709,00 €	450	731,00 €	450	730,00 €	450	440,00 €	450	181,00 €	450	160,00 €
500	495,00 €			500	775,00 €	500	797,00 €	500	486,00 €	500	206,00 €	500	174,00 €
600	564,00 €			600	887,00 €	600	956,00 €	600	694,00 €	600	298,00 €	600	233,00 €



System DW-POWER 57



Support with joint
800-1200mm, sing-
le-bracedd

Support with joint
800-1200mm, sing-
le-bracedd

3-point guy wire
bracket

Lightning protec-
tion clamp

Locking band

Elbow 90° with
diagonal cut 45°
including bird pro-
tection grid

Elbow 135° with 45°
diagonal cut and
bird guard



DWPW40MGØ		DWPW40MGØ		DWPW42Ø		DWPW69Ø		DWPW989Ø		DWPW863Ø		DWPW1021Ø	
100	224,00 €	200	230,00 €	100	42,00 €	100	42,00 €	100	20,00 €	100	554,00 €	100	658,00 €
130	226,00 €	250	249,00 €	130	43,00 €	130	43,00 €	130	20,00 €	130	581,00 €	130	687,00 €
150	228,00 €	300	253,00 €	150	44,00 €	150	44,00 €	150	20,00 €	150	600,00 €	150	712,00 €
180	229,00 €	350	256,00 €	180	45,00 €	180	45,00 €	180	21,00 €	180	656,00 €	180	776,00 €
		400	269,00 €	200	45,00 €	200	45,00 €	200	21,00 €	200	679,00 €	200	819,00 €
		450	275,00 €	250	61,00 €	250	61,00 €	250	21,00 €	250	772,00 €	250	934,00 €
		500	291,00 €	300	72,00 €	300	72,00 €	300	23,00 €	300	959,00 €	300	1.191,00 €
		600	397,00 €	350	75,00 €	350	75,00 €	350	26,00 €	350	1.256,00 €	350	1.533,00 €
				400	78,00 €	400	78,00 €	400	31,00 €	400	1.343,00 €	400	1.695,00 €
				450	86,00 €	450	85,00 €	450	34,00 €	450	1.622,00 €	450	2.051,00 €
				500	92,00 €	500	92,00 €	500	36,00 €	500	1.942,00 €	500	2.459,00 €
				600	131,00 €	600	131,00 €	600	52,00 €	600	2.330,00 €	600	2.949,00 €

Lubricant silicone
fitting grease, tube
60g

Insulation Cutter



Rgr.
PP

€
NET

750GLEI2815-2	TLDE102
6,00 €	113,00 €

TLDE102

-The correct use of the
insulation cutter-

Scan the QR code and watch
the video:



[Click here to open the video](#)



INSTALLATION TUTORIALS

SCAN & LEARN

Scan the QR code – and get started with practical step-by-step videos on YouTube!

- ✓ No more long searches on YouTube
- ✓ Each video is tailored to a specific assembly aid or product series
- ✓ Step-by-step explanations – directly from the manufacturer
- ✓ Perfect for on the go: accessible on mobile devices and PCs

NEW




You can find our tips and tricks in video form here...

Scan the QR code and discover exciting tutorial videos on YouTube.

Whether you're looking for the basics or advanced tips, the videos are entertaining, helpful, and tailored to your needs.
[Just click here to open the playlist.](#)



SCAN NOW



LIGHTWEIGHT SHAFTS AND FIRE PROTECTION WALL DUCTS



At a glance

LIGHTWEIGHT SHAFTS AND FIRE PROTECTION WALL DUCTS

LIGHTWEIGHT SHAFT

Jeremias-FURADO is a space-saving, lightweight shaft system for new buildings and renovations. The shaft is thermally pretreated, meets all the requirements from the latest test criteria and offers different liner solutions for connection to various types of fireplaces.

For solid fuel fireplaces, we recommend using our FURADO-F system or the system FURADO-F-LAS for room air-independent operation. When operating an oil or gas fireplace, FURADO-A is the first choice.

FIRE PROTECTION DUCTS

LUX-NOVA and LUX-ECO are available as penetrations for wall, ceiling and roof.

THE LIGHTWEIGHT SHAFT SYSTEMS OF JEREMIAS ARE CHARACTERIZED BY:

- CE-Certification
- Safest connection technology by shiplap connection (or plug connector FURADO-A-LA30)
- Great variability: different shafts and inner pipe solutions for different types of fireplaces
- Easy to handle and ready for installation System
- Low weight of the shaft elements (only 300kg/m³)
- Moisture resistant shaft material
- Very good insulating properties
- Optional available as triangular shaft

System	Oil	Gas	SF	Temp.	Material	Wall thickness	TIG	Pres-sure	Certification	Classifications
FURADO-F	✓	✓	✓	≤ 400 °C	Lightweight shaft made of calcium silicate fire protection panels	Shaft 50 mm	25 mm Insulation	N1	Z - 7.4 - 3482	T400 - N1 - D - 3 - Gxx - L _A 90
FURADO-F-LAS	✓	✓	✓	≤ 400 °C			25 mm Insulation	N1	Z - 7.1 - 3482	T400 - N1 - D - 3 - G50 - L _A 90
FURADO-A / FURADO-PPS	✓	✓		≤ 120 °C			without Insulation		Z-7.4 - 3483	T120 - N1 - W - 2 - Oxx - L _A 90 T120 - P1 - W - 2 - Oxx - L _A 90 T120 - M1 - W - 2 - Oxx - L _A 90 T120 - H1 - W - 2 - Oxx - L _A 90
	✓	✓		≤ 160 °C			without Insulation		Z-7.4 - 3483	T160 - N1 - W - 2 - Oxx - L _A 90 T160 - P1 - W - 2 - Oxx - L _A 90 T160 - M1 - W - 2 - Oxx - L _A 90 T160 - H1 - W - 2 - Oxx - L _A 90
	✓	✓		≤ 200 °C			25 mm Insulation	H1 5000 Pa	Z - 7.4 - 3483	T200 - N1 - W - 2 - Oxx - L _A 90 T200 - P1 - W - 2 - Oxx - L _A 90 T200 - M1 - W - 2 - Oxx - L _A 90 T200 - H1 - W - 2 - Oxx - L _A 90
	✓	✓		≤ 400 °C			25 mm Insulation		Z - 7.4 - 3483	T400 - N1 - W - 2 - Oxx - L _A 90 T400 - P1 - W - 2 - Oxx - L _A 90 T400 - M1 - W - 2 - Oxx - L _A 90 T400 - H1 - W - 2 - Oxx - L _A 90
	✓	✓		≤ 600 °C			25 mm Insulation		Z - 7.4 - 3483	T600 - N1 - W - 2 - Oxx - L _A 90 T600 - P1 - W - 2 - Oxx - L _A 90 T600 - M1 - W - 2 - Oxx - L _A 90 T600 - H1 - W - 2 - Oxx - L _A 90
LUX-NOVA	✓	✓	✓	≤ 400 °C	Housing made of permanently temperature-resistant fire protection material				Z - 7.4-3487	T400 - L _A 00
LUX-ECO	✓	✓	✓	≤ 400 °C	Pipe shell made from non-flammable Vario-therm fiberglass insulation				Z - 7.4-3469	T400 - L _A 00

NOTE

xx = The distances from flammable components are dependent on diameter.

We therefore refer you to the DIBt approvals and our installation instructions available for download on our homepage.

If the height of your chimney exceeds approx. 5 m, please order additional 250 mm, 500 mm and 1000 mm straight pipe elements because the shafts are longer than our liners.

Effective length shaft elements: 250 = 225 mm / 500 = 475 mm / 1000 = 975 mm

Effective length inner tube: 250 = 190 mm / 500 = 440 mm / 1000 = 940 mm

All prices exclude statutory VAT. Subject to error and technical modification. Our General Terms & Conditions apply.



DESCRIPTION

Shaft system consisting of calcium silicate fire protection panels with Jeremias liners and 25 mm insulating shells.

Version over roof with system DW-ECO 2.0, DW-FU or shaft with cladding possible.

Alternative

Assembly shaft for installing CE-certified liners and min. 25 mm insulating shells

MATERIAL

Calcium silicate fire protection panels

WALL THICKNESS

50 mm

INTERIOR SHAFT DIMENSIONS


140 x 140 mm up to 360 x 360 mm

Others on request up to 1250 x 1250 mm

ORDER CODE

The article code for nesting elements results from:

LS + internal dimensions + article code (e.g.: LS140x140-17)



CHARACTERISTICS

- Extremely good insulating properties
- Easy to handle and assemble due to low weight
- Secure connection technology with tongue and groove joints
- Various liner solutions and shaft cladding meet all the relevant requirements
- Minimum clearance to flammable components
- 25 m construction height of the shaft without intermediate support
- Static set for installation heights up to 3 m above roof

APPLICATION AREAS

- Standard heating applications for solid fuels (natural wood, coke, peat, coal*)
- New construction and renovation

* except anthracite coal from Ibbenbüren, Germany

LICENSE NUMBER

Z - 7.4 - 3482

CLASSIFICATION TO DIN 18160-1

T400 - N1 - D - 3 - G^{xx} - L_A 90¹

¹ 25 mm insulation

^{xx} = Clearances to flammable materials depend on the diameter, see performance declaration

System variant with Shaft over roof

	outside	inside	Nominal diameter bis
Shaft dimensions in mm	240 x 240	140 x 140	Ø 080
	260 x 260	160 x 160	Ø 100
	290 x 290	190 x 190	Ø 130
	310 x 310	210 x 210	Ø 150
	330 x 330	230 x 230	Ø 160
	340 x 340	240 x 240	Ø 180
	360 x 360	260 x 260	Ø 200
	390 x 390	290 x 290	Ø 225
	410 x 410	310 x 310	Ø 250

System variant with DW-ECO 2.0 over roof

	outside	inside	Nominal diameter bis
Shaft dimensions in mm	240 x 240	140 x 140	Ø 080
	260 x 260	160 x 160	Ø 100
	290 x 290	190 x 190	Ø 130
	310 x 310	210 x 210	Ø 150
	330 x 330	230 x 230	Ø 160
	340 x 340	240 x 240	Ø 180
	360 x 360	260 x 260	Ø 200
	410 x 410	310 x 310	Ø 250
	460 x 460	360 x 360	Ø 300

System variant with DW-FU over roof

	outside	inside	Nominal diameter bis
Shaft dimensions in mm	260 x 260	160 x 160	Ø 080
	290 x 290	190 x 190	Ø 100
	310 x 310	210 x 210	Ø 115
	310 x 310	210 x 210	Ø 130
	330 x 330	230 x 230	Ø 150
	340 x 340	240 x 240	Ø 160
	360 x 360	260 x 260	Ø 180
	390 x 390	290 x 290	Ø 200
	410 x 410	310 x 310	Ø 225
	430 x 430	330 x 330	Ø 250



System FURADO-F SHAFT ELEMENTS



Glue tube 1000g

Base element 500mm for condensate collector with cutout for inspection door

Base support with square opening for cleaning door and holes for condensate drain at bottom (for LS...X...1250)

Base length 1000mm loose or screwed together incl. ground plate

Base length 500mm with opening for cleaning door and holes for side condensate drain



LS69-1	Size inside	LS...X...-1250	Size inside	LS...X...-1500	Size inside	LS...X...-04	Size inside	LS...X...-05
14,00 €	190x190	162,00 €	190x190	162,00 €	140x140	236,00 €	190x190	161,00 €
	210x210	171,00 €	210x210	171,00 €	160x160	253,00 €	210x210	171,00 €
	230x230	181,00 €	230x230	181,00 €	190x190	277,00 €	230x230	181,00 €
	240x240	186,00 €	240x240	186,00 €	210x210	293,00 €	240x240	186,00 €
	260x260	195,00 €	260x260	195,00 €	230x230	310,00 €	260x260	194,00 €
	290x290	211,00 €	290x290	211,00 €	240x240	319,00 €	290x290	210,00 €
	310x310	220,00 €	310x310	220,00 €	260x260	337,00 €	310x310	219,00 €
	330x330	229,00 €	330x330	229,00 €	290x290	362,00 €	330x330	228,00 €
	360x360	245,00 €	360x360	245,00 €	310x310	378,00 €	360x360	245,00 €
					330x330	396,00 €		
					360x360	423,00 €		

Base plate

Shaft element 1000mm loose/screwed

Shaft element 500mm loose/ screwed

Shaft element 250mm loose/ screwed



Size inside	LS...X...-1658	Size inside	LS...X...-130	Size inside	LS...X...-140	Size inside	LS...X...-150	Size inside	LS...X...-13
140x140	20,00 €	140x140	198,00 €	140x140	109,00 €	140x140	70,00 €	140x140	198,00 €
160x160	22,00 €	160x160	212,00 €	160x160	115,00 €	160x160	74,00 €	160x160	212,00 €
190x190	24,00 €	190x190	230,00 €	190x190	125,00 €	190x190	78,00 €	190x190	230,00 €
210x210	27,00 €	210x210	244,00 €	210x210	132,00 €	210x210	83,00 €	210x210	244,00 €
230x230	28,00 €	230x230	258,00 €	230x230	139,00 €	230x230	86,00 €	230x230	258,00 €
240x240	29,00 €	240x240	264,00 €	240x240	142,00 €	240x240	90,00 €	240x240	264,00 €
260x260	32,00 €	260x260	278,00 €	260x260	149,00 €	260x260	93,00 €	260x260	278,00 €
290x290	36,00 €	290x290	298,00 €	290x290	159,00 €	290x290	99,00 €	290x290	298,00 €
310x310	38,00 €	310x310	310,00 €	310x310	165,00 €	310x310	101,00 €	310x310	310,00 €
330x330	42,00 €	330x330	323,00 €	330x330	172,00 €	330x330	106,00 €	330x330	323,00 €
360x360	45,00 €	360x360	345,00 €	360x360	183,00 €	360x360	111,00 €	360x360	345,00 €

Shaft element 500mm



Shaft element 250mm



Elbow 15°



Elbow 30°



Elbow 45°



Size inside	LS...X...-14	Size inside	LS...X...-15	Size inside	LS...X...-17	Size inside	LS...X...-18	Size inside	LS...X...-19
140x140	109,00 €	140x140	70,00 €	140x140	174,00 €	140x140	174,00 €	140x140	174,00 €
160x160	115,00 €	160x160	74,00 €	160x160	186,00 €	160x160	186,00 €	160x160	186,00 €
190x190	125,00 €	190x190	78,00 €	190x190	200,00 €	190x190	200,00 €	190x190	200,00 €
210x210	132,00 €	210x210	83,00 €	210x210	211,00 €	210x210	211,00 €	210x210	211,00 €
230x230	139,00 €	230x230	86,00 €	230x230	220,00 €	230x230	220,00 €	230x230	220,00 €
240x240	142,00 €	240x240	90,00 €	240x240	226,00 €	240x240	226,00 €	240x240	226,00 €
260x260	149,00 €	260x260	93,00 €	260x260	235,00 €	260x260	235,00 €	260x260	235,00 €
290x290	159,00 €	290x290	99,00 €	290x290	251,00 €	290x290	251,00 €	290x290	251,00 €
310x310	165,00 €	310x310	101,00 €	310x310	260,00 €	310x310	260,00 €	310x310	260,00 €
330x330	172,00 €	330x330	106,00 €	330x330	272,00 €	330x330	272,00 €	330x330	272,00 €
360x360	183,00 €	360x360	111,00 €	360x360	286,00 €	360x360	286,00 €	360x360	286,00 €

Light rafter bracket suitable for shaft



Universal rafter bracket for shaft



Bracket 500mm incl. base plate, maximum load 190 kg



Wall bracket for shaft



Wall bracket 0-100mm



Size inside	LS...X...-55	LS1518	Size inside	LS...X...-132	Size inside	LS...X...-21	Size inside	LS...X...-822
140x140	210,00 €	276,00 €	140x140	204,00 €	140x140	35,00 €	140x140	40,00 €
160x160	236,00 €		160x160	209,00 €	160x160	39,00 €	160x160	44,00 €
190x190	250,00 €		190x190	218,00 €	190x190	40,00 €	190x190	45,00 €
210x210	258,00 €		210x210	224,00 €	210x210	40,00 €	210x210	45,00 €
230x230	262,00 €		230x230	229,00 €	230x230	42,00 €	230x230	46,00 €
240x240	278,00 €		240x240	232,00 €	240x240	42,00 €	240x240	46,00 €
260x260	312,00 €		260x260	239,00 €	260x260	44,00 €	260x260	50,00 €
290x290	320,00 €		290x290	250,00 €	290x290	47,00 €	290x290	54,00 €
310x310	376,00 €		310x310	258,00 €	310x310	47,00 €	310x310	54,00 €
330x330	408,00 €		330x330	265,00 €	330x330	50,00 €	330x330	57,00 €
360x360	429,00 €		360x360	278,00 €	360x360	54,00 €	360x360	64,00 €



System FURADO-F SHAFT ELEMENTS



Metal frame for shaft 4m with 5 brackets, max. overhang 2m

Metal frame for shaft 6m with 7 brackets, max. overhang 3m

Condensate collection bucket

Flashing for chimney top with cladding bevelled 100x100mm, incl. storm collar for shaft

Base element on concrete floor with backstop and shortenable DW wall sleeve for DW-ECO2.0 above roof

Base element on concrete floor with backstop and shortenable DW wall sleeve for DW-FU above roof



Rgr. EW



Rgr. EW



Rgr. EW

Size inside	LS...X...-4-1502	Size inside	LS...X...-6-1502	ZUTE1255	FULS25Ø	FULS1599Ø	FULS1581Ø
140x140	497,00 €	140x140	593,00 €	69,00 €	080 252,00 €	080 572,00 €	080 575,00 €
160x160	537,00 €	160x160	621,00 €		100 265,00 €	100 586,00 €	100 596,00 €
190x190	548,00 €	190x190	633,00 €		115 270,00 €	115 590,00 €	115 598,00 €
210x210	548,00 €	210x210	633,00 €		120 275,00 €	120 599,00 €	120 602,00 €
230x230	561,00 €	230x230	642,00 €		130 290,00 €	130 605,00 €	130 607,00 €
240x240	561,00 €	240x240	642,00 €		140 308,00 €	140 623,00 €	140 638,00 €
260x260	586,00 €	260x260	663,00 €		150 336,00 €	150 626,00 €	150 647,00 €
290x290	611,00 €	290x290	680,00 €		160 362,00 €	160 656,00 €	160 671,00 €
310x310	638,00 €	310x310	701,00 €		180 412,00 €	180 685,00 €	180 713,00 €
330x330	648,00 €	330x330	709,00 €		200 455,00 €	200 733,00 €	200 749,00 €
360x360	726,00 €	360x360	770,00 €		225 483,00 €	225 776,00 €	225 777,00 €
					250 510,00 €	250 804,00 €	250 805,00 €
					300 550,00 €	300 991,00 €	

Support plate for condensate tray FU94B with rear ventilation, for shaft or DW-ECO 2.0 above roof

Support plate for condensate tray FULS94B with rear ventilation for shaft or DW-FU above roof

Shaft plate stripe 1000x100x50mm

Shaft plate stripe 1000x50x50mm

Covering grid 100x50mm



NEW



Rgr. ZUAC

LS1716Ø	LS1717Ø	LS2872	LS3156	2B2-ZUAC2871
080 37,00 €	080 37,00 €	27,00 €	14,00 €	21,00 €
100 53,00 €	100 50,00 €			
115 55,00 €	115 55,00 €			
120 62,00 €	120 58,00 €			
130 63,00 €	130 59,00 €			
140 61,00 €	140 61,00 €			
150 67,00 €	150 67,00 €			
160 81,00 €	160 76,00 €			
180 99,00 €	180 99,00 €			
200 99,00 €	200 99,00 €			
225 114,00 €	225 122,00 €			
250 122,00 €	250 122,00 €			
300 167,00 €	300 167,00 €			

Detailed information on the use of these products can be found on the next page.



USE OF SHAFT PLATE STRIPS AND VENTILATION GRILLES


HOUSES WITH COMBUSTIBLE WALLS AND CEILINGS

When using FURADO-F in highly insulated constructions such as passive/timber houses, a distance of 100 mm between the shaft and combustible walls, ceilings and roof components must be maintained.

To close the gap between the lightweight shaft and the combustible wall, we recommend installing plasterable shaft plate strips (LS2872) and ventilation grilles (2B2-ZUAC2871) for rear ventilation. These must be placed on both sides of the shaft on each floor, both near the floor and near the ceiling.

Alternatively, the minimum distance can be freely ventilated.

Non-combustible insulation with a thickness of 100mm must be installed between the shaft and the combustible ceiling/roof penetration.



SOLID HOUSES WITH COMBUSTIBLE CEILINGS

In solid construction houses with wooden ceilings, the distance between the shaft and combustible components in the area where it passes through ceilings and roofs must be only 50 mm.

The resulting distance to the non-combustible wall can be freely ventilated or closed with shaft plate strips (LS3156). Alternatively, the shaft can be directly adjacent to the masonry if there are no combustible building materials in this area.

Non-combustible insulation of 50 mm must be used in the area of the combustible floor slab or roof penetration.




NOTE:

These regulations apply to our standard shaft sizes with inner pipe diameters up to and including 300 mm. For larger diameters, the distances increase in accordance with the building authority approval/installation instructions.

EASY PLANNING

COMPONENT DRAWING WITH ONE CLICK



Just click on the product image of our online pricelist at www.jeremias.de/en/downloads and you will receive the respective component drawing with all important dimensions as a PDF.

TEST THE NEW FEATURE!



System FURADO-F EW-FU



Condensate collector with drain l=250mm and 1/2" threaded nipple

Closing cap plastic for drain 1/2" (up to 200°C)

Condensate collector with drain l=250mm 1/2" threaded nipple towards bottom

Inspection length 210x140mm with box (up to 600°C/NI)

Inspection length with lid 210x140mm (up to 600°C/NI)

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door 300x150mm with inclined insert 60mm, incl. door key



*1

*1

FU01BØ	750ADK1/2	FU94BØ	FULS0607KØ	FU0607Ø	FU0960	FU1060
080 68,00 €	5,00 €	080 68,00 €	080 162,00 €	080 77,00 €	84,00 €	139,00 €
100 69,00 €		100 69,00 €	100 163,00 €	100 78,00 €		
115 70,00 €		115 70,00 €	115 165,00 €	115 79,00 €		
120 72,00 €		120 72,00 €	120 166,00 €	120 81,00 €		
130 74,00 €		130 74,00 €	130 167,00 €	130 83,00 €		
140 75,00 €		140 75,00 €	140 169,00 €	140 85,00 €		
150 76,00 €		150 76,00 €	150 171,00 €	150 87,00 €		
160 77,00 €		160 77,00 €	160 174,00 €	160 92,00 €		
180 78,00 €		180 78,00 €	180 180,00 €	180 99,00 €		
200 81,00 €		200 81,00 €	200 195,00 €	200 113,00 €		
225 87,00 €		225 87,00 €	225 200,00 €	225 116,00 €		
250 93,00 €		250 93,00 €	250 215,00 €	250 130,00 €		
300 102,00 €		300 102,00 €	300 233,00 €	300 153,00 €		

Stainless steel chimney door 210x140mm without holes and 4 side lugs, incl. door key

Stainless steel chimney door 300x150mm without holes and 4 lugs, incl. door key

Stainless steel chimney door 210x140mm with soot protection, incl. door key

Stainless steel chimney door 210x140mm with soot protection and insert 60mm, incl. door key

T-90° with recessed adaptor for FERRO

T-90° with recessed adaptor

T-87° with integrated wall sleeve



FU13	FU14	FU55	FU5560	FULS06317FØ	FULS06317 Ø	FULS0615Ø
67,00 €	114,00 €	250,00 €	268,00 €	080 156,00 €	080 149,00 €	080 149,00 €
				100 157,00 €	100 150,00 €	100 150,00 €
				115 158,00 €	115 151,00 €	115 151,00 €
				120 166,00 €	120 158,00 €	120 158,00 €
				130 177,00 €	130 170,00 €	130 170,00 €
				140 187,00 €	140 180,00 €	140 180,00 €
				150 193,00 €	150 185,00 €	150 185,00 €
				160 205,00 €	160 198,00 €	160 198,00 €
				180 235,00 €	180 227,00 €	180 227,00 €
				200 245,00 €	200 238,00 €	200 238,00 €
				225 268,00 €	225 260,00 €	225 260,00 €
				250 287,00 €	250 280,00 €	250 280,00 €
					300 308,00 €	300 308,00 €

- *1 Extension of the sliding nozzle. Price per cm



System FURADO-F EW-FU



Mounting bracket

Length 1000mm

Length 500mm

Length 250mm

Length 1000mm
double female
socket

Insulating shell
25mm, l=1000mm

Intermediate support
with expansion com-
pensation before slant,
2nd inspection or 2nd
T for shaft and DW-
ECO over the roof



FU40Ø		FU0602Ø		FU0603Ø		FU0604Ø		FU0606Ø		FU39Ø-25		FULS0634Ø	
080	28,00 €	080	75,00 €	080	44,00 €	080	32,00 €	080	79,00 €	080	45,00 €	080	165,00 €
100	32,00 €	100	79,00 €	100	53,00 €	100	40,00 €	100	85,00 €	100	47,00 €	100	166,00 €
115	34,00 €	115	83,00 €	115	57,00 €	115	42,00 €	115	87,00 €	115	47,00 €	115	167,00 €
120	35,00 €	120	84,00 €	120	58,00 €	120	43,00 €	120	90,00 €	120	50,00 €	120	169,00 €
130	36,00 €	130	85,00 €	130	59,00 €	130	44,00 €	130	91,00 €	130	51,00 €	130	172,00 €
140	37,00 €	140	90,00 €	140	61,00 €	140	45,00 €	140	93,00 €	140	55,00 €	140	176,00 €
150	38,00 €	150	92,00 €	150	62,00 €	150	46,00 €	150	98,00 €	150	58,00 €	150	185,00 €
160	38,00 €	160	101,00 €	160	67,00 €	160	47,00 €	160	105,00 €	160	63,00 €	160	201,00 €
180	39,00 €	180	110,00 €	180	72,00 €	180	52,00 €	180	114,00 €	180	68,00 €	180	212,00 €
200	39,00 €	200	120,00 €	200	74,00 €	200	53,00 €	200	125,00 €	200	81,00 €	200	228,00 €
225	40,00 €	225	131,00 €	225	81,00 €	225	58,00 €	225	137,00 €	225	83,00 €	225	250,00 €
250	40,00 €	250	146,00 €	250	87,00 €	250	61,00 €	250	151,00 €	250	86,00 €	250	270,00 €
300	42,00 €	300	172,00 €	300	93,00 €	300	69,00 €	300	176,00 €	300	99,00 €	300	312,00 €

Wall support with
short nozzle for
offset (DW-ECO
2.0 over roof)

Intermediate support
with expansion com-
pensation before slant,
2nd inspection or 2nd
T for shaft and DW-FU
over the roof

Wall support with
short nozzle for
offset (DW-FU over
roof)

Elbow 15° for offset
(beneath)

Elbow 15° for offset
(beneath)

Elbow 30° for off-
set (beneath)

Elbow 30° for off-
set (above)



FULS0634.1Ø		FULS0635Ø		FULS0635.1Ø		FULS0617Ø		FULS0617.1Ø		FULS0618Ø		FULS0618.1Ø	
080	140,00 €	080	165,00 €	080	140,00 €	080	43,00 €	080	43,00 €	080	43,00 €	080	43,00 €
100	142,00 €	100	166,00 €	100	142,00 €	100	44,00 €	100	44,00 €	100	44,00 €	100	44,00 €
115	145,00 €	115	167,00 €	115	145,00 €	115	45,00 €	115	45,00 €	115	45,00 €	115	45,00 €
120	146,00 €	120	169,00 €	120	146,00 €	120	46,00 €	120	46,00 €	120	46,00 €	120	46,00 €
130	149,00 €	130	172,00 €	130	146,00 €	130	52,00 €	130	52,00 €	130	52,00 €	130	52,00 €
140	153,00 €	140	176,00 €	140	153,00 €	140	53,00 €	140	53,00 €	140	53,00 €	140	53,00 €
150	159,00 €	150	185,00 €	150	159,00 €	150	58,00 €	150	58,00 €	150	58,00 €	150	58,00 €
160	172,00 €	160	201,00 €	160	172,00 €	160	62,00 €	160	62,00 €	160	62,00 €	160	62,00 €
180	179,00 €	180	212,00 €	180	179,00 €	180	64,00 €	180	64,00 €	180	64,00 €	180	64,00 €
200	196,00 €	200	228,00 €	200	196,00 €	200	75,00 €	200	75,00 €	200	75,00 €	200	75,00 €
225	215,00 €	225	250,00 €	225	215,00 €	225	91,00 €	225	91,00 €	225	91,00 €	225	91,00 €
250	229,00 €	250	270,00 €	250	229,00 €	250	106,00 €	250	106,00 €	250	106,00 €	250	106,00 €
300	264,00 €	300	312,00 €	300	264,00 €	300	153,00 €	300	153,00 €	300	153,00 €	300	153,00 €

- ^{*1} Insulation is delivered in several parts from Ø400 mm
- ^{*2} Please specify the inside shaft dimension for your order

Elbow 45° for offset
(beneath)

Elbow 45° for offset
(above)

Rain cap


Storm collar






FULS0619Ø		FULS0619.1Ø		FU28Ø		FU72Ø	
080	43,00 €	080	43,00 €	080	54,00 €	080	38,00 €
100	44,00 €	100	44,00 €	100	57,00 €	100	39,00 €
115	45,00 €	115	45,00 €	115	58,00 €	115	42,00 €
120	46,00 €	120	46,00 €	120	59,00 €	120	43,00 €
130	52,00 €	130	52,00 €	130	61,00 €	130	44,00 €
140	53,00 €	140	53,00 €	140	61,00 €	140	45,00 €
150	58,00 €	150	58,00 €	150	62,00 €	150	46,00 €
160	62,00 €	160	62,00 €	160	63,00 €	160	47,00 €
180	64,00 €	180	64,00 €	180	64,00 €	180	53,00 €
200	75,00 €	200	75,00 €	200	66,00 €	200	54,00 €
225	91,00 €	225	91,00 €	225	70,00 €	225	57,00 €
250	106,00 €	250	106,00 €	250	74,00 €	250	58,00 €
300	153,00 €	300	153,00 €	300	86,00 €	300	59,00 €

CONSTRUCTION EXAMPLE FOR OFFSET IN LIGHTWEIGHT CHIMNEY



FULS0634.1	Wall support with short nozzle for offset (DW-ECO 2.0 over roof)
FULS0617.1	Elbow 15° for offset (above)
FULS0618.1	Elbow 30° for offset (above)
FULS0619.1	Elbow 45° for offset (above)
FULS0617	Elbow 15° for offset (beneath)
FULS0618	Elbow 30° for offset (beneath)
FULS0619	Elbow 45° for offset (beneath)
FULS0634	Intermediate support with expansion compensation before slant, 2nd inspection or 2nd T for shaft and DW-ECO over the roof



System FURADO-F DW-FU OVER ROOF



Support plate
1000mm with ad-
aptor to DW-FU

Length 1000mm

Length 500mm

Length 250mm

Inspection length
(up to 600°C/N1)

Inspection length
extruded (up to
600°C/N1), square
door 210x140mm

Inspection length
(up to 600°C/N1)
with square door
210x140mm with
water repellent



*1



§ 19
Bauordn.

DWLS91Ø	DW13Ø	DW14Ø	DW15Ø	DW10Ø	DW2942Ø	DW2939Ø
080 309,00 €	080 169,00 €	080 92,00 €	080 70,00 €	080 323,00 €	130 290,00 €	080 409,00 €
100 314,00 €	100 170,00 €	100 93,00 €	100 72,00 €	100 325,00 €	150 307,00 €	100 429,00 €
115 354,00 €	115 171,00 €	115 99,00 €	115 74,00 €	115 336,00 €	160 312,00 €	115 447,00 €
130 362,00 €	130 180,00 €	130 103,00 €	130 75,00 €	130 341,00 €	180 322,00 €	130 487,00 €
150 394,00 €	150 206,00 €	150 116,00 €	150 84,00 €	150 361,00 €	200 335,00 €	150 512,00 €
160 407,00 €	160 222,00 €	160 125,00 €	160 87,00 €	160 367,00 €		160 548,00 €
180 417,00 €	180 233,00 €	180 137,00 €	180 92,00 €	180 378,00 €		180 579,00 €
200 486,00 €	200 260,00 €	200 145,00 €	200 109,00 €	200 394,00 €		200 608,00 €
225 498,00 €	225 307,00 €	225 165,00 €	225 123,00 €	225 409,00 €		225 638,00 €
250 596,00 €	250 347,00 €	250 183,00 €	250 137,00 €	250 426,00 €		250 670,00 €

End cap

Shaft bracket

Rain cap

Flashing kit 5-15°
lead base with
storm collar




Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar



*1




DW32Ø	DWLS1766Ø	DW33Ø	DW53Ø	DW59Ø	DW38Ø	DW54Ø
080 81,00 €	080 110,00 €	080 58,00 €	080 197,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 85,00 €	100 120,00 €	100 59,00 €	100 212,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 90,00 €	115 122,00 €	115 63,00 €	115 217,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 92,00 €	130 123,00 €	130 67,00 €	130 224,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 103,00 €	150 124,00 €	150 72,00 €	150 244,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 106,00 €	160 125,00 €	160 74,00 €	160 251,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 107,00 €	180 126,00 €	180 75,00 €	180 260,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 110,00 €	200 129,00 €	200 86,00 €	200 268,00 €	200 268,00 €	200 268,00 €	200 268,00 €
225 116,00 €	225 130,00 €	225 92,00 €	225 295,00 €	225 295,00 €	225 295,00 €	225 295,00 €
250 130,00 €	250 132,00 €	250 105,00 €	250 301,00 €	250 301,00 €	250 301,00 €	250 301,00 €

- ^{*1} Installation of the element see structure / package suggestion

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar



	DW52Ø		DW52ZYØ
080	111,00 €	080	111,00 €
100	115,00 €	100	115,00 €
115	116,00 €	115	116,00 €
130	118,00 €	130	118,00 €
150	124,00 €	150	124,00 €
160	130,00 €	160	130,00 €
180	138,00 €	180	138,00 €
200	170,00 €	200	170,00 €
225	179,00 €	225	179,00 €
250	193,00 €	250	193,00 €



System FURADO-F DW-ECO 2.0 OVER ROOF



Support plate
1000mm with ad-
aptor DWECO2.0

Length 1000mm

Length 500mm

Length 250mm

Inspection length

Inspection length
extruded (up to
600°C/Ni), square
door 210x140mm

Inspection length
(up to 600°C/Ni)
with square door
210x140mm with
water repellent



*1



§ 19
Bauordn.

DWETNLS91Ø	205-DWETN13Ø	DWETN14Ø	DWETN15Ø	DWETN10Ø	205-DWETN2942Ø	215-DWECO2939Ø
080 285,00 €	080 137,00 €	080 78,00 €	080 61,00 €	080 275,00 €	130 247,00 €	080 396,00 €
100 291,00 €	100 142,00 €	100 81,00 €	100 62,00 €	100 284,00 €	150 260,00 €	100 408,00 €
115 325,00 €	115 146,00 €	115 86,00 €	115 63,00 €	115 286,00 €	180 270,00 €	115 413,00 €
130 334,00 €	130 153,00 €	130 91,00 €	130 64,00 €	130 290,00 €	200 282,00 €	130 419,00 €
150 362,00 €	150 172,00 €	150 100,00 €	150 70,00 €	150 306,00 €		150 431,00 €
160 376,00 €	160 183,00 €	160 109,00 €	160 75,00 €	160 312,00 €		160 432,00 €
180 384,00 €	180 196,00 €	180 116,00 €	180 78,00 €	180 316,00 €		180 437,00 €
200 447,00 €	200 219,00 €	200 123,00 €	200 90,00 €	200 332,00 €		200 458,00 €
250 548,00 €	250 289,00 €	250 155,00 €	250 116,00 €	250 353,00 €		250 484,00 €
300 706,00 €	300 352,00 €	300 202,00 €	300 156,00 €	300 378,00 €		300 511,00 €

End cap

Shaft bracket

Rain cap

Clip-on rain cap

Flashing kit 5-15°
lead base with
storm collar

Flashing kit 16-25°
lead base with
storm collar



Flashing kit 26-35°
lead base with
storm collar, cone
150mm



*1



*2



DWETN32Ø	DWECOLS1766Ø	DWECO33Ø	DWECO33-1Ø	DWECO53Ø	DWECO59Ø	DWECO38Ø
080 44,00 €	080 110,00 €	080 58,00 €	080 59,00 €	080 197,00 €	080 197,00 €	080 197,00 €
100 45,00 €	100 120,00 €	100 59,00 €	100 62,00 €	100 212,00 €	100 212,00 €	100 212,00 €
115 46,00 €	115 122,00 €	115 63,00 €	115 64,00 €	115 217,00 €	115 217,00 €	115 217,00 €
130 47,00 €	130 123,00 €	130 67,00 €	130 67,00 €	130 224,00 €	130 224,00 €	130 224,00 €
150 51,00 €	150 124,00 €	150 72,00 €	150 72,00 €	150 244,00 €	150 244,00 €	150 244,00 €
160 52,00 €	160 125,00 €	160 74,00 €	160 74,00 €	160 251,00 €	160 251,00 €	160 251,00 €
180 53,00 €	180 126,00 €	180 75,00 €	180 75,00 €	180 260,00 €	180 260,00 €	180 260,00 €
200 54,00 €	200 129,00 €	200 86,00 €	200 86,00 €	200 268,00 €	200 268,00 €	200 268,00 €
250 58,00 €	250 130,00 €	250 105,00 €	250 105,00 €	250 301,00 €	250 301,00 €	250 301,00 €
300 63,00 €	300 132,00 €	300 120,00 €	300 120,00 €	300 310,00 €	300 310,00 €	300 310,00 €

- ^{*1} Installation of the element see structure / package suggestion
- ^{*2} Not suitable for standard 205-DWETN32 muzzle

Flashing kit 36-45°
lead base with
storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar



DWECO540		DWECO520		DWECO52ZY0	
080	197,00 €	080	111,00 €	080	111,00 €
100	212,00 €	100	115,00 €	100	115,00 €
115	217,00 €	115	116,00 €	115	116,00 €
130	224,00 €	130	118,00 €	130	118,00 €
150	244,00 €	150	124,00 €	150	124,00 €
160	251,00 €	160	130,00 €	160	130,00 €
180	260,00 €	180	138,00 €	180	138,00 €
200	268,00 €	200	170,00 €	200	170,00 €
250	301,00 €	250	193,00 €	250	193,00 €
300	310,00 €	300	235,00 €	300	235,00 €



System FURADO CHIMNEY COVERING



Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm


Plaster look

Plaster look

Size inside LS100...X...-1449		Size inside LS150...X...-1449	
140x140	795,00 €	140x140	895,00 €
160x160	808,00 €	160x160	918,00 €
190x190	833,00 €	190x190	953,00 €
210x210	849,00 €	210x210	974,00 €
230x230	865,00 €	230x230	997,00 €
240x240	875,00 €	240x240	1.012,00 €
260x260	982,00 €	260x260	1.132,00 €
310x310	1.005,00 €	310x310	1.167,00 €



plaster



The component shown is not included in the scope of delivery, please order a chimney surround additionally.

Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm

Clinker

Clinker

Size inside LS100...X...-1448		Size inside LS150...X...-1448	
140x140	1.135,00 €	140x140	1.273,00 €
160x160	1.157,00 €	160x160	1.306,00 €
190x190	1.189,00 €	190x190	1.348,00 €
210x210	1.210,00 €	210x210	1.380,00 €
230x230	1.229,00 €	230x230	1.408,00 €
240x240	1.241,00 €	240x240	1.427,00 €
260x260	1.336,00 €	260x260	1.528,00 €
310x310	1.388,00 €	310x310	1.608,00 €



sahara red



red



apple blossom



anthracite



old red

Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm

Painted

Painted

Size inside LS100...X...-1447		Size inside LS150...X...-1447	
140x140	587,00 €	140x140	737,00 €
160x160	596,00 €	160x160	750,00 €
190x190	611,00 €	190x190	766,00 €
210x210	623,00 €	210x210	778,00 €
230x230	633,00 €	230x230	790,00 €
240x240	638,00 €	240x240	797,00 €
260x260	703,00 €	260x260	864,00 €
310x310	729,00 €	310x310	895,00 €



RAL8017P-C411
= gloss



RAL7016P-C411
=gloss



RAL9005PP-J2487
=gloss



RAL4179-8MB-C626
=brusy mat



RAL4798-5MB-C626
=brusy mat




RAL8004M-T29
=mat



RAL8016P-C411
=gloss



RAL9011MB-C626
=brusy mat



RAL1015PP-J2197
=gloss



RAL9010M-T29
=mat





System FURADO CHIMNEY COVERING



Frame for chimneys
with inside dimen-
sion 140x140mm to
210x210mm

Frame for chimneys
with inside dimen-
sion 140x140mm to
210x210mm




LS1762-1

289,00 €

LS1762-2

289,00 €



System FURADO SHAFT SEALING



Shaft sealing set over roof, width=250mm

Connecting band l=2.5 m for shaft sealing
above roof

Connecting band l=5 m for shaft sealing
above roof



€
NET



€
NET



€
NET

black	ZUTE2200-3	79,00 €	black	ZUTE2200-6	116,00 €	black	ZUTE2200-9	260,00 €
terracotta	ZUTE2200-2	79,00 €	terracotta	ZUTE2200-5	116,00 €	terracotta	ZUTE2200-8	260,00 €
brown	ZUTE2200-1	79,00 €	brown	ZUTE2200-4	116,00 €	brown	ZUTE2200-7	260,00 €

Primer (125 ml Tube)

Shaft sealing for
below roof with
plaster base,
l=500mm, for shaft
external dimension
up to 300x300mm


Shaft sealing for
below roof with pla-
ster base, l=750mm,
for shaft external
dimension up to
550x550mm

Shaft sealing for
below roof with
plaster base,
l=1000mm, for shaft
external dimension
up to 800x800mm




*1


€
NET



€
NET



€
NET




€
NET

	ZUTE2202-ML		ZUTE2201-1		ZUTE2201-3		ZUTE2201-5
125 ml	ZUTE2202-125	15,00 €	78,00 €		91,00 €		102,00 €
250 ml	ZUTE2202-250	29,00 €					
500 ml	ZUTE2202-500	38,00 €					

- *1 When using our lightweight shaft, it must first be treated with a primer for highly absorbent surfaces! Only then can the primer be applied.



System FURADO-F PACKAGE PROPOSAL 1 AS A BASIS FOR CALCULATION



SHAFT ABOVE THE ROOF

HEIGHT	SYSTEM	Ø 130	Ø 150	Ø 160	Ø 180	Ø 200
5 m	Rgr. EW-FU	1.530,00 €	1.664,00 €	1.772,00 €	1.925,00 €	2.103,00 €
	Rgr. Shaft	1.663,00 €	1.746,00 €	1.841,00 €	1.913,00 €	1.929,00 €
	Total	3.193,00 €	3.410,00 €	3.613,00 €	3.838,00 €	4.032,00 €
6 m	Rgr. EW-FU	1.666,00 €	1.814,00 €	1.936,00 €	2.103,00 €	2.304,00 €
	Rgr. Shaft	1.893,00 €	1.990,00 €	2.099,00 €	2.177,00 €	2.207,00 €
	Total	3.559,00 €	3.804,00 €	4.035,00 €	4.280,00 €	4.511,00 €
7 m	Rgr. EW-FU	1.802,00 €	1.964,00 €	2.100,00 €	2.281,00 €	2.505,00 €
	Rgr. Shaft	2.143,00 €	2.254,00 €	2.377,00 €	2.461,00 €	2.505,00 €
	Total	3.945,00 €	4.218,00 €	4.477,00 €	4.742,00 €	5.010,00 €
8 m	Rgr. EW-FU	1.938,00 €	2.114,00 €	2.264,00 €	2.459,00 €	2.706,00 €
	Rgr. Shaft	2.353,00 €	2.478,00 €	2.615,00 €	2.705,00 €	2.763,00 €
	Total	4.291,00 €	4.592,00 €	4.879,00 €	5.164,00 €	5.469,00 €
9 m	Rgr. EW-FU	2.074,00 €	2.264,00 €	2.428,00 €	2.637,00 €	2.907,00 €
	Rgr. Shaft	2.630,00 €	2.771,00 €	2.926,00 €	3.021,00 €	3.097,00 €
	Total	4.704,00 €	5.035,00 €	5.354,00 €	5.658,00 €	6.004,00 €
10 m	Rgr. EW-FU	2.210,00 €	2.414,00 €	2.592,00 €	2.815,00 €	3.108,00 €
	Rgr. Shaft	2.874,00 €	3.029,00 €	3.198,00 €	3.299,00 €	3.389,00 €
	Total	5.084,00 €	5.443,00 €	5.790,00 €	6.114,00 €	6.497,00 €
11 m	Rgr. EW-FU	2.346,00 €	2.564,00 €	2.756,00 €	2.993,00 €	3.309,00 €
	Rgr. Shaft	3.104,00 €	3.273,00 €	3.456,00 €	3.563,00 €	3.667,00 €
	Total	5.450,00 €	5.837,00 €	6.212,00 €	6.556,00 €	6.976,00 €
12 m	Rgr. EW-FU	2.526,00 €	2.760,00 €	2.967,00 €	3.223,00 €	3.563,00 €
	Rgr. Shaft	3.334,00 €	3.517,00 €	3.714,00 €	3.827,00 €	3.945,00 €
	Total	5.860,00 €	6.277,00 €	6.681,00 €	7.050,00 €	7.508,00 €
13 m	Rgr. EW-FU	2.662,00 €	2.910,00 €	3.131,00 €	3.401,00 €	3.764,00 €
	Rgr. Shaft	3.564,00 €	3.761,00 €	3.972,00 €	4.091,00 €	4.223,00 €
	Total	6.226,00 €	6.671,00 €	7.103,00 €	7.492,00 €	7.987,00 €
14 m	Rgr. EW-FU	2.798,00 €	3.060,00 €	3.295,00 €	3.579,00 €	3.965,00 €
	Rgr. Shaft	3.794,00 €	4.005,00 €	4.230,00 €	4.355,00 €	4.501,00 €
	Total	6.592,00 €	7.065,00 €	7.525,00 €	7.934,00 €	8.466,00 €
15 m	Rgr. EW-FU	2.916,00 €	3.194,00 €	3.446,00 €	3.743,00 €	4.159,00 €
	Rgr. Shaft	4.024,00 €	4.249,00 €	4.488,00 €	4.619,00 €	4.779,00 €
	Total	6.940,00 €	7.443,00 €	7.934,00 €	8.362,00 €	8.938,00 €

THIS SYSTEM INCLUDES:

1 Pcs.	LS...x...-1250	Base element 500mm for condensate collector with cutout for inspection door
1 Pcs.	LS...x...-1500	Base support with square opening for cleaning door and holes for condensate drain at bottom (for LS60...x...-1250)
1 Pcs.	LS...x...-130	Shaft element 1000 mm loose/screwed
X Pcs.	LS...x...-13	Shaft element 1000 mm
X Pcs.	LS...x...-140	Shaft element 500 mm loose/screwed
X Pcs.	LS...x...-14	Shaft element 500 mm
X Pcs.	LS...x...-15	Shaft element 250 mm
X Pcs.	LS69-1	Glue (Tube 1000 g)
2 Pcs.	FU0960	Stainless steel chimney door 210 x 140 mm with adj. nozzle 60 mm straight incl. door key
1 Pcs.	FU94B	Condensate collector with drain l=250mm 1/2" threaded nipple towards bottom
1 Pcs.	ZUTE1255	Condensate collection bucket
X Pcs.	FU0602	Length 1000 mm
X Pcs.	FU0603	Length 500 mm
X Pcs.	FU0604	Length 250 mm
X Pcs.	FU39-25	Insulating shell / Stärke 25 mm Length 1000 mm
1 Pcs.	FULS0607K	Inspection length FU 210 x 140 mm with box (up to 600 °C / N1)
1 Pcs.	FULS06317F	T-90° with recessed adaptor for FERRO
1 Pcs.	LS...x...-55	Light rafter bracket suitable for shaft
1 Pcs.	FULS25	Flashing for chimney top with cladding bevelled 100x100mm, incl. storm collar for shaft




System FURADO-F

PACKAGE PROPOSAL 2 AS A BASIS FOR CALCULATION

THIS SYSTEM INCLUDES:

1 Pcs.	LS...x...-1250	Base element 500mm for condensate collector with cutout for inspection door
1 Pcs.	ZUTE1255	Condensate collection bucket
1 Pcs.	LS...x...-1500	Base support with square opening for cleaning door and holes for condensate drain at bottom (for LS...x...-1250)
X Pcs.	LS...x...-130	Shaft element 1000 mm loose/screwed
X Pcs.	LS...x...-13	Shaft element 1000 mm
X Pcs.	LS...x...-140	Shaft element 500 mm loose/screwed
X Pcs.	LS...x...-14	Shaft element 500 mm
X Pcs.	LS...x...-15	Shaft element 250 mm
X Pcs.	LS69-1	Glue (Tube 1000 g)
1 Pcs.	FU94B	Condensate collector with drain l=250mm 1/2" threaded nipple towards bottom
1 Pcs.	FULS0607K	Inspection length FU 210 X 140 mm with box
2 Pcs.	FU0960	Stainless steel chimney door 210 x 140 mm with adj. nozzle 60 mm straight incl. door key
1 Pcs.	FULS06317F	T-90° with recessed adaptor for FERRO
X Pcs.	FU0602	Length 1000 mm
X Pcs.	FU0603	Length 500 mm
X Pcs.	FU0604	Length 250 mm
X Pcs.	FU39-25	Insulating shell / Stärke 25 mm Length 1000 mm
1 Pcs.	DWLS91	Support plate 1000mm with adaptor to DW-FU
1 Pcs.	DWLS1766	Shaft bracket
2 Pcs.	DW13	Length 1000 mm
1 Pcs.	LS...x...-55	Light rafter bracket suitable for shaft
1 Pcs.	DW32	End cap

The required clamping straps are included.



DW-FU ABOVE THE ROOF

HEIGHT	SYSTEM	Ø 130	Ø 150	Ø 160	Ø 180	Ø 200
5 m	Rgr. EW-FU	953,00 €	1.012,00 €	1.062,00 €	1.137,00 €	1.225,00 €
	Rgr. Shaft	1.386,00 €	1.448,00 €	1.493,00 €	1.583,00 €	1.679,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	3.276,00 €	3.493,00 €	3.637,00 €	3.836,00 €	4.149,00 €
6 m	Rgr. EW-FU	1.089,00 €	1.162,00 €	1.226,00 €	1.315,00 €	1.426,00 €
	Rgr. Shaft	1.630,00 €	1.706,00 €	1.757,00 €	1.861,00 €	1.977,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	3.656,00 €	3.901,00 €	4.065,00 €	4.292,00 €	4.648,00 €
7 m	Rgr. EW-FU	1.240,00 €	1.328,00 €	1.410,00 €	1.513,00 €	1.648,00 €
	Rgr. Shaft	1.888,00 €	1.978,00 €	2.035,00 €	2.153,00 €	2.289,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	4.065,00 €	4.339,00 €	4.527,00 €	4.782,00 €	5.182,00 €
8 m	Rgr. EW-FU	1.376,00 €	1.478,00 €	1.574,00 €	1.691,00 €	1.849,00 €
	Rgr. Shaft	2.161,00 €	2.269,00 €	2.331,00 €	2.467,00 €	2.627,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	4.474,00 €	4.780,00 €	4.987,00 €	5.274,00 €	5.721,00 €
9 m	Rgr. EW-FU	1.512,00 €	1.628,00 €	1.738,00 €	1.869,00 €	2.050,00 €
	Rgr. Shaft	2.405,00 €	2.527,00 €	2.595,00 €	2.745,00 €	2.925,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	4.854,00 €	5.188,00 €	5.415,00 €	5.730,00 €	6.220,00 €
10 m	Rgr. EW-FU	1.648,00 €	1.778,00 €	1.902,00 €	2.047,00 €	2.251,00 €
	Rgr. Shaft	2.649,00 €	2.785,00 €	2.859,00 €	3.023,00 €	3.223,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	5.234,00 €	5.596,00 €	5.843,00 €	6.186,00 €	6.719,00 €
11 m	Rgr. EW-FU	1.784,00 €	1.928,00 €	2.066,00 €	2.225,00 €	2.452,00 €
	Rgr. Shaft	2.893,00 €	3.043,00 €	3.123,00 €	3.301,00 €	3.521,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	5.614,00 €	6.004,00 €	6.271,00 €	6.642,00 €	7.218,00 €
12 m	Rgr. EW-FU	1.964,00 €	2.124,00 €	2.277,00 €	2.455,00 €	2.706,00 €
	Rgr. Shaft	3.137,00 €	3.301,00 €	3.387,00 €	3.579,00 €	3.819,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	6.038,00 €	6.458,00 €	6.746,00 €	7.150,00 €	7.770,00 €
13 m	Rgr. EW-FU	2.100,00 €	2.274,00 €	2.441,00 €	2.633,00 €	2.907,00 €
	Rgr. Shaft	3.381,00 €	3.559,00 €	3.651,00 €	3.857,00 €	4.117,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	6.418,00 €	6.866,00 €	7.174,00 €	7.606,00 €	8.269,00 €
14 m	Rgr. EW-FU	2.236,00 €	2.424,00 €	2.605,00 €	2.811,00 €	3.108,00 €
	Rgr. Shaft	3.625,00 €	3.817,00 €	3.915,00 €	4.135,00 €	4.415,00 €
	Rgr. DW	914,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	6.775,00 €	7.274,00 €	7.602,00 €	8.062,00 €	8.768,00 €
15 m	Rgr. EW-FU	2.354,00 €	2.558,00 €	2.756,00 €	2.975,00 €	3.302,00 €
	Rgr. Shaft	3.883,00 €	4.089,00 €	4.193,00 €	4.427,00 €	4.727,00 €
	Rgr. DW	937,00 €	1.033,00 €	1.082,00 €	1.116,00 €	1.245,00 €
	Total	7.174,00 €	7.680,00 €	8.031,00 €	8.518,00 €	9.274,00 €




System FURADO-F

PACKAGE PROPOSAL 3 AS A BASIS FOR CALCULATION

THIS SYSTEM INCLUDES:

1 Pcs.	LS...x...-1250	Base element 500mm for condensate collector with cutout for inspection door
1 Pcs.	ZUTE1255	Condensate collection bucket
1 Pcs.	LS...x...-1500	Base support with square opening for cleaning door and holes for condensate drain at bottom (for LS...x...-1250)
X Pcs.	LS...x...-130	Shaft element 1000 mm loose/screwed
X Pcs.	LS...x...-13	Shaft element 1000 mm
X Pcs.	LS...x...-140	Shaft element 500 mm loose/screwed
X Pcs.	LS...x...-14	Shaft element 500 mm
X Pcs.	LS...x...-15	Shaft element 250 mm
X Pcs.	LS69-1	Glue (Tube 1000 g)
1 Pcs.	FU94B	Condensate collector with drain l=250mm 1/2" threaded nipple towards bottom
1 Pcs.	FULS0607K	Inspection length FU 210 x 140 mm with box
2 Pcs.	FU0960	Stainless steel chimney door 210 x 140 mm with adj. nozzle 60 mm straight incl. door key
1 Pcs.	FULS06317F	T-90° with recessed adaptor for FERRO
X Pcs.	FU0602	Length 1000 mm
X Pcs.	FU0603	Length 500 mm
X Pcs.	FU0604	Length 250 mm
X Pcs.	FU39-25	Insulating shell 25 mm
1 Pcs.	DWETNLS91	Support plate 1000 mm with adaptor DW-ECO 2.0
1 Pcs.	DWECOLS1766	Shaft bracket
2 Pcs.	DWETN13	Length 1000 mm
1 Pcs.	LS...x...-55	Light rafter bracket suitable for shaft
1 Pcs.	DWETN32	End cap

The required clamping straps are included.



DW-ECO 2.0 ABOVE THE ROOF

HEIGHT	SYSTEM	Ø 130	Ø 150	Ø 160	Ø 180	Ø 200
5 m	Rgr. EW-FU	953,00 €	1.012,00 €	1.062,00 €	1.137,00 €	1.225,00 €
	Rgr. Shaft	1.328,00 €	1.390,00 €	1.464,00 €	1.527,00 €	1.591,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	3.091,00 €	3.283,00 €	3.445,00 €	3.619,00 €	3.884,00 €
6 m	Rgr. EW-FU	1.089,00 €	1.162,00 €	1.226,00 €	1.315,00 €	1.426,00 €
	Rgr. Shaft	1.558,00 €	1.634,00 €	1.722,00 €	1.791,00 €	1.869,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	3.457,00 €	3.677,00 €	3.867,00 €	4.061,00 €	4.363,00 €
7 m	Rgr. EW-FU	1.240,00 €	1.328,00 €	1.410,00 €	1.513,00 €	1.648,00 €
	Rgr. Shaft	1.788,00 €	1.878,00 €	1.980,00 €	2.055,00 €	2.147,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	3.838,00 €	4.087,00 €	4.309,00 €	4.523,00 €	4.863,00 €
8 m	Rgr. EW-FU	1.376,00 €	1.478,00 €	1.574,00 €	1.691,00 €	1.849,00 €
	Rgr. Shaft	2.059,00 €	2.165,00 €	2.285,00 €	2.365,00 €	2.475,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	4.245,00 €	4.524,00 €	4.778,00 €	5.011,00 €	5.392,00 €
9 m	Rgr. EW-FU	1.512,00 €	1.628,00 €	1.738,00 €	1.869,00 €	2.050,00 €
	Rgr. Shaft	2.289,00 €	2.409,00 €	2.543,00 €	2.629,00 €	2.753,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	4.611,00 €	4.918,00 €	5.200,00 €	5.453,00 €	5.871,00 €
10 m	Rgr. EW-FU	1.648,00 €	1.778,00 €	1.902,00 €	2.047,00 €	2.251,00 €
	Rgr. Shaft	2.519,00 €	2.653,00 €	2.801,00 €	2.893,00 €	3.031,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	4.977,00 €	5.312,00 €	5.622,00 €	5.895,00 €	6.350,00 €
11 m	Rgr. EW-FU	1.784,00 €	1.928,00 €	2.066,00 €	2.225,00 €	2.452,00 €
	Rgr. Shaft	2.749,00 €	2.897,00 €	3.059,00 €	3.157,00 €	3.309,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	5.343,00 €	5.706,00 €	6.044,00 €	6.337,00 €	6.829,00 €
12 m	Rgr. EW-FU	1.964,00 €	2.124,00 €	2.277,00 €	2.455,00 €	2.706,00 €
	Rgr. Shaft	2.979,00 €	3.141,00 €	3.317,00 €	3.421,00 €	3.587,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	5.753,00 €	6.146,00 €	6.513,00 €	6.831,00 €	7.361,00 €
13 m	Rgr. EW-FU	2.100,00 €	2.274,00 €	2.441,00 €	2.633,00 €	2.907,00 €
	Rgr. Shaft	3.209,00 €	3.385,00 €	3.575,00 €	3.685,00 €	3.865,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	6.119,00 €	6.540,00 €	6.935,00 €	7.273,00 €	7.840,00 €
14 m	Rgr. EW-FU	2.236,00 €	2.424,00 €	2.605,00 €	2.811,00 €	3.108,00 €
	Rgr. Shaft	3.439,00 €	3.629,00 €	3.833,00 €	3.949,00 €	4.143,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	6.485,00 €	6.934,00 €	7.357,00 €	7.715,00 €	8.319,00 €
15 m	Rgr. EW-FU	2.354,00 €	2.558,00 €	2.756,00 €	2.975,00 €	3.302,00 €
	Rgr. Shaft	3.669,00 €	3.873,00 €	4.091,00 €	4.213,00 €	4.421,00 €
	Rgr. DW	810,00 €	881,00 €	919,00 €	955,00 €	1.068,00 €
	Total	6.833,00 €	7.312,00 €	7.766,00 €	8.143,00 €	8.791,00 €



System FURADO-F-LAS

DESCRIPTION

Concentric shaft system consisting of calcium silicate fire protection panels with Jeremias Inside pipe EW-FU and 25 mm insulating shells

MATERIAL



Calcium silicate fire protection panels

WALL THICKNESS

50 mm

INTERIOR SHAFT DIMENSIONS

140 x 140 mm up to 360 x 360 mm



CHARACTERISTICS

- Extremely good insulating properties
- Easy to handle and assemble due to low weight
- Secure connection technology with tongue and groove joints
- Various liner solutions and shaft cladding meet all the relevant requirements
- Minimum clearance to flammable components
- 25 m installation height of the shaft without intermediate support
- Static set for installation heights up to 3m above roof

APPLICATION AREAS

- LAS operation with solid fuels (single occupancy)
- Standard heating applications for solid fuels (natural wood, coke, peat, coal*)
- New construction and renovation

* except anthracite coal from Ibbenbüren, Germany

LICENSE NUMBER

A DIBt approval is no longer explicitly granted for this type of construction; the basic construction of the shaft is described in DIBt approval Z-7.4-3482, but its use is regulated by building regulations -> Administrative regulation Technical Building Regulations (VVB-TB) and new DIN 18160-1:2023, as well as functional verification in accordance with EN 13384-1 & 13384-2.

CLASSIFICATION TO DIN 18160-1

T400 - N1 - D - 3 - G50 - L_A90

Annular gap for supply air between insulation and shaft according to Jeremias calculation

customer number.: _____ contact person: _____

Tel.: _____

delivery address _____

Date, Sign

Desired appointment: _____

☐

Pickup: _____

☐

COMBUSTION ENGINEERING CALCULATION

☐

QUOTATION CREATION


SOLID FUEL FIREPLACE

Manufacturer		
Type		
Nominal heat output		kW
Exhaust gas mass flow		g/s
Exhaust gas temperature		°C
Required delivery pressure		Pa
Exhaust gas nozzle Ø		mm

NOMINAL DIAMETER (plus 25 mm insulation)	SHAFT DIMENSIONS	
	INSIDE	OUTSIDE
130 mm	240 x 240	340 x 340
150 mm	260 x 260	360 x 360
180 mm	290 x 290	390 x 390
200 mm	330 x 330	430 x 430
250 mm	390 x 390	490 x 490

CHIMNEY COVERING

☐ L =1000 MM		
☐ L =1500 MM		
☐ Plaster look	☐ plaster	
☐ Clinker	☐ sahara red	☐ red
	☐ apple blossom	☐ anthracite
	☐ old red	
☐ Painted RAL	☐ RAL8017P-C411 gloss	☐ RAL8004M-T29 mat
	☐ RAL7016P-C411 gloss	☐ RAL8016P-C411 gloss
	☐ RAL9005PP-J2487 gloss	☐ RAL9011MB-C626 brusy mat
	☐ RAL4179-8MB-C626 brusy mat	☐ RAL1015PP-J2197 gloss
	☐ RAL4798-5MB-C626 brusy mat	☐ RAL9010M-T29 mat





DESCRIPTION

Shaft system consisting of calcium silicate fire protection panels with Jeremias liners EW-KL, EW-ALBI, EW-PPS, EW-PP-FLEX, EW-FU for decorative gas fireplaces or TWIN-GAS, depending on the exhaust gas temperature with 25 mm insulating shells. Possible execution over the roof with shaft and cladding.

Alternative

Assembly shaft for installing CE-certified liners

MATERIAL

Calcium silicate fire protection panels

WALL THICKNESS

50 mm

INTERIOR SHAFT DIMENSIONS

140 x 140 mm to 360 x 360 mm

Others available on request up to 1250 x 1250 mm

INSULATION

up to 160°C exhaust gas temperature without insulation

from 160°C exhaust gas temperature min. 25 mm insulation shells
EW-FU for decorative gas fireplaces and TWIN-GAS without insulation

ANGULAR GAP

up to 160°C at least 20 mm between the inner pipe and the inside of the shaft

from 160°C at least 20 mm between the insulation and the inside of the shaft


up to 600°C between inner pipe and shaft interior min. 40 mm
(EW-FU for decorative gas fireplaces)

up to 600°C between outer pipe and shaft interior min. 10 mm
(TWIN-GAS)

ORDER CODE

The article code for nesting elements results from:

LS + internal dimensions + article code (e.g.: LS140x140-17)



CHARACTERISTICS

- Extremely good insulation properties
- Easy to handle and assemble due to low weight
- Secure connection technology with tongue and groove joints
- Various liner solutions and shaft cladding meet all requirements
- Minimum clearance to flammable components
- 25 m installation height of the shaft without intermediate support
- Static set for installation heights up to 3 m above roof

APPLICATION AREAS

- Standard fireplaces for oil and gas
- New construction and renovation
- Condensing boilers
- CHP and combustion engines
- Gas-powered heat pumps
- Fuel cells

LICENSE NUMBER

Z - 7.4 - 3483

CLASSIFICATIONS TO DIN 18160-1

T120 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90
T160 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90
T200 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90¹
T400 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90¹
T600 - N1 / P1 / M1 / H1 - W - 2 - Oxx - L_A90¹

¹ with 25 mm insulation

xx= The distances to combustible components depend on the Ø, see DIBt approval

Please see our application note on www.jeremias.de/en

System variant with shaft above roof, dependent / independent of room air

		Inner pipe Nominal diameter up to	
outside	inside	Stainless steel	PPS
240 x 240	140 x 140	Ø 080	Ø 060/080
260 x 260	160 x 160	Ø 100	Ø 100
290 x 290	190 x 190	Ø 130	Ø 110/125
310 x 310	210 x 210	Ø 150	-
330 x 330	230 x 230	Ø 160	Ø 160
340 x 340	240 x 240	Ø 180	-
360 x 360	260 x 260	Ø 200	Ø 200
390 x 390	290 x 290	Ø 225	-
410 x 410	310 x 310	Ø 250	Ø 250

Shaft dimensions in mm

System variant with terminal above the roof independent of room air

		Inner pipe Nominal diameter up to bis		Outer pipe Nominal diameter up to
outside	inside	Stainless steel	PPS	DW-ECO 2.0*
240 x 240	140 x 140	Ø 080	Ø 060/080	Ø 130
260 x 260	160 x 160	Ø 100	Ø 100	Ø 150
290 x 290	190 x 190	Ø 130	Ø 110/125	Ø 180
310 x 310	210 x 210	Ø 150	-	Ø 200
330 x 330	230 x 230	Ø 160	Ø 160	Ø 210
340 x 340	240 x 240	Ø 180	-	Ø 230
360 x 360	260 x 260	Ø 200	Ø 200	Ø 250
410 x 410	310 x 310	Ø 250	Ø 250	Ø 300

Shaft dimensions in mm

*For components, see page 257

System variant with terminal above roof, room air dependent

		Inner pipe Nominal diameter up to		Outer pipe Nominal diameter up to
outside	inside	Stainless steel	PPS	DW-FU*
260 x 260	160 x 160	Ø 080	Ø 060/080	Ø 145
260 x 260	190 x 190	Ø 100	Ø 100/110	Ø 165
290 x 290	210 x 210	Ø 115	Ø 125	Ø 180
310 x 310	210 x 210	Ø 130	-	Ø 195
330 x 330	230 x 230	Ø 150	-	Ø 215
340 x 340	240 x 240	Ø 160	Ø 160	Ø 225
360 x 360	260 x 260	Ø 180	-	Ø 245
390 x 390	290 x 290	Ø 200	Ø 200	Ø 265
410 x 410	310 x 310	Ø 225	-	Ø 290
430 x 430	330 x 330	Ø 250	Ø 250	Ø 315

Shaft dimensions in mm

*For components, see page 258



System FURADO-A SHAFT ELEMENTS



Glue tube 1000g

Base element 500mm for condensate collector with cutout for inspection door

Base support with square opening for cleaning door and holes for condensate drain at bottom (for LS...X...1250)

Base length 1000mm loose or screwed together incl. ground plate

Base length 500mm with opening for cleaning door and holes for side condensate drain



LS69-1	Size inside	LS...X...-1250	Size inside	LS...X...-1500	Size inside	LS...X...-04	Size inside	LS...X...-05
14,00 €	190x190	162,00 €	190x190	162,00 €	140x140	236,00 €	190x190	161,00 €
	210x210	171,00 €	210x210	171,00 €	160x160	253,00 €	210x210	171,00 €
	230x230	181,00 €	230x230	181,00 €	190x190	277,00 €	230x230	181,00 €
	240x240	186,00 €	240x240	186,00 €	210x210	293,00 €	240x240	186,00 €
	260x260	195,00 €	260x260	195,00 €	230x230	310,00 €	260x260	194,00 €
	290x290	211,00 €	290x290	211,00 €	240x240	319,00 €	290x290	210,00 €
	310x310	220,00 €	310x310	220,00 €	260x260	337,00 €	310x310	219,00 €
	330x330	229,00 €	330x330	229,00 €	290x290	362,00 €	330x330	228,00 €
					310x310	378,00 €		
					330x330	396,00 €		

Base plate

Shaft element 1000mm loose/screwed

Shaft element 500mm loose/ screwed

Shaft element 250mm loose/ screwed



Size inside	LS...X...-1658	Size inside	LS...X...-130	Size inside	LS...X...-140	Size inside	LS...X...-150	Size inside	LS...X...-13
140x140	20,00 €	140x140	198,00 €	140x140	109,00 €	140x140	70,00 €	140x140	198,00 €
160x160	22,00 €	160x160	212,00 €	160x160	115,00 €	160x160	74,00 €	160x160	212,00 €
190x190	24,00 €	190x190	230,00 €	190x190	125,00 €	190x190	78,00 €	190x190	230,00 €
210x210	27,00 €	210x210	244,00 €	210x210	132,00 €	210x210	83,00 €	210x210	244,00 €
230x230	28,00 €	230x230	258,00 €	230x230	139,00 €	230x230	86,00 €	230x230	258,00 €
240x240	29,00 €	240x240	264,00 €	240x240	142,00 €	240x240	90,00 €	240x240	264,00 €
260x260	32,00 €	260x260	278,00 €	260x260	149,00 €	260x260	93,00 €	260x260	278,00 €
290x290	36,00 €	290x290	298,00 €	290x290	159,00 €	290x290	99,00 €	290x290	298,00 €
310x310	38,00 €	310x310	310,00 €	310x310	165,00 €	310x310	101,00 €	310x310	310,00 €
330x330	42,00 €	330x330	323,00 €	330x330	172,00 €	330x330	106,00 €	330x330	323,00 €

Shaft element 500mm



Shaft element 250mm



Elbow 15°



Elbow 30°



Elbow 45°



Size inside	LS...X...-14	Size inside	LS...X...-15	Size inside	LS...X...-17	Size inside	LS...X...-18	Size inside	LS...X...-19
140x140	109,00 €	140x140	70,00 €	140x140	174,00 €	140x140	174,00 €	140x140	174,00 €
160x160	115,00 €	160x160	74,00 €	160x160	186,00 €	160x160	186,00 €	160x160	186,00 €
190x190	125,00 €	190x190	78,00 €	190x190	200,00 €	190x190	200,00 €	190x190	200,00 €
210x210	132,00 €	210x210	83,00 €	210x210	211,00 €	210x210	211,00 €	210x210	211,00 €
230x230	139,00 €	230x230	86,00 €	230x230	220,00 €	230x230	220,00 €	230x230	220,00 €
240x240	142,00 €	240x240	90,00 €	240x240	226,00 €	240x240	226,00 €	240x240	226,00 €
260x260	149,00 €	260x260	93,00 €	260x260	235,00 €	260x260	235,00 €	260x260	235,00 €
290x290	159,00 €	290x290	99,00 €	290x290	251,00 €	290x290	251,00 €	290x290	251,00 €
310x310	165,00 €	310x310	101,00 €	310x310	260,00 €	310x310	260,00 €	310x310	260,00 €
330x330	172,00 €	330x330	106,00 €	330x330	272,00 €	330x330	272,00 €	330x330	272,00 €

Light rafter bracket suitable for shaft



Universal rafter bracket for shaft



Bracket 500mm incl. base plate, maximum load 190 kg



Wall bracket for shaft



Wall bracket 0-100mm



Size inside	LS...X...-55	LS1518	Size inside	LS...X...-132	Size inside	LS...X...-21	Size inside	LS...X...-822
140x140	210,00 €	276,00 €	140x140	204,00 €	140x140	35,00 €	140x140	40,00 €
160x160	236,00 €		160x160	209,00 €	160x160	39,00 €	160x160	44,00 €
190x190	250,00 €		190x190	218,00 €	190x190	40,00 €	190x190	45,00 €
210x210	258,00 €		210x210	224,00 €	210x210	40,00 €	210x210	45,00 €
230x230	262,00 €		230x230	229,00 €	230x230	42,00 €	230x230	46,00 €
240x240	278,00 €		240x240	232,00 €	240x240	42,00 €	240x240	46,00 €
260x260	312,00 €		260x260	239,00 €	260x260	44,00 €	260x260	50,00 €
290x290	320,00 €		290x290	250,00 €	290x290	47,00 €	290x290	54,00 €
310x310	376,00 €		310x310	258,00 €	310x310	47,00 €	310x310	54,00 €
330x330	408,00 €		330x330	265,00 €	330x330	50,00 €	330x330	57,00 €



System FURADO-A SHAFT ELEMENTS




Metal frame for shaft 4m
with 5 brackets, max. over-
hang 2m

Metal frame for shaft 6m
with 7 brackets, max. over-
hang 3m

Support plate for
condensate tray
FU94B with rear
ventilation, for shaft
or DW-ECO 2.0
above roof

Storm collar



Size inside	LS...X...-4-1502	Size inside	LS...X...-6-1502	LS1716Ø		FU72Ø	
140x140	497,00 €	140x140	593,00 €	080	37,00 €	080	38,00 €
160x160	537,00 €	160x160	621,00 €	100	53,00 €	100	39,00 €
190x190	548,00 €	190x190	633,00 €	115	55,00 €	115	42,00 €
210x210	548,00 €	210x210	633,00 €	120	62,00 €	120	43,00 €
230x230	561,00 €	230x230	642,00 €	130	63,00 €	130	44,00 €
240x240	561,00 €	240x240	642,00 €	140	61,00 €	140	45,00 €
260x260	586,00 €	260x260	663,00 €	150	67,00 €	150	46,00 €
290x290	611,00 €	290x290	680,00 €	160	81,00 €	160	47,00 €
310x310	638,00 €	310x310	701,00 €	180	99,00 €	180	53,00 €
330x330	648,00 €	330x330	709,00 €	200	99,00 €	200	54,00 €
				225	114,00 €	225	57,00 €
				250	122,00 €	250	58,00 €
				300	167,00 €	300	59,00 €



System FURADO-A EW-ALBI



Elbow 87° with support

Inspection length with round opening (up to 200°C/ P1)

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm

Mounting bracket

Length 1000mm

Length 500mm



*1



*2



*2



ALBI06...06Ø		ALBI06...30Ø		FU0960		FU5160		FU40Ø		ALBI06...02Ø		ALBI06...03Ø	
A 080	152,00 €	A 080	180,00 €	84,00 €		120,00 €		080	28,00 €	A 080	96,00 €	A 080	65,00 €
A 100	157,00 €	A 100	195,00 €					100	32,00 €	A 100	101,00 €	A 100	75,00 €
A 115	162,00 €	A 115	206,00 €					115	34,00 €	A 115	106,00 €	A 115	80,00 €
A 120	165,00 €	A 120	217,00 €					120	35,00 €	A 120	107,00 €	A 120	81,00 €
A 130	173,00 €	A 130	229,00 €					130	36,00 €	A 130	111,00 €	A 130	85,00 €
A 140	175,00 €	A 140	230,00 €					140	37,00 €	A 140	116,00 €	A 140	87,00 €
A 150	180,00 €	A 150	231,00 €					150	38,00 €	A 150	118,00 €	A 150	88,00 €
A 160	190,00 €	A 160	244,00 €					160	38,00 €	A 160	128,00 €	A 160	94,00 €
A 180	213,00 €	A 180	252,00 €					180	39,00 €	A 180	138,00 €	A 180	100,00 €
A 200	250,00 €	A 200	266,00 €					200	39,00 €	A 200	151,00 €	A 200	105,00 €
D 225	267,00 €	D 225	282,00 €					225	40,00 €	D 225	163,00 €	D 225	113,00 €
C 250	304,00 €	C 250	294,00 €					250	40,00 €	C 250	180,00 €	C 250	121,00 €

Length 250mm

Length 1000mm with 2 lowering loops

Length 1000mm double female socket

Length 1000mm with mounting bracket

Gasket silicone up to 200°C

Gasket EPDM 120°C

Silicone (up to 400°C)



ALBI06...04Ø		ALBI06...05Ø		ALBI06...2438Ø		ALBI06...70Ø		ALBI26Ø		ALBI367Ø		ALBI60
A 080	53,00 €	A 080	100,00 €	A 080	121,00 €	A 080	119,00 €	080	21,00 €	080	21,00 €	94,00 €
A 100	62,00 €	A 100	107,00 €	A 100	129,00 €	A 100	124,00 €	100	22,00 €	100	22,00 €	
A 115	65,00 €	A 115	110,00 €	A 115	133,00 €	A 115	126,00 €	115	23,00 €	115	23,00 €	
A 120	66,00 €	A 120	113,00 €	A 120	136,00 €	A 120	128,00 €	120	23,00 €	120	23,00 €	
A 130	70,00 €	A 130	117,00 €	A 130	143,00 €	A 130	133,00 €	130	26,00 €	130	26,00 €	
A 140	71,00 €	A 140	119,00 €	A 140	145,00 €	A 140	136,00 €	140	26,00 €	140	26,00 €	
A 150	72,00 €	A 150	124,00 €	A 150	150,00 €	A 150	137,00 €	150	26,00 €	150	26,00 €	
A 160	74,00 €	A 160	132,00 €	A 160	159,00 €	A 160	143,00 €	160	27,00 €	160	27,00 €	
A 180	80,00 €	A 180	142,00 €	A 180	170,00 €	A 180	157,00 €	180	28,00 €	180	28,00 €	
A 200	84,00 €	A 200	156,00 €	A 200	187,00 €	A 200	169,00 €	200	31,00 €	200	31,00 €	
D 225	90,00 €	D 225	169,00 €	D 225	201,00 €	D 225	183,00 €	225	32,00 €	250	34,00 €	
C 250	95,00 €	C 250	185,00 €	C 250	219,00 €	C 250	200,00 €	250	34,00 €			

• *1 Can be flexibly extended downwards with length elements

• *2 Extension of the sliding nozzle. Price per cm



System FURADO-A EW-KL



Elbow 87° with support

Inspection length with round opening (up to 200°C/PI)

Inspection length with round opening for wet operation (up to 250°C/HI)

Inspection length with round opening for dry operation (up to 600°C/HI)

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm

Length 1000mm



*1



*2



*2



KL06Ø	KL30Ø	KL30HTWØ	KL30HTDØ	FU0960	FU5160	KL0602Ø
080 131,00 €	080 159,00 €	080 276,00 €	080 276,00 €	84,00 €	120,00 €	080 75,00 €
100 135,00 €	100 173,00 €	100 291,00 €	100 291,00 €			100 79,00 €
120 142,00 €	120 194,00 €	120 309,00 €	120 309,00 €			120 84,00 €
130 147,00 €	130 203,00 €	130 320,00 €	130 320,00 €			130 85,00 €
150 154,00 €	150 205,00 €	150 322,00 €	150 322,00 €			150 92,00 €
180 185,00 €	180 224,00 €	180 340,00 €	180 340,00 €			180 110,00 €
200 219,00 €	200 235,00 €	200 354,00 €	200 354,00 €			200 120,00 €
225 235,00 €	225 250,00 €	225 367,00 €	225 367,00 €			225 131,00 €
250 270,00 €	250 260,00 €	250 379,00 €	250 379,00 €			250 146,00 €

Length 500mm

Length 250mm

Length 200mm

Length 150mm

Length 1000mm with mounting bracket

Mounting bracket



KL0603Ø	KL0604Ø	KL06223Ø	KL06224Ø	KL0670Ø	FU40Ø
080 44,00 €	080 32,00 €	080 27,00 €	080 22,00 €	080 98,00 €	080 28,00 €
100 53,00 €	100 40,00 €	100 35,00 €	100 26,00 €	100 102,00 €	100 32,00 €
120 58,00 €	120 43,00 €	120 36,00 €	120 27,00 €	120 105,00 €	120 35,00 €
130 59,00 €	130 44,00 €	130 37,00 €	130 28,00 €	130 107,00 €	130 36,00 €
150 62,00 €	150 46,00 €	150 38,00 €	150 32,00 €	150 111,00 €	150 38,00 €
180 72,00 €	180 52,00 €	180 43,00 €	180 35,00 €	180 129,00 €	180 39,00 €
200 74,00 €	200 53,00 €	200 44,00 €	200 36,00 €	200 138,00 €	200 39,00 €
225 81,00 €	225 58,00 €	225 46,00 €	225 38,00 €	225 151,00 €	225 40,00 €
250 87,00 €	250 61,00 €	250 47,00 €	250 39,00 €	250 166,00 €	250 40,00 €



System FURADO-A EW-PPS / EW-PP-FLEX



Base support for elbow 87° and 45°

Base support for elbow 87° and 45°, can be extended downwards with PP length

End cap with stainless steel outlet pipe and storm collar

Mounting bracket, 1 piece

Mounting bracket, 4 pieces

Inspection length with round opening (up to 120°C/PI)

Length 1000mm



PP1767Ø		PP1768Ø		PPLS342Ø		PPFLEX40Ø		PPFLEX41Ø		130-PP30Ø		130-PP02Ø	
060	70,00 €	060	57,00 €	060	130,00 €	125	26,00 €	060	35,00 €	060	26,00 €	060	17,00 €
080	81,00 €	080	62,00 €	080	135,00 €	160	27,00 €	080	48,00 €	080	33,00 €	080	26,00 €
100	92,00 €	100	68,00 €	100	154,00 €			100	49,00 €	100	43,00 €	100	33,00 €
110	99,00 €	110	74,00 €	110	157,00 €			110	52,00 €	110	57,00 €	110	44,00 €
125	124,00 €	125	96,00 €	125	167,00 €					125	100,00 €	125	62,00 €
160	138,00 €	160	101,00 €	160	183,00 €					160	135,00 €	160	82,00 €
200	174,00 €	200	129,00 €	200	235,00 €					200	142,00 €	200	117,00 €
250	218,00 €	250	154,00 €	250	270,00 €					250	301,00 €	250	213,00 €

Length 560mm

Length 315mm

Assembly kit 1 (2x fixing clamp and 1x sleeve)

Flex liner 10m

Adaptor PP-FLEX for flex pipes

Stainless steel chimney door 210x140mm with with adj. nozzle and 60mm straight insert, incl. door key

Stainless steel chimney door with ventilation grid 210x140mm and insert 60mm




130-PP03Ø		130-PP04Ø		PPFLEX09Ø		PPFLEX02/10Ø		PPFLEX07Ø		FU0960		FU5160	
060	15,00 €	060	14,00 €	060	15,00 €	060	242,00 €	060	62,00 €		84,00 €		120,00 €
080	18,00 €	080	16,00 €	080	17,00 €	080	313,00 €	080	94,00 €				
100	21,00 €	100	18,00 €	100	19,00 €	100	417,00 €	100	109,00 €				
110	27,00 €	110	22,00 €	110	22,00 €	110	459,00 €	110	110,00 €				
125	42,00 €	125	33,00 €	125	33,00 €	125	828,00 €	125	188,00 €				
160	55,00 €	160	48,00 €	160	38,00 €	160	1.156,00 €	160	220,00 €				
200	92,00 €	200	50,00 €										
250	142,00 €	250	105,00 €										

- *1 Can be flexibly extended downwards with length elements
- *2 Extension of the sliding nozzle. Price per cm



System FURADO-A EW-PPS / EW-PP-FLEX



Elbow 15°

Elbow 30°

Elbow 45°

Elbow 87°

Elbow 87° with
inspection door

Gasket (EPDM)

Lubricant tube 75
ml, chloride free



130-PP17Ø		130-PP18Ø		130-PP19Ø		130-PP22Ø		130-PP23Ø		130-PP26Ø		750GLEIOVT
060	18,00 €	060	15,00 €	060	15,00 €	060	16,00 €	060	26,00 €	060	10,00 €	15,00 €
080	22,00 €	080	18,00 €	080	18,00 €	080	21,00 €	080	33,00 €	080	15,00 €	
100	27,00 €	100	25,00 €	100	25,00 €	100	29,00 €	100	39,00 €	100	16,00 €	
110	39,00 €	110	39,00 €	110	39,00 €	110	42,00 €	110	95,00 €	110	17,00 €	
125	54,00 €	125	54,00 €	125	54,00 €	125	54,00 €	125	135,00 €	125	20,00 €	
160	100,00 €	160	99,00 €	160	99,00 €	160	99,00 €	160	153,00 €	160	25,00 €	
200	143,00 €	200	142,00 €	200	142,00 €	200	160,00 €	200	177,00 €	200	27,00 €	
250	215,00 €	250	213,00 €	250	230,00 €	250	301,00 €	250	337,00 €	250	33,00 €	

Safety temperature
limiter 110°C

Adaptor l=250mm
with 1/2" female
socket for safety
temperature limiter

Cover plate for rear
ventilation RAL
9016

Storm collar for
terminal PP342

Terminal pipe
500mm stainless
steel, for PP342



PP423	130-PP423AØ		130-PP21Ø		PP72Ø		PP126Ø	
526,00 €	060	102,00 €	060	51,00 €	060	53,00 €	060	42,00 €
	080	105,00 €	080	67,00 €	080	54,00 €	080	44,00 €
	100	110,00 €	100	68,00 €	100	57,00 €	100	52,00 €
	110	114,00 €	110	78,00 €	110	58,00 €	110	54,00 €
	125	117,00 €	125	79,00 €	125	59,00 €	125	58,00 €
	160	121,00 €	160	85,00 €	160	62,00 €	160	66,00 €
	200	136,00 €	200	125,00 €	200	69,00 €	200	72,00 €
	250	199,00 €	250	149,00 €	250	70,00 €	250	87,00 €



System FURADO-A

ROOM AIR INDEPENDENT OVER ROOF



Support plate
1000mm with ad-
aptor to DWA

Length 1000mm

Length 500mm

Length 250mm

End cap with
expansion up to
300mm

Shaft bracket

Flashing kit 5-15°
lead base with
storm collar



*1



*1



*1



*1



DWA25LS91Ø	DWA2513Ø	DWA2514Ø	DWA2515Ø	DWA251755Ø	DWA25LS1766Ø	DWECO53Ø
130 198,00 €	130 74,00 €	130 51,00 €	130 39,00 €	130 116,00 €	130 114,00 €	080 197,00 €
150 215,00 €	150 78,00 €	150 52,00 €	150 42,00 €	150 120,00 €	150 124,00 €	100 212,00 €
180 229,00 €	180 91,00 €	180 62,00 €	180 44,00 €	180 132,00 €	180 125,00 €	115 217,00 €
200 245,00 €	200 102,00 €	200 63,00 €	200 45,00 €	200 140,00 €	200 126,00 €	130 224,00 €
210 258,00 €	210 111,00 €	210 66,00 €	210 46,00 €	210 149,00 €	210 127,00 €	150 244,00 €
230 262,00 €	230 116,00 €	230 68,00 €	230 47,00 €	230 166,00 €	230 130,00 €	160 251,00 €
250 280,00 €	250 124,00 €	250 74,00 €	250 52,00 €	250 167,00 €	250 131,00 €	180 260,00 €
300 315,00 €	300 145,00 €	300 78,00 €	300 61,00 €	300 185,00 €	300 137,00 €	200 268,00 €
						250 301,00 €





Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar



DWECO59Ø	DWECO38Ø	DWECO54Ø	DWECO52Ø	DWECO52ZYØ
080 197,00 €	080 197,00 €	080 197,00 €	080 111,00 €	080 111,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 115,00 €	100 115,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 116,00 €	115 116,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 118,00 €	130 118,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 124,00 €	150 124,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 130,00 €	160 130,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 138,00 €	180 138,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 170,00 €	200 170,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 193,00 €	250 193,00 €

• *1 Please note measurement tables



System FURADO-A

ROOM AIR DEPENDENT OVER ROOF



Support plate
1000mm with ad-
aptor DWECO2.0

Length 1000mm

Length 500mm

Length 250mm

End cap with ex-
pansion compensa-
tion up to 300mm

Shaft bracket

Flashing kit 5-15°
lead base with
storm collar



*1




*1



*1



*1



DWALS91Ø	DWA13Ø	DWA14Ø	DWA15Ø	DWA1755Ø	DWALS1766Ø	DW53Ø
145 218,00 €	145 90,00 €	145 61,00 €	145 44,00 €	145 124,00 €	145 114,00 €	080 197,00 €
165 245,00 €	165 106,00 €	165 69,00 €	165 51,00 €	165 132,00 €	165 124,00 €	100 212,00 €
180 248,00 €	180 110,00 €	180 70,00 €	180 52,00 €	180 137,00 €	180 125,00 €	115 217,00 €
195 256,00 €	195 115,00 €	195 72,00 €	195 53,00 €	195 145,00 €	195 126,00 €	130 224,00 €
215 274,00 €	215 127,00 €	215 75,00 €	215 54,00 €	215 153,00 €	215 127,00 €	150 244,00 €
225 275,00 €	225 133,00 €	225 78,00 €	225 57,00 €	225 172,00 €	225 129,00 €	160 251,00 €
246 298,00 €	245 140,00 €	245 84,00 €	245 61,00 €	245 176,00 €	245 130,00 €	180 260,00 €
265 316,00 €	265 154,00 €	265 87,00 €	265 66,00 €	265 182,00 €	265 131,00 €	200 268,00 €
290 334,00 €	290 166,00 €	290 90,00 €	290 67,00 €	290 194,00 €	290 133,00 €	225 295,00 €
315 362,00 €	315 189,00 €	315 103,00 €	315 75,00 €	315 204,00 €	315 137,00 €	250 301,00 €





Flashing kit 16-25°
lead base with
storm collar

Flashing kit 26-35°
lead base with
storm collar, cone
150mm

Flashing kit 36-45°
lead base with
storm collar

Flat flashing conical
with storm collar

Cylindrical flat
flashing with storm
collar



DW59Ø	DW38Ø	DW54Ø	DW52Ø	DW52ZYØ
080 197,00 €	080 197,00 €	080 197,00 €	080 111,00 €	080 111,00 €
100 212,00 €	100 212,00 €	100 212,00 €	100 115,00 €	100 115,00 €
115 217,00 €	115 217,00 €	115 217,00 €	115 116,00 €	115 116,00 €
130 224,00 €	130 224,00 €	130 224,00 €	130 118,00 €	130 118,00 €
150 244,00 €	150 244,00 €	150 244,00 €	150 124,00 €	150 124,00 €
160 251,00 €	160 251,00 €	160 251,00 €	160 130,00 €	160 130,00 €
180 260,00 €	180 260,00 €	180 260,00 €	180 138,00 €	180 138,00 €
200 268,00 €	200 268,00 €	200 268,00 €	200 170,00 €	200 170,00 €
225 295,00 €	225 295,00 €	225 295,00 €	225 179,00 €	225 179,00 €
250 301,00 €	250 301,00 €	250 301,00 €	250 193,00 €	250 193,00 €

• *1 Please note measurement tables



System FURADO CHIMNEY COVERING



Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm


Plaster look

Plaster look

Size inside LS100...X...-1449		Size inside LS150...X...-1449	
140x140	795,00 €	140x140	895,00 €
160x160	808,00 €	160x160	918,00 €
190x190	833,00 €	190x190	953,00 €
210x210	849,00 €	210x210	974,00 €
230x230	865,00 €	230x230	997,00 €
240x240	875,00 €	240x240	1.012,00 €
260x260	982,00 €	260x260	1.132,00 €
310x310	1.005,00 €	310x310	1.167,00 €



plaster



The component shown is not included in the scope of delivery, please order the chimney surround separately.

Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm

Clinker

Clinker

Size inside LS100...X...-1448		Size inside LS150...X...-1448	
140x140	1.135,00 €	140x140	1.273,00 €
160x160	1.157,00 €	160x160	1.306,00 €
190x190	1.189,00 €	190x190	1.348,00 €
210x210	1.210,00 €	210x210	1.380,00 €
230x230	1.229,00 €	230x230	1.408,00 €
240x240	1.241,00 €	240x240	1.427,00 €
260x260	1.336,00 €	260x260	1.528,00 €
310x310	1.388,00 €	310x310	1.608,00 €



sahara red



anthracite



red



old red



apple blossom

Pre fabricated chimney housing FURADO 1000mm

Pre fabricated chimney housing FURADO 1500mm

Painted

Painted

Size inside LS100...X...-1447		Size inside LS150...X...-1447	
140x140	587,00 €	140x140	737,00 €
160x160	596,00 €	160x160	750,00 €
190x190	611,00 €	190x190	766,00 €
210x210	623,00 €	210x210	778,00 €
230x230	633,00 €	230x230	790,00 €
240x240	638,00 €	240x240	797,00 €
260x260	703,00 €	260x260	864,00 €
310x310	729,00 €	310x310	895,00 €




RAL8017P-C411
= gloss



RAL9011MB-C626
=brusy mat



RAL7016P-C411
=gloss



RAL1015PP-J2197
=gloss



RAL9005PP-J2487
=gloss



RAL9010M-T29
=mat



RAL4179-8MB-C626
=brusy mat



RAL4798-5MB-C626
=brusy mat



RAL8004M-T29
=mat



RAL8016P-C411
=gloss





System FURADO CHIMNEY COVERING



Frame for chimneys
with inside dimen-
sion 140x140mm to
210x210mm

Frame for chimneys
with inside dimen-
sion 140x140mm to
210x210mm



LS1762-1	LS1762-2
289,00 €	289,00 €



System FURADO SHAFT SEALING



Shaft sealing set over roof, width=250mm

Connecting band l=2.5 m for shaft sealing
above roof

Connecting band l=5 m for shaft sealing
above roof



€
NET



€
NET



€
NET

black	ZUTE2200-3	79,00 €	black	ZUTE2200-6	116,00 €	black	ZUTE2200-9	260,00 €
terracotta	ZUTE2200-2	79,00 €	terracotta	ZUTE2200-5	116,00 €	terracotta	ZUTE2200-8	260,00 €
brown	ZUTE2200-1	79,00 €	brown	ZUTE2200-4	116,00 €	brown	ZUTE2200-7	260,00 €

Primer (125 ml Tube)


Shaft sealing for
below roof with
plaster base,
l=500mm, for shaft
external dimension
up to 300x300mm

Shaft sealing for
below roof with pla-
ster base, l=750mm,
for shaft external
dimension up to
550x550mm


Shaft sealing for
below roof with
plaster base,
l=1000mm, for shaft
external dimension
up to 800x800mm




*1



€
NET



€
NET



€
NET

€
NET


	ZUTE2202-ML		ZUTE2201-1	ZUTE2201-3	ZUTE2201-5
-125 ml	ZUTE2202-125	15,00 €	78,00 €	91,00 €	102,00 €
-250 ml	ZUTE2202-250	29,00 €			
-500 ml	ZUTE2202-500	38,00 €			

- *1 When using our lightweight shaft, it must first be treated with a primer for highly absorbent surfaces! Only then can the primer be applied.




System FURADO-A

CONSTRUCTION EXAMPLE 1






System FURADO-A CONSTRUCTION EXAMPLE 2 ROOM AIR INDEPENDENT





System FURADO-A CONSTRUCTION EXAMPLE 3 ROOM AIR DEPENDENT





Fire protection implementation LUX-NOVA

DESCRIPTION

Variable shortenable wall, ceiling and roof duct for carrying out chimneys flues and connecting pieces

Variant 1: with pipe cut

Variant 2: without pipe cut

MATERIAL

Housing made of temperature resistant fireproof material

NOMINAL DIAMETER (DN)

Up to DN 250 mm

INSTALLATION DIMENSIONS

430 x 430 mm, 480 x 480 mm (measure B),

Length up to 496 mm (measure A)


Up to 530 x 530 mm (only LUX-NOVA variant 2)

Length up to 496 mm (measure A) as wall feed-through

 Length up to 1000 mm (dimension A) as ceiling/roof feed-through depending on degree number (see approval)

WALL THICKNESS

of penetrated walls, ceilings or roof:
up to max. 496 mm



CHARACTERISTICS

- Only 140 mm from inner tube to combustible materials
- Fast and easy installation
- Also suitable for later installations
- Can be fitted with each exhaust system (EW, DW) and each stovepipe
- Suitable for passive and low-energy houses with a special adapter rubber for vapor barrier (blower door test-capable)
- Compact ready solution
- Industrially manufactured with consistent quality fire protection
- Individual wall thicknesses and roof pitches practicable
- Length adaptable on site
- Simple and secure connection with the building structure by stable outer shell

APPLICATION

- Penetration designed for walls made of combustible materials
- Meets the requirements of the combustion regulations of German federal states and of DIN 18160-1
- Certified for flue pipes of exhaust systems or chimneys up to temperature classification T400
- Developed for use in inside and exterior walls
- Significant reduction of the lateral distance for pipe penetrations compared to FeuVo

LICENSE NUMBER

Z - 7.4 - 3487

CLASSIFICATION

T400 - L_A00

WALL PENETRATIONS / ROOF PENETRATIONS 0°

	DN Ø smoke pipe in mm	Component length in mm, Dimension A	External dimensions in mm dimension b	EW pipe cutout in mm	Price EW - Variant *1		DN Ø smoke pipe in mm	Component length in mm, Dimension A	External dimensions in mm dimension b	EW pipe cutout in mm	Price EW - Variant
LUX-NOVA-GP-EW12Ø	130	120	430x430	140	319,00 €	LUX-NOVA-GP-DW12Ø	130	120	430x430	210	319,00 €
LUX-NOVA-GP-EW24Ø	130	240	430x430	140	376,00 €	LUX-NOVA-GP-DW24Ø	130	240	430x430	210	376,00 €
LUX-NOVA-GP-EW36Ø	130	360	430x430	140	568,00 €	LUX-NOVA-GP-DW36Ø	130	360	430x430	210	568,00 €
LUX-NOVA-GP-EW40Ø	130	400	430x430	140	637,00 €	LUX-NOVA-GP-DW40Ø	130	400	430x430	210	637,00 €
LUX-NOVA-GP-EW50Ø	130	496	430x430	140	734,00 €	LUX-NOVA-GP-DW50Ø	130	496	430x430	210	734,00 €
LUX-NOVA-GP-EW12Ø	150	120	430x430	160	319,00 €	LUX-NOVA-GP-DW12Ø	150	120	430x430	230	319,00 €
LUX-NOVA-GP-EW24Ø	150	240	430x430	160	376,00 €	LUX-NOVA-GP-DW24Ø	150	240	430x430	230	376,00 €
LUX-NOVA-GP-EW36Ø	150	360	430x430	160	568,00 €	LUX-NOVA-GP-DW36Ø	150	360	430x430	230	568,00 €
LUX-NOVA-GP-EW40Ø	150	400	430x430	160	637,00 €	LUX-NOVA-GP-DW40Ø	150	400	430x430	230	637,00 €
LUX-NOVA-GP-EW50Ø	150	496	430x430	160	734,00 €	LUX-NOVA-GP-DW50Ø	150	496	430x430	230	734,00 €
LUX-NOVA-GP-EW36Ø	160	360	480x480	170	637,00 €	LUX-NOVA-GP-DW36Ø	160	360	480x480	240	637,00 €
LUX-NOVA-GP-EW40Ø	160	400	480x480	170	677,00 €	LUX-NOVA-GP-DW40Ø	160	400	480x480	240	677,00 €
LUX-NOVA-GP-EW50Ø	160	496	480x480	170	781,00 €	LUX-NOVA-GP-DW50Ø	160	496	480x480	240	781,00 €
LUX-NOVA-GP-EW12Ø	180	120	480x480	190	334,00 €	LUX-NOVA-GP-DW12Ø	180	120	480x480	260	334,00 €
LUX-NOVA-GP-EW24Ø	180	240	480x480	190	417,00 €	LUX-NOVA-GP-DW24Ø	180	240	480x480	260	417,00 €
LUX-NOVA-GP-EW36Ø	180	360	480x480	190	637,00 €	LUX-NOVA-GP-DW36Ø	180	360	480x480	260	637,00 €
LUX-NOVA-GP-EW40Ø	180	400	480x480	190	678,00 €	LUX-NOVA-GP-DW40Ø	180	400	480x480	260	677,00 €
LUX-NOVA-GP-EW50Ø	180	496	480x480	190	781,00 €	LUX-NOVA-GP-DW50Ø	180	496	480x480	260	781,00 €
LUX-NOVA-GP-EW12Ø	200	120	480x480	210	334,00 €	LUX-NOVA-GP-DW12Ø	200	120	480x480	280	334,00 €
LUX-NOVA-GP-EW24Ø	200	240	480x480	210	417,00 €	LUX-NOVA-GP-DW24Ø	200	240	480x480	280	417,00 €
LUX-NOVA-GP-EW36Ø	200	360	480x480	210	637,00 €	LUX-NOVA-GP-DW36Ø	200	360	480x480	280	637,00 €
LUX-NOVA-GP-EW40Ø	200	400	480x480	210	677,00 €	LUX-NOVA-GP-DW40Ø	200	400	480x480	280	677,00 €
LUX-NOVA-GP-EW50Ø	200	496	480x480	210	781,00 €	LUX-NOVA-GP-DW50Ø	200	496	480x480	280	781,00 €

*1 For single-walled pipes, please always order insulation shell FU39-25!

- Please note that adhesive L69-1 is always included.
- LUX-NOVA including insulation shell is also available as a SET. Order-code: LUXNOVAGP-EW...-SET

FACT-BOX LUX-NOVA Variant 1


- Quick and easy installation
- Also suitable for subsequent installation on the construction site
- Can be used with any exhaust system (stainless steel single-walled and double-walled, stove pipes)
- Tested and approved max. installation length 496 mm
- Individual wall thicknesses can be achieved
- Length can be shortened on site to 72 mm
- Simple and secure connection to the building structure thanks to stable outer cover
- All penetrations are already pre-primed so that the vapor barrier film can be attached using a sealing sleeve
- The change from double-walled to single-walled can take place within the penetration or with DW-Length element with integrated wall lining
- Individual custom-made products with length adjustment and pipe cutout can be delivered ready-made according to customer requirements (see accessories table)



Fire protection implementation

LUX-NOVA


LUX-NOVA1551	Surcharge for customised length	87,00 €
LUX-NOVAPLEW130	Cover plate 630x630mm for LUX-NOVA 430x430mm with pipe cutout	162,00 €
LUX-NOVAPLEW150	Cover plate 630x630mm for LUX-NOVA 430x430mm with pipe cutout	162,00 €
LUX-NOVAPLEW160	Cover plate 680x680mm for LUX-NOVA 480x480mm with pipe cutout	173,00 €
LUX-NOVAPLEW180	Cover plate 680x680mm for LUX-NOVA 480x480mm with pipe cutout	173,00 €
LUX-NOVAPLEW200	Cover plate 680x680mm for LUX-NOVA 480x480mm with pipe cutout	173,00 €
LUX-NOVAPLDW130	Cover plate 630x630mm for LUX-NOVA 430x430mm with pipe cutout	162,00 €
LUX-NOVAPLDW150	Cover plate 630x630mm for LUX-NOVA 430x430mm with pipe cutout	162,00 €
LUX-NOVAPLDW160	Cover plate 680x680mm for LUX-NOVA 480x480mm with pipe cutout	173,00 €
LUX-NOVAPLDW180	Cover plate 680x680mm for LUX-NOVA 480x480mm with pipe cutout	173,00 €
LUX-NOVAPLDW200	Cover plate 680x680mm for LUX-NOVA 480x480mm with pipe cutout	173,00 €
LUX-NOVA1556.01	Special seal 0-22° 430x430mm Set including silicone adhesive	140,00 €
LUX-NOVA1556.02	Special seal 0-22° 480x480mm Set including silicone adhesive	142,00 €
LUX-NOVAABS1050X1050	Heat radiation shield plate for 1050x1050x25mm for flammable wall	352,00 €
LS69-1	Glue (Tube 1000g)	14,00 €




Example:
LUX-NOVA with Ø pipe cutout
140 mm for EW or
210 mm for DW



Accessories: Optionally, the wall duct can be ordered with connection plate for easier connection of the on-site vapor barrier and/or the special seal and fastening to the wall




Accessories: Special seal for connection to existing vapor barrier or in combination with connection plate




Accessories: Radiation protection plate for combustible wall

WALL PENETRATIONS / ROOF PENETRATIONS 0°

	DN Ø smoke pipe in mm	Component length in mm Dimension A	Outsideabmessungen in mm Maße B	Price
LUX-NOVA-GP-200.1	up to 150	200	430x430	408,00 €
LUX-NOVA-GP-400.1	up to 150	400	430x430	526,00 €
LUX-NOVA-GP-500.1	up to 150	500	430x430	625,00 €
LUX-NOVA-GP-200.2	160-200	200	480x480	436,00 €
LUX-NOVA-GP-400.2	160-200	400	480x480	578,00 €
LUX-NOVA-GP-500.2	160-200	500	480x480	680,00 €
LUX-NOVA-GP-200.3	225-250	200	530x530	465,00 €
LUX-NOVA-GP-400.3	225-250	400	530x530	613,00 €
LUX-NOVA-GP-500.3	225-250	500	530x530	735,00 €



LUX-NOVA without pipe cutout



ACCESSORIES

LUX-NOVA1551	Surcharge for customised length	87,00 €
LUX-NOVA1552	Surcharge for customised round hole both sides	87,00 €
LUX-NOVA1430	Cover plate 630x630mm for LUX-NOVA without pipe cutout	103,00 €
LUX-NOVA1480	Cover plate 680x680mm for LUX-NOVA without pipe cutout	117,00 €
LUX-NOVA1530	Cover plate 730x730mm for LUX-NOVA without pipe cutout	127,00 €
LUX-NOVA1556.01	Special seal 0-22° 430x430mm Set including silicone adhesive	140,00 €
LUX-NOVA1556.02	Special seal 0-22° 480x480mm Set including silicone adhesive	142,00 €
LUX-NOVA1556.03	Special seal 0-22° 530x530mm Set including silicone adhesive	145,00 €
LUX-NOVAAB-S1050X1050	Heat radiation shield plate for 1050x1050x25mm for flammable wall	352,00 €
LS69-1	Glue (Tube 1000g)	14,00 €

Special seal for vapor barrier

When installing in a low-energy, passive or timber-frame prefabricated house, the fire protection duct must be connected to the vapor barrier film.

Depending on the outside dimensions of the duct, we offer special seals in different sizes as accessories. These are supplied together with a suitable silicone adhesive.

Together with the optionally available connection plate, a clean on-site seal can be created in order to meet the requirements of the blower door test.



FACT-BOX LUX-NOVA Variant 2

- Hole cutouts in the desired size can be made on site
- Can be used for different diameters, so little storage is required
- The hole cutout can be moved from the middle of the wall duct, provided that it is ensured that the distance from the exhaust gas-carrying inside pipe to the combustible component or to the outside dimension of the wall duct is not less than 140 mm at any point (see "the right size")
- Installation as a blind wall duct for later connection possible
- Quick and easy installation
- Also suitable for subsequent installation on the construction site
- Can be used for various exhaust systems (stainless steel single-walled and double-walled, stove pipes)
- Tested and approved for a maximum installation length of 496 mm
- Individual wall thicknesses and roof pitches can be realized (see accessories table)
- Length can be adjusted on site
- Simple and secure connection to the building structure thanks to stable outside cover
- All ducts are already pre-primed so that the vapor barrier film can be attached using a sealing sleeve
- The change from double-walled on single-walled can take place within the feedthrough or with DW-Length element with integrated wall lining
- Individual custom-made products with length adjustment, pipe cutouts and bevel cuts can be delivered ready-made according to customer requirements (see accessories table)



ROOF PENETRATION FOR PITCHED ROOF

	DN Ø smoke pipe in mm	Component length in mm Dimension A Others on request	Outside dimensions in mm Dimensions B	Price
LUX-NOVA-GP-600.1	up to 150	600	430x430	632,00 €
LUX-NOVA-GP-1000.1	up to 150	1000	430x430	926,00 €
LUX-NOVA-GP-600.2	160-200	600	480x480	693,00 €
LUX-NOVA-GP-1000.2	160-200	1000	480x480	980,00 €
LUX-NOVA-GP-600.3	*1 225-250	600	530x530	750,00 €
LUX-NOVA-GP-1000.3	*1 225-250	1000	530x530	1.077,00 €




ACCESORIES

LUX-NOVA1553	Surcharge for bevel cut up to 45°	173,00 €
LUX-NOVA1554	Surcharge for bevel cut over 45°	259,00 €
LUX-NOVA1555	Surcharge for double-sided cutout elliptical	173,00 €
LUX-NOVA1556.01	Special seal 0-22° 430x430mm Set including silicone adhesive	140,00 €
LUX-NOVA1556.02	Special seal 0-22° 480x480mm Set including silicone adhesive	142,00 €
LUX-NOVA1556.03	Special seal 0-22° 530x530mm Set including silicone adhesive	145,00 €
LUX-NOVA1557.01	Special seal 23-45° Set including silicone adhesive	141,00 €
LUX-NOVA1557.02	Special seal 23-45° Set including silicone adhesive	145,00 €
LUX-NOVA1557.03	Special seal 23-45° Set including silicone adhesive	147,00 €

SPECIAL: PITCHED ROOF

When routing exhaust gases through a pitched roof, the roof pitch must be taken into account when selecting the appropriate fire protection duct. The greater the roof pitch, the greater the required length (dimension A) of the LUX-NOVA. The corresponding bevel cut as well as the elliptical pipe cut-out must be ordered from us as an additional service.

Calculation of the required component length:
 $A = (\text{outside width } B \times \tan \text{ roof pitch}) + (\text{vertical component depth } C / \sin (90^\circ \text{ roof pitch}))$



THE RIGHT SIZE

For our fire protection ducts, the minimum distance between the exhaust pipe and combustible components is 140 mm. If the pipe cutout is installed centrally, the required outside dimensions of the fire protection duct are calculated as pipe diameter + 280 mm. If the pipe cutout is eccentric, the deviation from the center point must be added accordingly. The distance must not be less than 140 mm on any side.

Please note that the minimum distances only apply to the combustible wall structure or the combustible components in the wall. The wall cladding must at least correspond to Appendix 2 - Pos. 1 of approval Z - 7.4 - 3487.

*1 Please inquire about delivery time separately.

Please note that adhesive L69-1 is always included.

LUX-NOVA including insulation shell is also available as a SET. Order code: LUX-NOVA-GP-EW...-SET



Fire protection implementation LUX-ECO

DESCRIPTION

Inexpensive wall, ceiling and roof penetration for insulated flue pipes

MATERIAL

Pipe shell made from non-combustible fiberglass insulation Vario-therm

NOMINAL DIAMETER (DN)

Up to max. DN 250 mm

LENGTHS

500 mm or 1000 mm, can be shortened to the desired installation length

WALL THICKNESS

Up to max. 360 mm

CEILING THICKNESS

Up to max. 500 mm



CHARACTERISTICS

- Approved for the implementation of insulated flue pipes, connecting pipes and chimneys
- Max. flue gas temperature 400°C (T400)
- Significant reduction in the lateral distance for flue pipe penetrations compared to FeuVo
- Particularly practical for pitched roofs and buildings with external insulation

PARTICULARITIES

- Only 125 mm distance from the stovepipe components to combustible materials
- Max. length when used as a wall duct ≤ 360 mm
- Max. length when used as a ceiling or roof penetration ≤ 500 mm
- Wall, ceiling and roof penetration can be customized to the desired length
- Please note the information in the licence

LICENSE NUMBER

Z - 7.4 - 3469
(for walls up to max. 360 mm, for ceilings and roofs max. 500 mm)

CLASSIFICATION

T400 - L_A00



Fire protection implementation LUX-ECO

	Description	DN Ø insulated exhaust system in mm	Bore of the LUX-ECO in mm	Installation dimensions (outer diameter wall, ceiling, roof penetration)
LUX-ECO50	Wall, ceiling and roof penetration 500 mm	130	210	380
LUX-ECO100	Wall, ceiling and roof penetration 1000 mm	130	210	380
LUX-ECO50	Wall, ceiling and roof penetration 500 mm	150	230	400
LUX-ECO100	Wall, ceiling and roof penetration 1000 mm	150	230	400
LUX-ECO50	Wall, ceiling and roof penetration 500 mm	180	260	430
LUX-ECO100	Wall, ceiling and roof penetration 1000 mm	180	260	430
LUX-ECO50	Wall, ceiling and roof penetration 500 mm	200	280	450
LUX-ECO100	Wall, ceiling and roof penetration 1000 mm	200	280	450
LUX-ECO50	Wall, ceiling and roof penetration 500 mm	250	330	500
LUX-ECO100	Wall, ceiling and roof penetration 1000 mm	250	330	500

Insulated wall/
ceiling/roof sleeve
Kit with glue and
fireproof plate



Insulated wall/
ceiling/roof sleeve
Kit with glue and 2
fireproof plates

Fire proof plate
Vermiculit
(615x615mm),
20mm wall thick-
ness

Fire proof plate
Vermiculit
(1050x1050mm),
20mm wall thick-
ness

Fire protection glue
(bag 850 g)

Multifunctional knife




LUX-ECO50Ø	LUX-ECO100Ø	LUX-ECOABS0615X0615	LUX-ECOABS1050X1050	LUX-BSK1	LUXHRC
130 634,00 €	130 1.198,00 €	68,00 €	332,00 €	21,00 €	38,00 €
150 683,00 €	150 1.292,00 €				
180 777,00 €	180 1.464,00 €				
200 851,00 €	200 1.593,00 €				
250 1.010,00 €	250 1.914,00 €				


Installation in
external wall insulation:

Installation in
combustible wall


Installation in
Roof / pitched roof




b = max. installation length
(see illustrations on the right)




component depth $b \leq 180$
mm




component depth
 $b \leq 360$ mm



Vertical component depth
 $b \leq 500$ mm



STOVE PIPES



At a glance

STOVE PIPES

Jeremias connection pipes for stoves are available in different designs. In addition to the standard FERRO-LUX, we offer ISO-LINE, an insulated variant that minimizes the required distance to combustible components as well as a solution optimized for pellet stoves which is resistant to acid and moisture.

JEREMIAS STOVEPIPE SYSTEMS ARE CHARACTERIZED BY:

- CE certification
- Simple assembly thanks to precisely fitting elements and plug connections
- No welding required on site
- TIG gas-shield welded and passivated longitudinal seams for the highest level of corrosion protection
- Condensate and gas tight
- Pellet connecting pipe: Use of high-quality sealing materials for a long service life

MATERIAL THICKNESS

- 0.4 mm
- 0.6 mm
- 2.0 mm

System	Oil	Gas	SF	Working temp.	Material	Wall thicknes	WIG	Pres-sure	Certification	Classification
FERRO-LUX			✓	≤ 600 °C	Steel sheet DC01 (St12)	2,0 mm	✓	N1	0036 CPR 9174 017	Without radiation protection: T600 - N1 - D - Vm - L01200 - G4xx Distances with radiation protection according to DIN 18160-1/EN 15287**
ISO-LINE			✓	≤ 450 °C	1.4404 / 1.4301	Inside: 0,6 mm Outside: 0,6 mm	✓	N1	0036 CPR 9174 038	T450 - N1 - D - V3 - L50060 - G200M
PELLET-LINE			✓	≤ 200 °C	1.4404	0,4 mm	✓	P1 200 Pa	0036 CPR 9174 072	Without radiation protection: T200 - N1 - D - V2 - L50040 - G400M T200 - P1 - W - V2 - L50040 - O50M Distances with radiation protection G200

NOTE

xx = The distances from flammable components are dependent on diameter.


** = Up to DN130 = G200, DN140 = G210, DN150 = G225, DN160 = G240, DN180 = G270, >DN200 = G300

We therefore refer you to our declarations of performance and installation instructions, which are available for download on our homepage.

All prices exclude statutory VAT. Subject to error and technical modification.
Our General Terms & Conditions apply.

EASY PLANNING

COMPONENT DRAWING WITH ONE CLICK



Just click on the product image of our online pricelist at www.jeremias.de/en/downloads and you will receive the respective component drawing with all important dimensions as a PDF.

TEST THE NEW FEATURE!



System FERRO-LUX

DESCRIPTION

Connection pipe made of sheet steel for connection to stoves and use as a visible element in living rooms, dry operation

MATERIAL

Steel sheet DC01 (St12)

FINISHING

Coated with heat-resistant Senotherm paint

Colours:

Black 702.284 or
cast grey 702.288

On request:

Black-metallic 702.310

WALL THICKNESS

2.0 mm

INSIDE DIAMETER

120 - 200 mm

Others on request

CONNECTION

Plug-and-socket connection with slip-on connector ends

Please refer to the respective code for deviations.


ORDER CODE

The article code for your order results from: System + article code + Ø (e.g.: FERRO1416120)

If you require different colors, please use the following article codes instead of FERRO1.../FERRO-E1.../FERRO-R1... (black):

FERRO2.../FERRO-E2.../FERRO-R2... Black metallic

FERRO3.../FERRO-E3.../FERRO-R3... cast grey



APPLICATION AREAS

- Standard fireplaces for solid fuels (natural wood, coke, peat, coal*)

- Stoves

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER

0036 CPR 9174 017

CE CLASSIFICATIONS - DIN EN 1856 - 2

Without radiation protection

T600 - N1 - D - Vm - L01200 - G4xx

xx = Clearances to flammable materials depend on the diameter, see performance declaration

Distances with radiation protection according to DIN 18160-1/EN 15287

until DN130 = G200, DN140 = G210, DN150 = G225, DN160 = G240,

DN180 = G270, >DN200 = G300

Elbow with door and throttle valve, storm collar and wall sleeve (kit), vertical 70mm, horizontal 450mm



Elbow with door and throttle valve, vertical 700mm, horizontal 450mm



Single piece elbow with door, damper, storm collar, wall sleeve (500/700mm)



Knee elbow with door and throttle valve, vertical 600mm, horizontal 400mm



Length 1000mm



Length 750mm



Length 500mm



FERRO1416Ø	FERRO1415Ø	FERRO1417Ø	FERRO1469Ø	FERRO1401Ø	FERRO1402Ø	FERRO1403Ø
120 82,00 €	120 73,00 €	150 182,00 €	120 75,00 €	120 55,00 €	120 41,00 €	120 29,00 €
130 94,00 €	130 76,00 €		130 79,00 €	130 57,00 €	130 48,00 €	130 31,00 €
150 99,00 €	150 81,00 €		150 87,00 €	150 63,00 €	150 53,00 €	150 34,00 €
160 103,00 €	160 86,00 €		160 91,00 €	160 66,00 €	160 55,00 €	160 35,00 €
180 110,00 €	180 97,00 €		180 98,00 €	180 72,00 €	180 61,00 €	180 39,00 €
200 116,00 €	200 104,00 €		200 107,00 €	200 77,00 €	200 64,00 €	200 42,00 €

Length 330mm



Length 250mm



Length 150mm



Length 1000mm with throttle valve, condensate collector, door (retracted)



Length 1000mm with throttle valve, condensate collector, door (without retraction)



Length 1000mm with damper, condensate collector, backstop & door (without retraction)



Length 500mm with throttle valve and door (retracted)



FERRO1404Ø	FERRO1405Ø	FERRO1406Ø	FERRO1450Ø	FERRO1450-1Ø	FERRO12158-1Ø	FERRO1451Ø
120 25,00 €	120 21,00 €	120 17,00 €	120 67,00 €	120 67,00 €	120 69,00 €	120 43,00 €
130 26,00 €	130 22,00 €	130 17,00 €	130 72,00 €	130 72,00 €	130 75,00 €	130 46,00 €
150 27,00 €	150 24,00 €	150 18,00 €	150 77,00 €	150 77,00 €	150 82,00 €	150 52,00 €
160 29,00 €	160 24,00 €	160 19,00 €	160 85,00 €	160 85,00 €	160 86,00 €	160 55,00 €
180 32,00 €	180 26,00 €	180 20,00 €	180 95,00 €	180 95,00 €	180 95,00 €	180 61,00 €
200 36,00 €	200 27,00 €	200 21,00 €	200 104,00 €	200 104,00 €	200 102,00 €	200 65,00 €

Length 500mm with throttle valve and door (without retraction)



Length 300mm with throttle valve



Length 300mm with throttle valve and door



Inspection length 150mm with condensate ring (without retraction)



Elbow 15° with door



Elbow 30° with door



Elbow 45° with door



FERRO1451-1Ø	FERRO1418Ø	FERRO1464Ø	FERRO1465-1Ø	FERRO1460Ø	FERRO1461Ø	FERRO1409Ø
120 43,00 €	120 32,00 €	120 34,00 €	120 28,00 €	120 39,00 €	120 39,00 €	120 39,00 €
130 46,00 €	130 33,00 €	130 35,00 €	130 29,00 €	130 41,00 €	130 41,00 €	130 41,00 €
150 52,00 €	150 35,00 €	150 36,00 €	150 31,00 €	150 42,00 €	150 42,00 €	150 42,00 €
160 55,00 €	160 35,00 €	160 37,00 €	160 32,00 €	160 44,00 €	160 44,00 €	160 44,00 €
180 61,00 €	180 39,00 €	180 41,00 €	180 33,00 €	180 48,00 €	180 48,00 €	180 48,00 €
200 65,00 €	200 42,00 €	200 43,00 €	200 35,00 €	200 51,00 €	200 51,00 €	200 51,00 €



Elbow 90° with door

Adjustable elbow 0-90°, 3-piece with door „Basic“

Elbow 15° without door

Elbow 30° without door

Elbow 45° without door

Elbow 60° without door

Elbow 90° without door



FERRO1407Ø	FERRO1431Ø	FERRO1412Ø	FERRO1411Ø	FERRO1410Ø	FERRO1408Ø	FERRO1454Ø
120 42,00 €	120 38,00 €	120 29,00 €	120 29,00 €	120 29,00 €	120 35,00 €	120 38,00 €
130 43,00 €	130 39,00 €	130 32,00 €	130 32,00 €	130 32,00 €	130 35,00 €	130 40,00 €
150 48,00 €	150 42,00 €	150 33,00 €	150 33,00 €	150 33,00 €	150 36,00 €	150 44,00 €
160 48,00 €	160 43,00 €	160 36,00 €	160 36,00 €	160 36,00 €	160 41,00 €	160 45,00 €
180 54,00 €	180 45,00 €	180 39,00 €	180 39,00 €	180 39,00 €	180 43,00 €	180 48,00 €
200 65,00 €	200 49,00 €	200 42,00 €	200 42,00 €	200 42,00 €	200 45,00 €	200 57,00 €

Single piece elbow 45° with door

Single piece elbow 45° with door

Adjustable elbow 0-90°, 3-piece with door

Adjustable elbow 0-90°, 3-piece with throttle valve and door

Adjustable elbow 0-90°, 3-piece, without door

Adjustable elbow 0-90°, 4-piece with 2 doors

Adjustable elbow 0-90°, 4-piece without door



FERRO1445Ø	FERRO1446Ø	FERRO11758Ø	FERRO11769Ø	FERRO11771Ø	FERRO11759Ø	FERRO11770Ø
150 167,00 €	150 145,00 €	120 63,00 €	120 76,00 €	120 57,00 €	120 81,00 €	120 77,00 €
		130 65,00 €	130 79,00 €	130 61,00 €	130 82,00 €	130 78,00 €
		150 69,00 €	150 80,00 €	150 65,00 €	150 87,00 €	150 83,00 €
		160 72,00 €	160 81,00 €	160 68,00 €	160 88,00 €	160 83,00 €
		180 73,00 €	180 83,00 €	180 70,00 €	180 94,00 €	180 86,00 €
		200 75,00 €	200 87,00 €	200 71,00 €	200 96,00 €	200 88,00 €

Wall sleeve 100mm not painted

Wall sleeve 200mm not painted

Wall sleeve with centring springs and storm collar 55mm

Storm collar 55mm

Storm collar wide 85mm

Wall sleeve for corner 90° with loose plates

Wall sleeve for corner 270° with loose plates



FERRO0413Ø	FERRO0414Ø	FERRO1921Ø	FERRO1422Ø	FERRO1423Ø	FU1442Ø	FU1443Ø
120 13,00 €	120 18,00 €	120 34,00 €	120 10,00 €	120 13,00 €	120 154,00 €	120 154,00 €
130 13,00 €	130 19,00 €	130 39,00 €	130 10,00 €	130 14,00 €	130 162,00 €	130 162,00 €
150 14,00 €	150 20,00 €	150 40,00 €	150 11,00 €	150 14,00 €	150 166,00 €	150 166,00 €
160 14,00 €	160 20,00 €	160 41,00 €	160 11,00 €	160 15,00 €	160 171,00 €	160 171,00 €
180 15,00 €	180 21,00 €	180 48,00 €	180 12,00 €	180 16,00 €	180 189,00 €	180 189,00 €
200 22,00 €	200 22,00 €	200 51,00 €	200 13,00 €	200 16,00 €	200 197,00 €	200 197,00 €

Stainless steel connector, DC01 steel not painted

Throttle

Soot collector foldable

FERRO Senotherm spray can-black

FERRO Senotherm spray can-metallic black

FERRO Senotherm spray can-cast iron grey

Heat radiation shield l=1000mm



FERRO0443Ø	FERRO1453Ø	ZUAC2278Ø	FERROSP-1	FERROSP-2	FERROSP-3	FERRO1961Ø
120 7,00 €	120 14,00 €	120 26,00 €	13,00 €	13,00 €	13,00 €	120 41,00 €
130 10,00 €	130 15,00 €	130 27,00 €				130 41,00 €
150 11,00 €	150 16,00 €	150 28,00 €				150 42,00 €
160 11,00 €	160 16,00 €	160 31,00 €				160 43,00 €
180 12,00 €	180 17,00 €	180 32,00 €				180 46,00 €
200 13,00 €	200 18,00 €	200 34,00 €				200 48,00 €

Heat radiation shield l=750mm

Heat radiation shield l=500mm

Heat radiation shield l=250mm

Heat radiation shield elbow 90°, vertical

Heat radiation shield elbow 90°, horizontal



FERRO1960Ø	FERRO1483Ø	FERRO1959Ø	FERRO1497Ø	FERRO1498Ø
120 37,00 €	120 27,00 €	120 23,00 €	120 28,00 €	120 28,00 €
130 38,00 €	130 27,00 €	130 24,00 €	130 29,00 €	130 29,00 €
150 39,00 €	150 28,00 €	150 24,00 €	150 33,00 €	150 33,00 €
160 40,00 €	160 29,00 €	160 25,00 €	160 37,00 €	160 37,00 €
180 41,00 €	180 31,00 €	180 27,00 €	180 39,00 €	180 39,00 €
200 41,00 €	200 35,00 €	200 28,00 €	200 45,00 €	200 45,00 €

Increaser



FERRO-E1ØØ					
A 080	24,00 €	A 120	24,00 €	A 130	25,00 €
B 120		B 150		B 150	
A 110	23,00 €	A 120	31,00 €	A 130	27,00 €
B 120		B 160		B 160	
A 110	28,00 €	A 120	32,00 €	A 130	31,00 €
B 150		B 180		B 180	
A 120	24,00 €	A 120	35,00 €	A 130	33,00 €
B 130		B 200		B 200	
				A 150	26,00 €
				B 160	
				A 150	27,00 €
				B 180	
				A 150	37,00 €
				B 200	
				A 160	27,00 €
				B 180	



Decreaser



FERRO-R1Ø					
A 120	23,00 €	A 160	26,00 €	A 200	37,00 €
B 110		B 150		B 150	
A 130	24,00 €	A 180	31,00 €	A 200	39,00 €
B 120		B 130		B 160	
A 150	24,00 €	A 180	27,00 €	A 200	29,00 €
B 120		B 150		B 180	
A 150	25,00 €	A 180	27,00 €		
B 130		B 160			



System ISO-LINE

DESCRIPTION

Double wall connecting pipe for stoves and use as a visible element in living rooms, dry operation mode

MATERIAL

1.4404 (316L) / 1.4301 (304)

FINISHING

Heat-resistant senotherm paint

Brushed stainless steel

Black 702.284

Cast grey 702.288

WALL THICKNESS

Inside / Outside each 0.6 mm

INSIDE DIAMETER

130 mm and 150 mm

INSULATION

Ceramic insulation 15 mm thick

CONNECTION

Plug-and-socket connection with slip-on connector ends


ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: 15-ISO460130)

If you require a different color, please use instead

15-ISO (black) the article code 25-ISO (cast gray)



CHARACTERISTICS

- Decreases the required clearance to flammable components from 400 mm to 200 mm (compared to normal stovepipes)

APPLICATION AREAS

- Standard heating applications for solid fuels (natural wood, coke, peat, coal*)
- Stoves

* except anthracite coal from Ibbenbüren, Germany

CE MARK NUMBER


0036 CPR 9174 038

CE CLASSIFICATIONS - DIN EN 1856 - 2

T450 - N1 - D - V3 - L50060 - G200M



System ISO-LINE BLACK



Elbow 15° with door

Elbow 30° with door

Elbow 45° with door

Elbow 90° with door

Elbow 15° without door

Elbow 30° without door

Elbow 45° without door



15-ISO460Ø

15-ISO461Ø

15-ISO409Ø

15-ISO019Ø

15-ISO016Ø

15-ISO017Ø

15-ISO018Ø

130 194,00 €
150 201,00 €

130 204,00 €
150 212,00 €

130 204,00 €
150 212,00 €

130 310,00 €
150 334,00 €

130 120,00 €
150 124,00 €

130 125,00 €
150 129,00 €

130 125,00 €
150 129,00 €

Elbow 90° without door

Elbow with door and throttle valve, vertical 700mm, horizontal 500mm

starter kit
inspection, damper, sleeve storm collar and adaptor

Length 1000mm

Length 750mm



15-ISO060Ø

15-ISO415Ø

15-ISO499Ø

15-ISO013Ø

15-ISO402Ø

130 260,00 €
150 270,00 €

130 386,00 €
150 401,00 €

130 576,00 €
150 600,00 €

130 222,00 €
150 230,00 €

130 174,00 €
150 180,00 €

Length 500mm

Length 330mm

Length 250mm

Length 150mm

Length 1000mm with throttle valve and door (retracted)

Length 500mm with throttle valve and door (retracted)

Length 300mm with throttle valve



15-ISO014Ø

15-ISO222Ø

15-ISO015Ø

15-ISO224Ø

15-ISO450Ø

15-ISO451Ø

15-ISO418Ø

130 125,00 €
150 129,00 €

130 106,00 €
150 109,00 €

130 91,00 €
150 93,00 €

130 64,00 €
150 66,00 €

130 356,00 €
150 369,00 €


130 221,00 €
150 229,00 €

130 204,00 €
150 212,00 €

Inspection length 150mm with condensate ring (retracted)	Adaptor stove/ ISO-Line	Adaptor ISO Line/ EW (wall sleeve)	Adjustable wall bra- cket up to 250mm, single-braced	Storm collar 55mm	Storm collar wide 85mm
					
15-ISO465Ø	15-ISO037Ø	15-ISO37AØ	15-ISO387Ø	15-ISO422Ø	15-ISO423Ø
130103,00 €	13063,00 €	13063,00 €	13077,00 €	13021,00 €	13028,00 €
150106,00 €	15064,00 €	15064,00 €	15086,00 €	15022,00 €	15031,00 €



System ISO-LINE BRUSHED



Elbow 15° with door

Elbow 30° with door

Elbow 45° with door

Elbow 90° with door

Elbow 15° without door

Elbow 30° without door

Elbow 45° without door



350-ISO460Ø		350-ISO461Ø		350-ISO409Ø		350-ISO019Ø		350-ISO016Ø		350-ISO017Ø		350-ISO018Ø	
130	176,00 €	130	183,00 €	130	183,00 €	130	292,00 €	130	111,00 €	130	115,00 €	130	115,00 €
150	181,00 €	150	194,00 €	150	194,00 €	150	314,00 €	150	114,00 €	150	120,00 €	150	120,00 €

Elbow 90° without door

Elbow with door and throttle valve, vertical 700mm, horizontal 500mm

starter kit
inspection, damper, sleeve storm collar and adaptor

Length 1000mm

Length 750mm



350-ISO060Ø		350-ISO415Ø		350-ISO499Ø		350-ISO013Ø		350-ISO402Ø	
130	238,00 €	130	348,00 €	130	527,00 €	130	203,00 €	130	158,00 €
150	246,00 €	150	362,00 €	150	548,00 €	150	210,00 €	150	166,00 €

Length 500mm

Length 330mm

Length 250mm

Length 150mm

Length 1000mm with throttle valve and door (retracted)

Length 500mm with throttle valve and door (retracted)

Length 300mm with throttle valve



350-ISO014Ø		350-ISO222Ø		350-ISO015Ø		350-ISO224Ø		350-ISO450Ø		350-ISO451Ø		350-ISO418Ø	
130	115,00 €	130	93,00 €	130	84,00 €	130	61,00 €	130	302,00 €	130	179,00 €	130	183,00 €
150	120,00 €	150	99,00 €	150	86,00 €	150	62,00 €	150	328,00 €	150	191,00 €	150	194,00 €

Inspection length
130mm with
condensate ring
(retracted)

Adaptor stove/
ISO-Line

Adaptor ISO Line/
EW (wall sleeve)

Adjustable wall bra-
cket up to 250mm,
single-braced

Storm collar 55mm

Storm collar wide
85mm



350-ISO465Ø		350-ISO037Ø		350-ISO37AØ		350-ISO387Ø		350-ISO422Ø		350-ISO423Ø	
130	92,00 €	130	58,00 €	130	58,00 €	130	70,00 €	130	19,00 €	130	27,00 €
150	98,00 €	150	59,00 €	150	59,00 €	150	79,00 €	150	20,00 €	150	28,00 €



System VENTILATION SYSTEM EW

DESCRIPTION



Single-wall ventilation system for supplying combustion air to a room-air independent stove. An integrated flue gas damper prevents the circulation of cold air when the stove is not in operation.

Installation in coordination with authorised chimney sweep. Make sure that the flap is open when the appliance is operating.



Air intake system Kit-Brown

Air intake system Kit-White



ZUTE925Ø		ZUTE935Ø	
100	151,00 €	100	151,00 €
125	203,00 €	125	203,00 €
150	242,00 €	150	242,00 €



System PELLET-LINE

DESCRIPTION

Connecting pipe made of stainless steel with internal gasket for connecting to pellet stoves and use as a visible element in living rooms

MATERIAL

Stainless steel 1.4404 (316L)

FINISHING

Heat-resistant silicon paint

Colours:

Unpainted

Black RAL-SI-TS70030020

Cast grey RAL-FEYCOSIL242

WALL THICKNESS

0.4 mm

INSIDE DIAMETER

80 - 100 mm

Others on request

CONNECTION

Push-fit connection retracted with special internal gasket


ORDER CODE

The article code for your order results from:

System + article code + Ø (e.g.: 15-EWPV013080)

If you require a different color, please use instead

15-EWPV (black) the article code 25-EWPV (cast gray)



CHARACTERISTICS

- Resistant to soot fires and moisture
- Pressure tight up to 200 Pa

APPLICATION AREAS

- Connecting pipe to pellet stoves

CE MARK NUMBER

0036 CPR 9174 072

CE CLASSIFICATIONS ACC. TO DIN EN 1856 - 2

Without radiation protection

T200 - N1 - D - V2 - L50040 - G400M (without coating)

T200 - P1 - W - V2 - L50040 - O50M (without coating)

Distances with radiation protection G200



System PELLET-LINE BLACK



Length 1000mm

Length 500mm

Length 250mm

Adjustable length
080-420mm

Length 500mm
with inspection
door

Elbow 15°

Elbow 30°

15-EWPV013Ø	15-EWPV014Ø	15-EWPV015Ø	15-EWPV2416Ø	15-EWPV725Ø	15-EWPV016Ø	15-EWPV017Ø
080 51,00 €	080 35,00 €	080 28,00 €	080 39,00 €	080 63,00 €	080 32,00 €	080 32,00 €
100 53,00 €	100 40,00 €	100 34,00 €	100 46,00 €	100 64,00 €	100 34,00 €	100 34,00 €

Elbow 45°

Elbow 90°

Elbow 90° with
inspection door

Knee elbow 90°

Elbow 90° with fe-
male socket (boiler
adaptor)

T-90° with remo-
vable condensate
collector, outlet
with female socket
(boiler adaptor)

T-90° with FU-female
outlet and removable
condensate collec-
tor without drain
(smooth/without
beads on top)

15-EWPV018Ø	15-EWPV060Ø	15-EWPV019Ø	15-EWPV1288Ø	15-EWPV673Ø	15-EWPV557Ø	15-EWPV557BØ
080 32,00 €	080 43,00 €	080 67,00 €	080 39,00 €	080 45,00 €	080 74,00 €	080 74,00 €
100 34,00 €	100 45,00 €	100 70,00 €	100 40,00 €	100 51,00 €	100 76,00 €	100 76,00 €

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

Device adaptor
with female socket
and test point

Device adaptor
with female socket
and test point

Device adaptor
with female socket

Device adaptor
with double female

Storm collar

15-EWPV1419Ø	15-EWPV1419BØ	15-EWPV674Ø	15-EWPV674BØ	15-EWPV675Ø	15-EWPV675BØ	15-ZUWA676Ø
080 98,00 €	080 98,00 €	080 58,00 €	080 58,00 €	080 32,00 €	080 32,00 €	080 23,00 €
100 101,00 €	100 101,00 €	100 59,00 €	100 59,00 €	100 38,00 €	100 38,00 €	100 26,00 €

- *1 For your order please specify the type of the wall sleeve

Storm collar 80mm (closed)

Stove connection band with threaded socket

Stainless steel wall sleeve, airtight

Gasket silicone up to 200°C

Heat radiation shield elbow 90°, vertical

Heat radiation shield elbow 90°, horizontal

Heat radiation shield l=1000mm

						
15-ZUWA2159-1Ø	15-ZUWA677Ø	EWPV1154Ø	EWPV026Ø	15-EWEC497Ø	15-EWEC498Ø	15-EWEC961Ø
080 27,00 €	080 32,00 €	080 40,00 €	060 21,00 €	080 42,00 €	080 42,00 €	080 125,00 €
100 31,00 €	100 34,00 €	100 42,00 €	072 21,00 €	100 45,00 €	100 45,00 €	100 133,00 €

Heat radiation shield l=500mm

Heat radiation shield l=250mm

Adaptor EW-PV/ DW-ECO 2.0

Adaptor EW-PV/ DW-FU

			
15-EWEC483Ø	15-EWEC959Ø	15-205-DWETN37PVØ	15-DW37PVØ
080 67,00 €	080 38,00 €	080 86,00 €	080 91,00 €
100 72,00 €	100 43,00 €	100 90,00 €	100 92,00 €

Connection piece with integrated wall sleeve



*1

EWPV757Ø-Ø							
A 100	79,00 €	A 130	81,00 €	A 160	86,00 €	A 200	90,00 €
B 080		B 080		B 080		B 080	
A 115	79,00 €	A 130	83,00 €	A 160	87,00 €	A 200	92,00 €
B 080		B 100		B 100		B 100	
A 120	81,00 €	A 150	84,00 €	A 180	86,00 €		
B 080		B 080		B 080			
A 120	83,00 €	A 150	84,00 €	A 180	87,00 €		
B 100		B 100		B 100			



System PELLET-LINE UNPAINTED



Length 1000mm

Length 500mm

Length 250mm

Adjustable length
080-420mm

Length 500mm
with inspection
door

Elbow 15°

Elbow 30°



EWPV013Ø		EWPV014Ø		EWPV015Ø		EWPV2416Ø		EWPV725Ø		EWPV016Ø		EWPV017Ø	
080	43,00 €	080	28,00 €	080	21,00 €	080	34,00 €	080	54,00 €	080	23,00 €	080	27,00 €
100	45,00 €	100	34,00 €	100	27,00 €	100	38,00 €	100	58,00 €	100	26,00 €	100	28,00 €

Elbow 45°

Elbow 90°

Elbow 90° with
inspection door

Knee elbow 90°

Elbow 90° with fe-
male socket (boiler
adaptor)

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

T-90° with FU-female
outlet and removable
condensate collec-
tor without drain
(smooth/without
beads on top)



EWPV018Ø		EWPV060Ø		EWPV019Ø		EWPV1288Ø		EWPV673Ø		EWPV557Ø		EWPV557BØ	
080	31,00 €	080	36,00 €	080	62,00 €	080	32,00 €	080	39,00 €	080	66,00 €	080	66,00 €
100	32,00 €	100	39,00 €	100	64,00 €	100	35,00 €	100	42,00 €	100	69,00 €	100	69,00 €

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

T-90° with cleaning
opening, outlet
with female socket
(boiler adaptor)

Device adaptor
with female socket
and test point

Device adaptor
with female socket
and test point

Device adaptor
with female socket

Device adaptor
with double female

Storm collar



EWPV1419Ø		EWPV1419BØ		EWPV674Ø		EWPV674BØ		EWPV675Ø		EWPV675BØ		ZUWA676Ø	
080	91,00 €	080	91,00 €	080	52,00 €	080	54,00 €	080	23,00 €	080	23,00 €	080	21,00 €
100	93,00 €	100	93,00 €	100	53,00 €	100	57,00 €	100	31,00 €	100	31,00 €	100	22,00 €

- *1 For your order please specify the type of the wall sleeve

Storm collar 80mm (closed)

Stove connection band with threaded socket

Stainless steel wall sleeve, airtight

Gasket silicone up to 200°C

Heat radiation shield elbow 90°, vertical

Heat radiation shield elbow 90°, horizontal

Heat radiation shield l=1000mm



ZUWA2159-1Ø		ZUWA677Ø		EWPV1154Ø		EWPV026Ø		EWEC497Ø		EWEC498Ø		EWEC961Ø	
080	23,00 €	080	23,00 €	080	40,00 €	060	21,00 €	080	35,00 €	080	35,00 €	080	118,00 €
100	27,00 €	100	26,00 €	100	42,00 €	072	21,00 €	100	39,00 €	100	39,00 €	100	126,00 €

Heat radiation shield l=500mm

Heat radiation shield l=250mm

Adaptor EW-PV/ DW-ECO 2.0

Adaptor EW-PV/ DW-FU




EWEC483Ø		EWEC959Ø		205-DWETN37PVØ		DW37PVØ	
080	61,00 €	080	31,00 €	080	58,00 €	080	61,00 €
100	64,00 €	100	36,00 €	100	59,00 €	100	62,00 €

Connection piece with integrated wall sleeve



*1

EWPV757Ø-Ø							
A 100	79,00 €	A 130	81,00 €	A 160	86,00 €	A 200	90,00 €
B 080		B 080		B 080		B 080	
A 115	79,00 €	A 130	83,00 €	A 160	87,00 €	A 200	92,00 €
B 080		B 100		B 100		B 100	
A 120	81,00 €	A 150	84,00 €	A 180	86,00 €		
B 080		B 080		B 080			
A 120	83,00 €	A 150	84,00 €	A 180	87,00 €		
B 100		B 100		B 100			




ACCESORIES

Our product range includes a **a wide range of accessories for exhaust systems**. At Jeremias you will receive high-quality chimney risers, chimney attachments, cover plates, hoods and cladding as well as exhaust dampers that round off the range of exhaust solutions

All prices are plus VAT.
Subject to errors and technical changes.
Our general terms and conditions apply



Accessories CHIMNEY RAISING SINGLE WALL



Single wall chimney raise 0.6mm
l=500mm


Single wall chimney raise 0.6mm
l=1000mm

Single wall chimney raise 0.6mm
l=1500mm


Single wall chimney raise 0.6mm
l=2000mm

Bonnet type "Jet"
to clamp

Wind deflector/slit
bonnet



*3



*3



*3



*2



KEEW226Ø		KEEW227Ø		KEEW228Ø		KEEW229Ø		KEEW233Ø		KEEW234Ø	
115	129,00 €	115	145,00 €	115	217,00 €	115	230,00 €	115	166,00 €	115	285,00 €
120	131,00 €	120	149,00 €	120	222,00 €	120	238,00 €	120	173,00 €	120	293,00 €
130	137,00 €	130	154,00 €	130	229,00 €	130	249,00 €	130	183,00 €	130	308,00 €
140	145,00 €	140	159,00 €	140	244,00 €	140	260,00 €	140	212,00 €	140	351,00 €
150	151,00 €	150	169,00 €	150	254,00 €	150	273,00 €	150	221,00 €	150	364,00 €
160	159,00 €	160	181,00 €	160	273,00 €	160	297,00 €	160	230,00 €	160	391,00 €
180	173,00 €	180	201,00 €	180	302,00 €	180	324,00 €	180	253,00 €	180	426,00 €
200	193,00 €	200	224,00 €	200	334,00 €	200	368,00 €	200	276,00 €	200	465,00 €
225	209,00 €	225	244,00 €	225	365,00 €	225	400,00 €	225	307,00 €	225	510,00 €
250	228,00 €	250	268,00 €	250	403,00 €	250	441,00 €	250	367,00 €	250	551,00 €
300	272,00 €	300	313,00 €	300	481,00 €	300	520,00 €	300	384,00 €	300	639,00 €
350	384,00 €	350	558,00 €	350	733,00 €	350	907,00 €	350	441,00 €	350	742,00 €
400	473,00 €	400	666,00 €	400	852,00 €	400	1.040,00 €	400	540,00 €	400	907,00 €



Accessories CHIMNEY RAISING DW-FU



Base plate for chimney raise with round insert
l=220mm, max.
height from base plate 1,5m

Base plate for chimney raise with round insert
l=220mm, max.
height from base plate 2,0m


Base plate for chimney raise with round insert
l=220mm, max.
height from base plate 3,0m

Inspection length (up to 600°C/
N1) suitable for
DW08-3

Inspection length (up to 600°C/N1)
with square door
210x140mm with
water repellent

Inspection length
(up to 600°C/N1)

Length 1000mm



*1



*1



*1



*19



*19



DW08Ø		DW08-2Ø		DW08-3Ø		DW10-3Ø		DW2939Ø		DW10Ø		DW13Ø	
115	107,00 €	115	278,00 €	115	290,00 €	115	377,00 €	115	447,00 €	115	336,00 €	115	171,00 €
130	120,00 €	130	299,00 €	130	310,00 €	130	419,00 €	130	487,00 €	130	341,00 €	130	180,00 €
150	137,00 €	150	333,00 €	150	346,00 €	150	443,00 €	150	512,00 €	150	361,00 €	150	206,00 €
160	149,00 €	160	358,00 €	160	372,00 €	160	482,00 €	160	548,00 €	160	367,00 €	160	222,00 €
180	158,00 €	180	383,00 €	180	400,00 €	180	514,00 €	180	579,00 €	180	378,00 €	180	233,00 €
200	166,00 €	200	433,00 €	200	450,00 €	200	544,00 €	200	608,00 €	200	394,00 €	200	260,00 €
225	193,00 €	225	488,00 €	225	507,00 €	225	575,00 €	225	638,00 €	225	409,00 €	225	307,00 €
250	212,00 €	250	528,00 €	250	551,00 €	250	608,00 €	250	670,00 €	250	426,00 €	250	347,00 €
300	230,00 €	300	584,00 €	300	607,00 €	300	694,00 €	300	752,00 €	300	453,00 €	300	423,00 €
350	265,00 €	350	596,00 €	350	621,00 €							350	558,00 €
400	394,00 €	400	718,00 €	400	743,00 €							400	632,00 €

*1 Also available with a square insert on request

*2 Surcharge for inspection, square insertion, extended insertion and larger dimensions on request. Bulky goods with additional freight costs! Surcharge for 1.0mm +15%.

*3 Surcharge for revision, square slot and extended slot on request



Accessories CHIMNEY RAISING DW-FU

Length 500mm

End cap



DW140		DW320	
115	99,00 €	115	90,00 €
130	103,00 €	130	92,00 €
150	116,00 €	150	103,00 €
160	125,00 €	160	106,00 €
180	137,00 €	180	107,00 €
200	145,00 €	200	110,00 €
225	165,00 €	225	116,00 €
250	183,00 €	250	130,00 €
300	242,00 €	300	155,00 €
350	305,00 €	350	181,00 €
400	419,00 €	400	215,00 €



Accessories CHIMNEY RAISING DW-ECO 2.0



Base plate for chimney raise with round insert l=220mm, max. height from base plate 1,5m

Base plate for chimney raise with round insert l=220mm, max. height from base plate 2,0m


Inspection length (up to 600°C/N1)

Inspection length (up to 600°C/N1) with square door 210x140mm with water repellent

Length 1000mm

Length 500mm

End cap



*2



*2



205-DWETN08Ø		205-DWETN08-2Ø		205-DWETN10Ø		215-DWECO2939Ø		205-DWETN13Ø		205-DWETN14Ø		205-DWETN32Ø	
130	102,00 €	130	282,00 €	130	290,00 €	130	419,00 €	130	153,00 €	130	91,00 €	130	47,00 €
150	115,00 €	150	312,00 €	150	306,00 €	150	431,00 €	150	172,00 €	150	100,00 €	150	51,00 €
160	125,00 €	160	334,00 €	160	312,00 €	160	432,00 €	160	183,00 €	160	109,00 €	160	52,00 €
180	133,00 €	180	358,00 €	180	316,00 €	180	437,00 €	180	196,00 €	180	116,00 €	180	53,00 €
200	139,00 €	200	407,00 €	200	332,00 €	200	458,00 €	200	219,00 €	200	123,00 €	200	54,00 €
250	177,00 €	250	495,00 €	250	353,00 €	250	484,00 €	250	289,00 €	250	155,00 €	250	58,00 €
300	197,00 €	300	548,00 €	300	378,00 €	300	511,00 €	300	352,00 €	300	202,00 €	300	63,00 €
350	243,00 €	350	572,00 €					350	492,00 €	350	265,00 €	350	74,00 €
400	386,00 €	400	708,00 €					400	551,00 €	400	368,00 €	400	93,00 €



Accessories

CHIMNEY RAISING ACCESSORIES



3-point guy wire bracket

3-point guy wire bracket

Mounting set for 3-point guy wire bracket (galvanised)

Anchor cable (galvanised)

Folding clamp for 2-point guy wire bracket



Rgr. DW



€ NET

KEEW236Ø		DW42Ø		KEEW237	KEEW242	ZUDA1069
115	38,00 €	115	40,00 €	58,00 €	14,00 €	35,00 €
120	39,00 €	130	42,00 €			
130	40,00 €	150	42,00 €			
140	42,00 €	160	42,00 €			
150	43,00 €	180	43,00 €			
160	44,00 €	200	44,00 €			
180	45,00 €	225	45,00 €			
200	47,00 €	250	46,00 €			
225	50,00 €	300	61,00 €			
250	52,00 €	350	72,00 €			
300	56,00 €	400	75,00 €			
350	61,00 €					
400	70,00 €					



Accessories

CHIMNEY TERMINALS



Cowl flashing, high gloss with 4 fins and universal plug-in insert suitable for EW and DW, stainless steel

Cowl flashing with 4 fins and universal plug-in insert suitable for EW and DW, copper

Cowl flashing with 4 fins and rivet stripe, stainless steel

Cowl flashing with 4 fins and rivet stripe, copper

Surcharge for additional fin stainless steel

Surcharge for additional fin copper

Hurrican 15 for solid fuels, matt, for Ø120-150mm



*3



*1

HUBO1EØ		HUBO1CUØ		HUBO2EØ		HUBO2CUØ		HUBO-LAEØ		HUBO-LACUØ		HC15
080	238,00 €	080	329,00 €	080	205,00 €	080	284,00 €	080	38,00 €	080	52,00 €	316,00 €
100	244,00 €	100	334,00 €	100	213,00 €	100	291,00 €	100	39,00 €	100	53,00 €	
130	251,00 €	130	344,00 €	130	221,00 €	130	305,00 €	130	40,00 €	130	54,00 €	
150	261,00 €	150	360,00 €	150	229,00 €	150	315,00 €	150	44,00 €	150	61,00 €	
160	282,00 €	160	387,00 €	160	248,00 €	160	339,00 €	160	47,00 €	160	67,00 €	
180	302,00 €	180	416,00 €	180	264,00 €	180	363,00 €	180	52,00 €	180	72,00 €	
200	321,00 €	200	440,00 €	200	282,00 €	200	387,00 €	200	54,00 €	200	75,00 €	
225	332,00 €	225	456,00 €	225	288,00 €	225	395,00 €	225	57,00 €	225	77,00 €	
250	338,00 €	250	464,00 €	250	295,00 €	250	405,00 €	250	58,00 €	250	78,00 €	
300	352,00 €	300	483,00 €	300	305,00 €	300	417,00 €	300	59,00 €	300	81,00 €	

*1 2 year warranty on our Hurrican, subject to proper maintenance only

*2 Also available with a square insert on request

*3 If the surface is different, please use the following article codes instead of HUBO1EØ: 330-HUBO1EØ (matt), 350-HUBO1EØ (brushed)



Accessories

CHIMNEY TERMINALS

Hurrican 20 for
solid fuels, matt

Hurrican 24 for
solid fuels, matt

Hurrican 30 for
solid fuels, matt

Hurrican 15 for oil &
gas, matt, for Ø120-
150mm

Hurrican 20 for oil
and gas, matt

Hurrican 24 for oil &
gas, matt

Hurrican 30 for oil
& gas, matt



*1



*1



*1



*1



*1



*1



*1

HC20	HC24	HC30	HC15-1	HC20-1	HC24-1	HC30-1
346,00 €	380,00 €	410,00 €	316,00 €	346,00 €	380,00 €	410,00 €

Insert pipe nozzle
for Hurrican suitable
for EW

Insert pipe nozzle
for Hurrican suitable
for DW

End cap for hur-
rican

End cap for hur-
rican

Expansion joint plate 300x300mm for
fireclay



Rgr.
EW



Rgr.
EW



NEW



NEW



*2

FU2265Ø		FU2248Ø		205-DWETN2226Ø		DW2226Ø		D...E		
120	63,00 €	120	63,00 €	120	61,00 €	080	64,00 €	120x120	D1212E	106,00 €
130	66,00 €	130	66,00 €	130	62,00 €	100	65,00 €	130x130	D1313E	107,00 €
140	67,00 €	140	67,00 €	150	64,00 €	115	66,00 €	140x140	D1414E	111,00 €
150	69,00 €	150	69,00 €	160	65,00 €	120	67,00 €	150x150	D1515E	113,00 €
160	77,00 €	160	77,00 €	180	66,00 €	130	68,00 €	120x180	D1218E	113,00 €
180	81,00 €	180	81,00 €	200	68,00 €	140	69,00 €	150x200	D1520E	115,00 €
200	98,00 €	200	98,00 €	225	70,00 €	150	70,00 €	160x160	D1616E	118,00 €
225	102,00 €	225	102,00 €	250	74,00 €	160	71,00 €	170x170	D1717E	120,00 €
250	106,00 €	250	106,00 €	300	81,00 €	180	72,00 €	180x180	D1818E	122,00 €
300	155,00 €	300	155,00 €	350	91,00 €	200	74,00 €	200x200	D2020E	123,00 €
350	165,00 €	350	165,00 €			225	78,00 €	250x250	D2525E	176,00 €
						250	83,00 €			
						300	87,00 €			
						350	98,00 €			

*1 2 year warranty on our Hurrican, subject to proper maintenance only

*2 Expansion joint sheet metal with rear ventilation available at an additional cost

ACTIVE EXHAUST FAN E-FLOW-RS

The **E-FLOW-RS** was specially developed to improve the draft of fireplaces with low nominal heat output in single-family homes. With its **exhaust fan**, it creates an increased negative pressure in the chimney and thus supports, among other things, the lighting of fuel.

It can also be conveniently switched on using the remote control supplied when adding fuel to prevent smoke from escaping into the living space.

Together with the supplied outlet adapter, the **E-FLOW-RS** is an easy-to-install **plug & play** solution for Jeremias stainless steel chimneys.

CHARACTERISTICS

- For clean and reliable draft in the chimney
- Ideal for starting or refuelling fires
- Suitable for stoves and fireplace inserts up to a maximum of 8 kW
- Complies with the PrEN16475-2 standard for exhaust fans
- Made of high-quality stainless steel
- Heat resistant up to 250°C
- Minimal power consumption of 0.036 kW/h
- Can be switched off during operation
- Suitable for all types of fuel
- Foldable cover for easy cleaning

SCOPE OF DELIVERY

- 5 m cable
- Integrated maintace switch
- Wireless remote control for convenient
- On/Off operation from the living room
- Safety cable for maintenance work






Accessories

CHIMNEY TERMINALS

TECHNICAL DATA

Protection class	IP24D
Max. operation temperature	250°C
Resistance (Zeta)	6,7
Discharge	vertikal
Motor	Shaded pole, class H
Rev/M	2.000
Voltage	230 V
Amperage	0,27 A
Power consumption	0,036 kW
Weight	3,2 kg
Sound level	25 dB (A)



Exhaust fan E-
FLOW-RS DW-FU

Exhaust fan E-
FLOW-RS DW-ECO
2.0

Exhaust fan
E-FLOW-RS DW-
BLACK



DW3031Ø	215-DWECO3031Ø	16-215-DWECO3031Ø
100 1.433,00 €	100 1.432,00 €	130 1.460,00 €
115 1.439,00 €	115 1.439,00 €	150 1.474,00 €
120 1.441,00 €	120 1.441,00 €	180 1.508,00 €
130 1.445,00 €	130 1.445,00 €	200 1.519,00 €
140 1.454,00 €	150 1.458,00 €	
150 1.458,00 €	160 1.462,00 €	
160 1.463,00 €	180 1.489,00 €	
180 1.490,00 €	200 1.498,00 €	
200 1.499,00 €		



NAE	STAINLESS STEEL NAPOLEON HOOD
MEE	MEIDINGER STAINLESS STEEL DISC

Width in mm

	500	563	625	688	750	813	875	938	1000	1063	1125
--	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------

4 supports

500	280,00 €	-	-	-	-	-	-	-	-	-	-
563	288,00 €	297,00 €	-	-	-	-	-	-	-	-	-
625	290,00 €	302,00 €	310,00 €	-	-	-	-	-	-	-	-
688	298,00 €	309,00 €	322,00 €	330,00 €	-	-	-	-	-	-	-
750	309,00 €	315,00 €	330,00 €	337,00 €	347,00 €	-	-	-	-	-	-
813	310,00 €	330,00 €	347,00 €	370,00 €	384,00 €	404,00 €	-	-	-	-	-
875	320,00 €	343,00 €	370,00 €	394,00 €	421,00 €	439,00 €	464,00 €	-	-	-	-
938	337,00 €	364,00 €	394,00 €	421,00 €	447,00 €	471,00 €	497,00 €	534,00 €	-	-	-
1000	351,00 €	380,00 €	410,00 €	449,00 €	476,00 €	506,00 €	534,00 €	566,00 €	601,00 €	-	-

6 supports

1063	364,00 €	401,00 €	435,00 €	471,00 €	506,00 €	534,00 €	569,00 €	599,00 €	638,00 €	678,00 €	-
1125	383,00 €	421,00 €	456,00 €	492,00 €	526,00 €	566,00 €	601,00 €	638,00 €	678,00 €	717,00 €	758,00 €
1188	401,00 €	435,00 €	483,00 €	521,00 €	557,00 €	595,00 €	629,00 €	673,00 €	718,00 €	758,00 €	800,00 €
1250	411,00 €	456,00 €	497,00 €	539,00 €	590,00 €	624,00 €	673,00 €	708,00 €	758,00 €	800,00 €	841,00 €
1313	428,00 €	476,00 €	521,00 €	569,00 €	618,00 €	659,00 €	701,00 €	748,00 €	800,00 €	845,00 €	896,00 €
1375	439,00 €	497,00 €	539,00 €	595,00 €	638,00 €	686,00 €	733,00 €	783,00 €	832,00 €	881,00 €	940,00 €
1438	460,00 €	510,00 €	569,00 €	618,00 €	665,00 €	717,00 €	772,00 €	824,00 €	878,00 €	927,00 €	982,00 €
1500	491,00 €	594,00 €	648,00 €	711,00 €	782,00 €	837,00 €	897,00 €	952,00 €	1.015,00 €	1.076,00 €	1.141,00 €
1563	545,00 €	618,00 €	680,00 €	744,00 €	805,00 €	865,00 €	928,00 €	998,00 €	1.061,00 €	1.126,00 €	1.194,00 €
1625	568,00 €	638,00 €	702,00 €	772,00 €	837,00 €	897,00 €	968,00 €	1.039,00 €	1.107,00 €	1.169,00 €	1.240,00 €
1688	586,00 €	656,00 €	718,00 €	796,00 €	865,00 €	936,00 €	1.008,00 €	1.076,00 €	1.148,00 €	1.222,00 €	1.296,00 €
1750	599,00 €	680,00 €	752,00 €	821,00 €	897,00 €	968,00 €	1.046,00 €	1.117,00 €	1.194,00 €	1.262,00 €	1.341,00 €
1813	618,00 €	693,00 €	782,00 €	851,00 €	928,00 €	1.002,00 €	1.084,00 €	1.157,00 €	1.237,00 €	1.310,00 €	1.381,00 €
1875	631,00 €	725,00 €	805,00 €	880,00 €	968,00 €	1.039,00 €	1.117,00 €	1.202,00 €	1.286,00 €	1.365,00 €	1.443,00 €
1938	656,00 €	744,00 €	825,00 €	910,00 €	992,00 €	1.076,00 €	1.164,00 €	1.248,00 €	1.333,00 €	1.412,00 €	1.492,00 €
2000	664,00 €	758,00 €	865,00 €	935,00 €	1.020,00 €	1.132,00 €	1.194,00 €	1.278,00 €	1.375,00 €	1.459,00 €	1.547,00 €

Dimensions in mm =

Circumferential overhang NAE:

Circumferential overhang MEE:

support height adjustable from 250 to 350 mm:

Napoleon hoods and Meidinger panes for opening:

Version in copper:

Chimney dimensions

+ 40 mm

+ 40 mm

32,00 € net on discounted list price

43,00 € net on discounted list price

80 % surcharge on list price

Napoleon hood



Napoleon hood foldable



Meidinger disc



Meidinger disc foldable



- Napoleon hood and Meidinger disc are supplied without holes. Individual parts are supplied loose.
- NAE must be manufactured in two parts for lengths or widths of 2,000 mm or more!
- The article code for your order is: NAE + length + width or MEE + length + width (e.g. NAE938750)



Accessories

CHIMNEY COVER PLATE




ABEØØ		STAINLESS STEEL CHIMNEY COVER PLATE									
		Width in mm									
	500	563	625	688	750	813	875	938	1000	1063	1125
Length in mm	500	217,00 €	-	-	-	-	-	-	-	-	-
	563	222,00 €	229,00 €	-	-	-	-	-	-	-	-
	625	226,00 €	235,00 €	244,00 €	-	-	-	-	-	-	-
	688	230,00 €	242,00 €	250,00 €	254,00 €	-	-	-	-	-	-
	750	242,00 €	245,00 €	254,00 €	261,00 €	269,00 €	-	-	-	-	-
	813	244,00 €	254,00 €	269,00 €	288,00 €	298,00 €	329,00 €	-	-	-	-
	875	249,00 €	265,00 €	288,00 €	306,00 €	325,00 €	340,00 €	358,00 €	-	-	-
	938	261,00 €	282,00 €	306,00 €	325,00 €	344,00 €	363,00 €	384,00 €	410,00 €	-	-
	1000	272,00 €	295,00 €	317,00 €	346,00 €	367,00 €	391,00 €	410,00 €	436,00 €	465,00 €	-
	1063	282,00 €	309,00 €	337,00 €	362,00 €	391,00 €	410,00 €	438,00 €	464,00 €	492,00 €	522,00 €
	1125	298,00 €	325,00 €	353,00 €	380,00 €	407,00 €	436,00 €	465,00 €	492,00 €	522,00 €	550,00 €
	1188	309,00 €	337,00 €	376,00 €	402,00 €	429,00 €	460,00 €	488,00 €	521,00 €	552,00 €	585,00 €
	1250	320,00 €	353,00 €	384,00 €	416,00 €	456,00 €	482,00 €	521,00 €	545,00 €	585,00 €	617,00 €
	1313	332,00 €	367,00 €	402,00 €	438,00 €	476,00 €	506,00 €	540,00 €	575,00 €	617,00 €	649,00 €
	1375	340,00 €	384,00 €	416,00 €	460,00 €	492,00 €	530,00 €	569,00 €	603,00 €	648,00 €	682,00 €
	1438	357,00 €	397,00 €	438,00 €	476,00 €	512,00 €	550,00 €	594,00 €	638,00 €	679,00 €	713,00 €
	1500	367,00 €	410,00 €	449,00 €	492,00 €	540,00 €	578,00 €	623,00 €	659,00 €	702,00 €	748,00 €
	1563	380,00 €	428,00 €	471,00 €	512,00 €	557,00 €	599,00 €	641,00 €	691,00 €	733,00 €	777,00 €
	1625	394,00 €	443,00 €	488,00 €	534,00 €	578,00 €	623,00 €	671,00 €	718,00 €	765,00 €	809,00 €
	1688	407,00 €	456,00 €	498,00 €	550,00 €	599,00 €	648,00 €	696,00 €	748,00 €	792,00 €	847,00 €
	1750	416,00 €	471,00 €	521,00 €	569,00 €	623,00 €	671,00 €	721,00 €	774,00 €	825,00 €	875,00 €
	1813	428,00 €	482,00 €	540,00 €	589,00 €	641,00 €	693,00 €	752,00 €	801,00 €	856,00 €	907,00 €
	1875	438,00 €	500,00 €	557,00 €	614,00 €	671,00 €	718,00 €	772,00 €	832,00 €	891,00 €	943,00 €
	1938	456,00 €	512,00 €	572,00 €	629,00 €	685,00 €	748,00 €	805,00 €	864,00 €	919,00 €	974,00 €
	2000	460,00 €	526,00 €	599,00 €	648,00 €	708,00 €	783,00 €	825,00 €	883,00 €	949,00 €	1.008,00 €

Dimensions in mm = Chimney dimensions
 Circumferential overhang: + 15 mm
 Version in copper: 80 % surcharge on list price
 Water nose outside: 10 % surcharge on list price
 ater nose inside: 10 % surcharge on list price

ATTENTION: When combining the cover plate with the chimney cladding, please always consider the finished dimensions of the chimney cladding as the chimney dimensions

Chimney cover plate




Extra charge for cut out round without nozzle, for Ø080-450mm

Extra charge for cut out round with nozzle, for Ø080-450mm

Extra charge for cover plate with integrated DW08

Extra charge for cut out rectangular without nozzle, for 080/080 - 450/450mm

Extra charge for cut out rectangular with nozzle, for 080/080 - 450/450mm



ABE413	ABE414	ABE417Ø	ABE415	ABE416
21,00 €	32,00 €	080 41,00 €	21,00 €	32,00 €
		100 44,00 €		
		115 46,00 €		
		120 47,00 €		
		130 49,00 €		
		140 51,00 €		
		150 55,00 €		
		160 57,00 €		
		180 62,00 €		
		200 65,00 €		
		225 71,00 €		
		250 77,00 €		
		300 88,00 €		
		350 92,00 €		
		400 108,00 €		
		450 118,00 €		
		500 130,00 €		
		600 145,00 €		



Accessories

CHIMNEY COVERING



KV	CHIMNEY COVERING				
Dimensions in cm	Height in cm				
	100	150	200	250	300*
40 x 40	395,00 €	589,00 €	783,00 €	980,00 €	1.171,00 €
40 x 50	439,00 €	659,00 €	876,00 €	1.094,00 €	1.310,00 €
40 x 60	491,00 €	730,00 €	973,00 €	1.218,00 €	1.458,00 €
40 x 70	539,00 €	805,00 €	1.071,00 €	1.337,00 €	1.601,00 €
40 x 80	586,00 €	875,00 €	1.164,00 €	1.455,00 €	1.740,00 €
40 x 90	633,00 €	948,00 €	1.260,00 €	1.576,00 €	1.887,00 €
50 x 50	491,00 €	730,00 €	973,00 €	1.218,00 €	1.458,00 €
50 x 60	539,00 €	805,00 €	1.071,00 €	1.337,00 €	1.601,00 €
50 x 70	587,00 €	877,00 €	1.167,00 €	1.458,00 €	1.750,00 €
50 x 80	633,00 €	948,00 €	1.260,00 €	1.576,00 €	1.887,00 €
50 x 90	683,00 €	1.020,00 €	1.357,00 €	1.696,00 €	2.035,00 €
50 x 10	729,00 €	1.094,00 €	1.457,00 €	1.817,00 €	2.180,00 €
50 x 110	781,00 €	1.166,00 €	1.553,00 €	1.941,00 €	2.328,00 €
50 x 120	825,00 €	1.237,00 €	1.647,00 €	2.061,00 €	2.468,00 €
50 x 130	876,00 €	1.309,00 €	1.744,00 €	2.178,00 €	-
60 x 60	586,00 €	875,00 €	1.164,00 €	1.455,00 €	1.740,00 €
60 x 70	632,00 €	946,00 €	1.259,00 €	1.574,00 €	1.886,00 €
60 x 80	683,00 €	1.020,00 €	1.357,00 €	1.696,00 €	2.035,00 €
60 x 90	729,00 €	1.094,00 €	1.457,00 €	1.817,00 €	2.180,00 €
60 x 100	781,00 €	1.166,00 €	1.553,00 €	1.941,00 €	2.328,00 €
60 x 110	825,00 €	1.237,00 €	1.647,00 €	2.061,00 €	2.468,00 €
60 x 120	876,00 €	1.309,00 €	1.744,00 €	2.178,00 €	2.614,00 €
60 x 130	924,00 €	1.383,00 €	1.843,00 €	2.303,00 €	-
70 x 70	683,00 €	1.020,00 €	1.357,00 €	1.696,00 €	2.035,00 €
70 x 80	729,00 €	1.094,00 €	1.457,00 €	1.817,00 €	2.180,00 €
70 x 90	781,00 €	1.166,00 €	1.553,00 €	1.941,00 €	2.328,00 €
70 x 100	825,00 €	1.237,00 €	1.647,00 €	2.061,00 €	2.468,00 €
70 x 110	876,00 €	1.309,00 €	1.744,00 €	2.178,00 €	2.614,00 €
70 x 120	924,00 €	1.383,00 €	1.843,00 €	2.303,00 €	2.759,00 €
70 x 130	972,00 €	1.457,00 €	1.940,00 €	2.420,00 €	-
80 x 80	781,00 €	1.166,00 €	1.553,00 €	1.941,00 €	2.328,00 €
80 x 90	825,00 €	1.237,00 €	1.647,00 €	2.061,00 €	2.468,00 €
80 x 100	876,00 €	1.309,00 €	1.744,00 €	2.178,00 €	2.614,00 €
80 x 110	924,00 €	1.383,00 €	1.843,00 €	2.303,00 €	2.759,00 €
80 x 120	972,00 €	1.457,00 €	1.940,00 €	2.420,00 €	2.907,00 €
80 x 130	1.020,00 €	1.526,00 €	2.035,00 €	2.541,00 €	-
100 x 100	972,00 €	1.457,00 €	1.940,00 €	2.420,00 €	2.907,00 €
100 x 110	1.020,00 €	1.526,00 €	2.035,00 €	2.541,00 €	3.050,00 €
100 x 120	1.067,00 €	1.598,00 €	2.128,00 €	2.657,00 €	3.188,00 €
100 x 130	1.115,00 €	1.671,00 €	2.226,00 €	2.781,00 €	-



Surcharge: + Copper 80 % / + Stainless steel 35 %
 Compilation: Chimney covering consists of 4 factory-riveted side panels
 The side panels can also be delivered loose on request
 Color: Sepiabraun
 Material: AL Mg3 Aluminium sheet
 All-round overhang: +15mm


- The article code for your order is: KV + chimney height + chimney dimensions (example: KV1004040)
- * For a chimney height of 300cm, the design is in two parts.
- Note on the copper version:
 Max. size for one-piece version - width 0.95m, depth 0.95m, height 2m or width 1.95m, depth 1.95m, height 1m. Other sizes on request



WELCOME TO MYJEREMIAS-WORLD, OUR NEW ONLINE PORTAL!

- ✓ Quick quotation creation for customers
- ✓ Web shop function for easy component ordering
- ✓ Clear quotation and order archive
- ✓ Simplified component search
- ✓ Article drawings
- ✓ Special article management
- ✓ Stored purchasing conditions

COMING
SOON





AIR CLEAN TOP

The "Air Clean Top" is an electrostatic fine dust separator for log or pellet fireplaces up to 50kW and is mounted on the chimney mouth. It can be connected to stainless steel chimneys as well as (with the appropriate stainless steel pipe insert) to ceramic chimneys and brick chimneys.

During electrostatic particle separation, an electric field is generated inside the "Air Clean Top" which charges the dust particles contained in the exhaust gas and pushes them against the wall of the exhaust pipe, where they combine to form larger dust particles. These can then be easily removed by the chimney sweep during the inspection.

The chimney draft is not affected by the use of a fine dust separator.

CHARACTERISTICS

- For hand-fed log and pellet fireplaces up to 50 kW
- For new builds or retrofitting
- Easy to inspect
- Tested separation efficiency up to 90%
- DIBt approval



AIR CLEAN BRICK

The electrostatic fine dust separator "Air Clean Brick" is used for single room heating systems and automatic wood heating systems up to 100 kW and is preferably installed in the attic.

It significantly reduces fine dust emissions and thus helps to improve local air quality. Both newly built and existing fireplaces can be equipped with this fine dust filter and thus operated in accordance with local emissions regulations. Installation in the attic enables simple and easily accessible maintenance.

CHARACTERISTICS

- Installation indoors, mainly in the attic
- Generous service opening for inspection and service work
- Electrode and insulator can be easily removed without having to be readjusted.
- Tested separation efficiency of up to 95%
- DIBt approval



1. Make an opening in the existing chimney Einbaurahmen einmauern
2. Brick in the installation frame



3. Attach the electrode and insulator chamber to the frame
4. Close the service opening and establish the electrical connection to the control unit

- *1 Also available with a square insert on request

AIR CLEAN TOP

Extension for Tee-
pipe l=500mm

Dust collector "Air
Clean Top"

Tee-pipe

Chimney insert
800mm round with
plate

Chimney cover
plate with EW
socket

Maintenance switch

Connection cable
5 m



ZU10628	ZUAC2691	ZU10493Ø	ZU10489Ø	ZU10629Ø	ZU10729	ZU10730-M
31,00 €	2.329,00 €	130 85,00 € 150 92,00 € 180 118,00 € 200 118,00 € 250 145,00 € 300 166,00 € 350 200,00 € 400 218,00 €	130 195,00 € 150 203,00 € 180 218,00 € 200 227,00 € 250 269,00 € 300 312,00 € 350 363,00 € 400 412,00 €	130 59,00 € 150 61,00 € 180 62,00 € 200 63,00 € 250 81,00 € 300 83,00 € 350 85,00 € 400 101,00 €	135,00 €	5 130,00 € 10 172,00 €

AIR CLEAN BRICK

Soot particle filter
for masonry inclu-
ding control

Large inspection
cover for soot parti-
cle filter ZUAC2929

Electrode for chim-
neys larger than
300x300mm



ZUAC2929	ZU11029	ZU11054
2.195,00 €	43,00 €	196,00 €

Accessories for AIR CLEAN TOP and AIR CLEAN BRICK

LCD display for
indoor

Status display for
indoor



ZU10727	ZU10728
721,00 €	244,00 €



Accessories

MOTORIZED EXHAUST DAMPERS



Flue gas dampers, also called Diermayer dampers after their inventor, are installed in the connecting line between the boiler and the chimney and close the flue gas path to the chimney when it is no longer needed.

This prevents the heat generator and the installation room from cooling down due to the flow protection and makes a significant contribution to saving energy.

In addition, in cascade systems, for example, they also prevent flue gases from other fireplaces connected to the chimney from flowing into the installation

room and provide a certain level of sound insulation in chimneys with multiple connections.

We offer you both manually closable flue gas dampers and flue gas dampers with an electric actuator, which are automatically controlled by the burner.

MOTORIZED EXHAUST DAMPERS MAK-N



Temperature:	up to 400 °C
Pressure-tight to the outside / housing:	Negative pressure /(NI)
Material:	1.4404 / 316L
Application:	Exhaust systems for negative pressure, parallel operation, shut-off valves, energy saving valve
Wave:	Continuous, without seal
Damper:	With annular gap for forced ventilation
System / Connection Standard:	EW-FU
System / Connection optional:	Welding end / flange
Doubl walled design	Optional
Manual adjustment	Gear disengagement and manual adjustment lever
Optionally available on request:	Safety limit switch F4 (Price 215,00€) Auxiliary switch F1 (single, Price 115,00€), F2 (double, Price 151,00€), F3 (double, Price 224,00€)

Flue gas damper up to 400°C adjustable by hand

- Clamping screw + permanently fixed up to 0°-90°
- Control: Open-Close 90°
- no auxiliary switch

Motorised flue gas damper up to 400°C Motor MAK-B1

- Gear disengagement and manual adjustment lever
- Control: open-close or 3-point
- Rated voltage: AC230V Alternatively with rated voltage AC/DC24V

Motorised flue gas damper up to 400°C Motor MAK-D1

- Gear disengagement and manual adjustment lever
- Control: open-close
- Rated voltage: AC/DC24V
- Closing time/motor running time: 4s
- Protection class: IP54
- no auxiliary switch



MAK-N-H...-00-FUØ				MAK-N-B...-00-FUØ				MAK-N-D...-00-FUØ			
1 100	542,00 €	1 250	788,00 €	1 100	727,00 €	2 250	1.159,00 €	1 100	1.037,00 €	2 250	1.338,00 €
1 115	548,00 €	1 300	854,00 €	1 115	733,00 €	2 300	1.226,00 €	1 115	1.043,00 €	2 300	1.403,00 €
1 120	558,00 €	1 350	995,00 €	1 120	744,00 €	2 350	1.365,00 €	1 120	1.051,00 €	2 350	1.544,00 €
1 130	585,00 €	1 400	1.159,00 €	1 130	770,00 €	2 400	1.529,00 €	1 130	1.076,00 €	2 400	1.709,00 €
1 150	625,00 €	1 450	1.843,00 €	1 150	810,00 €	2 450	2.213,00 €	1 150	1.118,00 €	2 450	2.391,00 €
1 160	639,00 €	1 500	2.087,00 €	1 160	824,00 €	2 500	2.458,00 €	1 160	1.133,00 €	2 500	2.637,00 €
1 180	654,00 €	1 550	2.329,00 €	1 180	839,00 €	2 550	2.701,00 €	1 180	1.146,00 €	2 550	2.878,00 €
1 200	705,00 €	1 600	2.577,00 €	1 200	891,00 €	2 600	2.948,00 €	1 200	1.200,00 €	2 600	3.125,00 €

Motorised flue gas damper up to 400°C

Motor MAK-E1

- Hand crank and lock switch
- Control: open-close
- Rated voltage: AC24-230V/DC24-125V
- Closing time/motor running time: 75s
- Spring return time: 20s
- with spring return drive
- Protection class: IP66
- 2x auxiliary switches



Motorised flue gas damper up to 400°C

Motor MAK-C1

- Hand crank and lock switch
- Control: open-close
- Rated voltage: AC24-230V/DC24-125V
- Runtime emergency position: 20s/motor: 75s
- Protection class: IP54
- 2x auxiliary switches



MAK-N-E...-00-FUØ				MAK-N-C...-00-FUØ			
1 100	1.914,00 €	2 250	2.196,00 €	1 100	1.166,00 €	2 250	1.548,00 €
1 115	1.922,00 €	2 300	2.261,00 €	1 115	1.173,00 €	2 300	1.614,00 €
1 120	1.933,00 €	2 350	2.404,00 €	1 120	1.180,00 €	2 350	1.754,00 €
1 130	1.958,00 €	2 400	2.567,00 €	1 130	1.206,00 €	2 400	1.917,00 €
1 150	1.997,00 €	2 450	3.249,00 €	1 150	1.249,00 €	2 450	2.600,00 €
1 160	2.012,00 €	2 500	3.496,00 €	1 160	1.262,00 €	2 500	2.845,00 €
1 180	2.027,00 €	2 550	3.735,00 €	1 180	1.276,00 €	2 550	3.089,00 €
1 200	2.078,00 €	2 600	3.985,00 €	1 200	1.330,00 €	2 600	3.336,00 €



Accessories

MOTORIZED EXHAUST DAMPERS

MOTORIZED EXHAUST DAMPERS MAK-P



Temperature:	up to 200 °C
Pressure-tight to the outside / housing:	Over pressure / 200 Pa (P1)
Material:	1.4404 / 316L
Application:	Exhaust systems for overpressure and underpressure operation Energy saving flap
Wave:	Continuous, 5000 Pa, condensate-tight
Damper:	Metallic stop
System / Connection Standard:	EW-ALBI
System / Connection optional:	EW-KL // welding end / flange (up to 600° C / 5000 Pa)
doubel walled design	Optional
Manual adjustment:	Gear disengagement and manual adjustment lever
Optionally available on request:	Safety limit switch F4 (Price 215,00€) Auxiliary switch F1 (single, Price 115,00€), F2 (double, Price 151,00€), F3 (double, Price 224,00€)

Flue gas damper up to 200°C adjustable by hand

- Clamping screw + permanently fixed up to 0°-90°
- Control: Open-Close 90°
- no auxiliary switch



Motorised flue gas damper up to 200°C Motor MAK-B1

- Gear disengagement and manual adjustment lever
- Control: open-close or 3-point
- Rated voltage: AC 230V; -Alternatively available with rated voltage AC/DC24V
- Closing time/motor running time: 150s
- Protection class: IP54
- 1x auxiliary switch



Motorised flue gas damper up to 200°C Motor MAK-D1

- Gear disengagement and manual adjustment lever
- Control: open-close
- Rated voltage: AC/DC24V
- Closing time/motor running time: 4s
- Protection class: IP54
- no auxiliary switch



MAK-P-H...-00-ALBIØ		MAK-P-B...-00-ALBIØ		MAK-P-D...-00-ALBIØ	
1 100	814,00 €	1 250	1.117,00 €	1 100	1.308,00 €
1 115	822,00 €	1 300	1.254,00 €	1 115	1.316,00 €
1 120	828,00 €	1 350	1.417,00 €	1 120	1.323,00 €
1 130	855,00 €	1 400	2.085,00 €	1 130	1.348,00 €
1 150	896,00 €			1 150	1.391,00 €
1 160	910,00 €			1 160	1.403,00 €
1 180	923,00 €			1 180	1.416,00 €
1 200	973,00 €			1 200	1.467,00 €
		1 100	999,00 €	2 250	1.488,00 €
		1 115	1.008,00 €	2 300	1.624,00 €
		1 120	1.015,00 €	2 350	1.788,00 €
		1 130	1.042,00 €	2 400	2.456,00 €
		1 150	1.082,00 €		
		1 160	1.096,00 €		
		1 180	1.108,00 €		
		1 200	1.159,00 €		

Motorised flue gas damper up to 200°C

Motor MAK-E1

- Hand crank and lock switch
- Control: open-close
- Rated voltage: AC24-230V/DC24-125V
- Closing time/motor running time: 75s
- Spring return time: 20s
- with spring return drive
- Protection class: IP66
- 2x auxiliary switches



Motorised flue gas damper up to 200°C

Motor MAK-C1

- Hand crank and lock switch
- Control: open-close
- Rated voltage: AC24-230V/DC24-125V
- Runtime emergency position: 20s/motor: 75s
- Protection class: IP54
- 2x auxiliary switches



MAK-P-E...-00-ALBIØ				MAK-P-C...-00-ALBIØ			
1 100	2.187,00 €	2 250	2.523,00 €	1 100	1.438,00 €	2 250	1.877,00 €
1 115	2.195,00 €	2 300	2.661,00 €	1 115	1.446,00 €	2 300	2.014,00 €
1 120	2.202,00 €	2 350	2.825,00 €	1 120	1.455,00 €	2 350	2.176,00 €
1 130	2.228,00 €	2 400	3.494,00 €	1 130	1.481,00 €	2 400	2.843,00 €
1 150	2.269,00 €			1 150	1.521,00 €		
1 160	2.283,00 €			1 160	1.533,00 €		
1 180	2.296,00 €			1 180	1.547,00 €		
1 200	2.349,00 €			1 200	1.599,00 €		



Accessories

MOTORIZED EXHAUST DAMPERS

MOTORIZED EXHAUST DAMPERS MAK-HT



Temperature:	up to 600 °C
Pressure-tight to the outside / housing:	Over pressure / 5000 Pa (H1)
Material:	1.4404 / 316L
Application:	Plant, furnace, shipbuilding, engine test benches, CHP, chemical industry, Bypass valves, backflow protection
Wave:	Thermally decoupled, 5000 Pa, condensate-tight
Damper:	Metallic stop including sea
Pressure resistance flap:	Leakage up to Ø 250 mm, max 200 l/h at 100 Pa, according to DVGW - Worksheet G635
System / Connection standard:	flange
Manual adjustment:	handwheel
Optionally available on request:	Safety limit switch F4 (Price 215,00€)

Motorised flue gas damper up to 600°C Motor MAK-A4

- Manual adjustment possible
- Open/close or 3-point control
- elimo Assistant app via NFC
- Rated voltage: AC24-230V/DC24-125V
- Closing time/motor running time: 35s; changeable 30-120s
- Protection class: IP67
- 2x auxiliary switches

Motorised flue gas damper up to 600°C Motor MAK-C3

- Hand crank and lock switch
- Control: open-close
- Rated voltage: AC 230V
- Alternatively available with rated voltage AC/DC24V
- Running time emergency position: < 20s/ motor: 75s
- Protection class: IP54
- 2x auxiliary switches



MAK-HT-A...-00-FLØ

4 150	6.013,00 €	4 600	12.251,00 €
4 200	6.249,00 €	4 650	12.893,00 €
4 250	6.486,00 €	4 700	13.536,00 €
4 300	6.719,00 €	4 750	14.180,00 €
4 350	7.439,00 €	4 800	15.417,00 €
4 400	9.451,00 €	4 850	16.061,00 €
4 450	10.211,00 €	4 900	16.702,00 €
4 500	10.968,00 €	4 950	17.346,00 €
4 550	11.609,00 €	4 1000	17.987,00 €


MAK-HT-C...-00-FLØ

3 150	4.235,00 €	3 550	8.657,00 €
3 200	4.483,00 €	3 600	9.298,00 €
3 250	4.734,00 €	3 650	9.943,00 €
3 300	4.981,00 €	3 700	10.585,00 €
3 350	5.742,00 €	3 750	11.230,00 €
3 400	6.498,00 €		
3 450	7.260,00 €		
3 500	8.015,00 €		

MOTORIZED EXHAUST DAMPER MAK-PD

Temperature:	up to 120 °C
Pressure-tight to the outside / housing:	Over pressure / 200 Pa (P1)
Material:	1.4404 / 316L
Surface:	3D high gloss
Application:	Exhaust systems for overpressure and underpressure operation with condensate accumulation as backflow protection
Wave:	Continuous, condensate-tight
Damper type:	Metallic stop, flap with elastomer seal
Pressure resistance Damper:	Leakage max. 200 l/h at +100 Pa according to DVGW-worksheet G 635
System / Connection Standard:	EW-ALBI
System / Connection optional:	EW-KL / welding end / flange
Motor:	STA2 (S3) with actuator

Motorised flue gas damper up to 120°C
 Motor MAK-G1
 - EPDM gasket glued in



MAK-PD-G...-00-ALCØ

1 080	1.420,00 €	1 200	1.791,00 €
1 100	1.401,00 €	1 250	2.008,00 €
1 110	1.454,00 €		
1 150	1.586,00 €		



Accessories

MOTORIZED EXHAUST DAMPERS

MOTORIZED EXHAUST DAMPERS MAK-HP



Temperature:	up to 400 °C
Pressure-tight to the outside / housing:	Over pressure / 5000 Pa (H1)
Material:	1.4404 / 316L
Application:	Plant construction, furnace construction, engine test benches, CHP, chemical industry, bypass valves, bypass
Wave:	Continuous, 5000 Pa, condensate-tight
Damper:	Metallic stop
System / Connection Standard:	Flange
doubel walled design	Optional
Manual adjustment:	Gear disengagement and manual adjustment
Optionally available on request:	Safety limit switch F4 (Price 215,00€) Auxiliary switch F1 (single, Price 115,00€), F2 (double, Price 151,00€), F3 (double, Price 224,00€)

Motorised flue gas damper up to 400°C Motor MAK-B3

- Gear disengagement and manual adjustment lever
- Control: open-close
- Rated voltage: AC 230V
- Closing time/motor running time: 150s
- Protection class: IP54
- no auxiliary switch

Motorised flue gas damper up to 400°C Motor MAK-E3

- Hand crank and lock switch
- Control: open-close
- Rated voltage: AC/DC24V
- Closing time/motor running time: 150s
- Protection class: IP66
- no auxiliary switch

Motorised flue gas damper up to 400°C Motor MAK-C3

- Hand crank and lock switch
- Control: open-close
- Rated voltage: AC 230V
- Running time emergency position: < 20s/
motor: 75s
- Protection class: IP54
- 2x auxiliary switches



MAK-HP-B...-00-FLØ				MAK-HP-E...-00-FLØ				MAK-HP-C...-00-FLØ			
3 150	1.577,00 €	3 450	3.446,00 €	3 150	2.283,00 €	3 450	4.152,00 €	3 150	2.579,00 €	3 450	4.449,00 €
3 160	1.609,00 €	3 500	3.824,00 €	3 160	2.315,00 €	3 500	4.529,00 €	3 160	2.610,00 €	3 500	4.827,00 €
3 180	1.662,00 €	3 550	4.149,00 €	3 180	2.367,00 €	3 550	4.854,00 €	3 180	2.665,00 €	3 550	5.153,00 €
3 200	1.737,00 €	3 600	4.473,00 €	3 200	2.444,00 €	3 600	5.179,00 €	3 200	2.738,00 €	3 600	5.476,00 €
3 250	1.896,00 €	3 700	5.108,00 €	3 250	2.601,00 €	3 700	5.815,00 €	3 250	2.896,00 €	3 700	6.110,00 €
3 300	2.171,00 €	3 800	5.758,00 €	3 300	2.877,00 €	3 800	6.465,00 €	3 300	3.173,00 €	3 800	6.759,00 €
3 350	2.397,00 €			3 350	3.101,00 €			3 350	3.399,00 €		
3 400	2.700,00 €			3 400	3.405,00 €			3 400	3.702,00 €		



Accessories

PRESSURE RELIEF DAMPERS

IMPLOSION DAMPER

In large systems in particular, a Joukowsky surge can occur in the exhaust pipe as a result of strong pressure fluctuations, caused, for example, by a deflagration with subsequent pressure reduction, an abrupt shutdown of the burner as a result of a power failure/defect or the burner's air inlet flaps closing too quickly.

In such a case, the hot exhaust gas flow is suddenly interrupted, which can lead to an enormously high negative pressure in the exhaust pipe and its deformation or even irreparable destruction. The use of a Joukowsky flap prevents this effect. If there is a large change in pressure in the exhaust pipe, the normally closed cover plate of the Joukowsky flap opens automatically via a spring mechanism and allows air to flow in to equalize the pressure. As soon as normal pressure conditions prevail again, the flap closes again and the system can resume normal operation.

EXPLOSIONS DAMPER

When operating combustion engines, especially gas engines, it is possible that incompletely burned fuel mixtures can enter the exhaust pipe and cause an explosion. Therefore, the installation of a pressure relief flap (explosion flap) is recommended, especially in large systems. This allows the excess pressure caused by the explosion to escape from the system automatically in a fraction of a second, thus preventing damage to the exhaust pipe.

• ^{*1} from Ø 400 mm we recommend the use of two T-pieces and two flaps

Joukowsky valve to prevent implosion (without T-piece), up to 200°C



Pressure Relief Valve

T-45° suitable for Joukowsky valve/ Pressure Relief valve ØBmm


T-93° suitable for Joukowsky valve/ Pressure Relief valve ØBmm

T-93° suitable for Joukowsky valve/ Pressure Relief valve ØBmm

T-93° suitable for Joukowsky valve/ Pressure Relief valve ØBmm



ZUTE1104-1Ø		ZUTE1630Ø		ALBI06...1104-3Ø		KL061104-3Ø		ALBI06...1104-2Ø		KL061104-2Ø	
180	1.254,00 €	150	2.543,00 €	A 180	460,00 €	180	432,00 €	A 180	375,00 €	180	347,00 €
200	1.414,00 €	180	2.768,00 €	B 180		B 180		B 180		B 180	
250	1.800,00 €	200	2.991,00 €	A 200	486,00 €	200	455,00 €	A 200	403,00 €	200	372,00 €
300	1.915,00 €	250	3.388,00 €	B 200		B 200		B 200		B 200	
350	2.272,00 €	300	3.589,00 €	C 250	557,00 €	250	523,00 €	C 250	482,00 €	250	448,00 €
		350	4.186,00 €	B 250		B 250		B 250		B 250	
				C 300	648,00 €	300	613,00 €	C 300	546,00 €	300	511,00 €
				B 300		B 300		B 300		B 300	
				C 350	699,00 €	350	662,00 €	C 350	616,00 €	350	579,00 €
				B 350		B 350		B 350		B 350	
				C 400	712,00 €	400	673,00 €	C 400	640,00 €	400	601,00 €
				B 350		B 350		B 350		B 350	
				F 450	756,00 €	450	712,00 €	F 450	662,00 €	450	618,00 €
				B 350		B 350		B 350		B 350	
				F 500	814,00 €	500	767,00 €	F 500	723,00 €	500	676,00 €
				B 350		B 350		B 350		B 350	
				F 600	986,00 €	600	928,00 €	F 600	867,00 €	600	809,00 €
				B 350		B 350		B 350		B 350	



EXHAUST SILENCERS



Overview

EXHAUST SILENCERS

Medium and high frequency noises from modern condensing boilers and fans are often perceived as disturbing, as is the low frequency hum of Chp systems. Jeremias has been actively developing sound engineering solutions for years that effectively reduce such noise pollution. Our own silencer test bench underlines our outstanding quality standards. Choose from a wide range of exhaust silencers for boilers, Chp, biomass and other systems and let our experts advise you individually when looking for silencer solutions for your project.

THERE ARE MANY REASONS TO CHOOSE EXHAUST SILENCERS FROM JEREMIAS:

- Extensive range of standard silencers for every application
- Individual advice
- Silencer production according to customer requirements and implementation of special designs
- On-site sound measurements according to DIN EN45635 Part 47 including measurement report (price on request)
- Acoustic calculation of exhaust systems

SURCHARGES FOR DIFFERENT VERSIONS

- MATERIAL
- 1.4539 Condensate acid resistant up to 400°C, on request
 - 1.4828 Operating temperature up to 1000°C, on request
 - Others on request

MATERIAL THICKNESS

- 0.6 - 3.0 mm (depending on product)

SEAL

The seal supplied varies depending on the diameter (EPDM up to 120°C or silicone up to 200°C). You can find all possible options in the table on the next page. The prices of the variants not listed in the price list are available on request.

POSSIBLE GASKET OPTIONS:

Variant	EPDM (ALBI367)			Silicone (ALBI26)		
	A	B	C	D	E	F
Ø	attached	inserted	glued-in	attached	inserted	glued-in
100 mm	x	x	x	x	x	x
115 mm	x	x	x	x	x	x
120 mm	x	x	x	x	x	x
130 mm	x	x	x	x	x	x
140 mm	x	x	x	x	x	x
150 mm	x	x	x	x	x	x
160 mm	x	x	x	x	x	x
180 mm	x	x	x	x	x	x
200 mm	x	x	x	x	x	x
225 mm				x	x	x
250 mm	x		x	x		x
300 mm	x		x	x		x
350 mm	x		x	x		x
400 mm	x		x	x		x
450 mm				x		x
500 mm				x		x
550mm				x		x
600 mm				x		x

All prices are exclusive of VAT. Errors and technical changes reserved. Our general terms and conditions apply.

Exhaust silencers

FOR BOILERS

System	Oil	Gas	SF	Connection system	Material	TIG	Damping	Frequency range	Installation	Classifications
ASD-B-ECO	✓	✓		EW-ALBI	1.4404		15 dB, 20 dB	> 250 Hz	H, V	with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASE-ECO	✓	✓		EW - AL-BI	1.4404		15 dB, 20 dB	> 250 Hz	H, V	with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASD-EW	✓	✓	!	EW - FU	1.4404 / 1.4571	✓	15 dB, 25 dB	> 250 Hz	H, V	without Gasket: T400 - N1 - D T400 - N1 - W
ASD-ALBI	✓	✓	!	EW-ALBI	1.4404 / 1.4571	✓	15dB, 25 dB	> 250 Hz	H, V	with EPDM -Gasket: T120 - P1 - D T120 - P1 - W with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASD-DWECO	✓	✓	!	DW-ECO	1.4404	✓	15 dB, 25 dB	> 250 Hz	H, V	without Gasket: T400 - N1 - W
ASD-DWECO-AL	✓	✓	!	DW-ECO-AL	1.4404	✓	15 dB, 25 dB	> 250 Hz	H, V	with EPDM -Gasket: T120 - P1 - D T120 - P1 - W with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASD-DW	✓	✓	!	DW - FU	Silencer: 1.4404 / 1.4571 Support outside: 1.4301	✓	15 dB, 25 dB	> 250 Hz	H, V	without Gasket: T400 - N1 - D T400 - N1 - W
ASD-DWAL	✓	✓	!	DW-AL	Silencer: 1.4404 / 1.4571 Support outside: 1.4301	✓	15 dB, 20 dB	> 250Hz	H,V	with EPDM -Gasket: T120 - P1 - D T120 - P1 - W with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASD-SDK-EW	✓	✓	!	EW-FU	1.4404	✓	15 dB, 25 dB	> 250 Hz	H, V	without Gasket: T400 - N1 - D T400 - N1 - W
ASD-SDK-ALBI	✓	✓	!	EW-ALBI	1.4404	✓	15 dB, 25 dB	> 250 Hz	H, V	with EPDM -Gasket: T120 - P1 - D T120 - P1 - W with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASD-W	✓	✓	!	EW - FU EW - AL-BI	1.4404	✓	25 dB	> 250 Hz	H	without Gasket: T400 - N1 - D T400 - N1 - W with EPDM -Gasket: T120 - P1 - D T120 - P1 - W with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASD-T	✓	✓	✓	EW - FU	1.4404	✓	10 dB	> 250 Hz	H	without Gasket: T400 - N1 - D
ASM-EW	✓	✓	!	EW - FU	1.4404	✓	15 dB, 25 dB	> 250 Hz	V	without Gasket: T400 - N1 - D T400 - N1 - W
ASM-B	✓	✓	!	EW - AL-BI	1.4404	✓	15 dB, 25 dB	> 250 Hz	V	with Silicone -Gasket: T200 - P1 - D T200 - P1 - W
ASS	✓	✓	!	DW - FU	1.4404	✓	10 dB, 20 dB	> 250 Hz	V	without Gasket: T400 - N1 - D
SDK	✓	✓	!		1.4404	✓	5 dB - 15 dB	> 500 Hz	V	without
KSD-EW	✓	✓	!	EW - FU	1.4404 / 1.4571	✓	25 dB	> 100 Hz	H, V	without Gasket: T400 - N1 - D T400 - N1 - W
KSD-ALBI	✓	✓	!	EW-ALBI	1.4404 / 1.4571	✓	25 dB	> 100 Hz	H, V	with EPDM -Gasket: T120 - P1 - D T120 - P1 - W with Silicone -Gasket: T200 - P1 - D T200 - P1 - W

Attenuation: These are attenuation classes. More precise attenuation spectrum in the technical data sheet.

Installation: H = Horizontal, V = Vertical Follow the installation instructions for the exhaust system.

Classification: Corresponds to the classification of the selected connection system

! = Possible uses must be clarified on a case-by-case basis

Exhaust silencers FOR BOILERS AND CHP

System	Oil	Gas	SF	Connection system	Material	TIG	Damping	Frequency range	In-stallai-ton	Classifications
ASD-PP		✓		EW-PPS	PP		20 dB, 30 dB	> 250 Hz	H, V	with EPDM -Gasket: T120 - H1 - D T120 - H1 - W
ASD-H	✓	✓		EW-KL	1.4404	✓	20 dB, 25 dB, 30 dB	> 500 Hz	H, V	conical dichtend: T400 - H1 - D T400 - H1 - W
ASD-TWPL		✓		TWIN-PL	PP / 1.4301		ab 20 dB	> 250 Hz	H, V	with EPDM -Gasket T120 - H1 - D T120 - H1 - W
RSD-PP	✓	✓		EW-PPS	PP		20 dB, 25 dB	> 40 Hz	H, V	T120-H1-W

Exhaust silencers FOR CHP

System	Diesel	Gas	SF	Connection system	Material	TIG	Damping	Frequency range	In-stallai-ton	Classifications
AED-KL	✓	✓		EW-KL	1.4404	✓	15 dB, 25 dB	> 250 Hz	H, V	conical dichtend: T400 - H1 - D T400 - H1 - W
AED-FL	✓	✓		Alu-Flange	1.4404	✓	15 dB, 25 dB	> 250 Hz	H, V	T200 - H1 - D T200 - H1 - W
AEL-KL	✓	✓		EW-KL	1.4404	✓	15 dB, 25 dB	> 250 Hz	V	conical dichtend: T400 - H1 - D T400 - H1 - W
AEL-FL	✓	✓		Alu-Flange	1.4404	✓	15 dB, 25 dB	> 250 Hz	V	T200 - H1 - D T200 - H1 - W
KED-KL	✓	✓		EW-KL	1.4404	✓	35 dB, 45 dB	> 100 Hz	H, V	conical dichtend: T400 - H1 - D T400 - H1 - W
KED-FL	✓	✓		Alu-Flange	1.4404	✓	35 dB, 45 dB	> 100 Hz	H, V	T200 - H1 - D T200 - H1 - W
KEL-KL	✓	✓		EW-KL	1.4404	✓	35 dB	> 100 Hz	V	conical dichtend: T400 - H1 - D T400 - H1 - W
KEL-FL	✓	✓		Alu-Flange	1.4404	✓	35 dB	> 100 Hz	V	T200 - H1 - D T200 - H1 - W
RED-FL	✓	✓		Alu-Flange	1.4404	✓	35 dB	75 - 160 Hz	H, V	T200 - H1 - D T200 - H1 - W
MSD-PP05		✓		EW-PPS	PP		5 dB		V	

Exhaust silencers FOR EMERGENCY GENERATORS

System	Diesel	Gas	SF	Connection system	Material	TIG	Damping	Frequency range	In-stallai-ton	Classifications
AGD-DWPW	✓	✓		DW-POWER	Silencer: 1.4404 / 1.4571 Support out- side: 1.4301	✓	20 dB	> 250 Hz	H, V	T600 - H1 - D T600 - H1 - W
KGD-DWPW	✓	✓		DW-POWER	Silencer: 1.4404 / 1.4571 Support outside: 1.4301	✓	30 dB	> 100 Hz	H, V	T600 - H1 - D T600 - H1 - W

Exhaust silencers FOR BIOMASS

System	Bio-mass	Ventila-tion	Connection system	Material	TIG	Damping	Frequency range	In-stallai-ton	Classifications
AVD-F	✓	✓	standard flange	1.4404		15 dB	> 250 Hz	H, V	T200 - H1 - D T200 - H1 - W

THE PERFECT EXHAUST SI


In addition to our standard silencers, we also offer exhaust silencers that are specifically tailored to the individual project requirements of certain areas of application, installation situations and sound requirements - from small boilers to industrial plants!

Talk to us - our experts will be happy to advise you!

Tel. + 49 9832 68 68 998 | schalldämpfer@jeremias.de



ASS
the lean solution




AVD
with cleaning

BIOMASS-SILENCERS

Specially adapted to the requirements of biomass boilers of all sizes

LENCER FOR YOUR PROJEKT



The image shows a tall, dark industrial chimney on the left against a blue sky. To its right is a cutaway diagram of an AKE silencer, which is a rectangular unit with a flared inlet and outlet, containing three horizontal layers of yellow fibrous sound-dampening material. Below the chimney, the text 'BAFFLE SILENCERS' is written in large, bold, black letters. To the right of the cutaway, the text 'AKE' is in bold, followed by 'highly dampening with cleaning' in a smaller font.

BAFFLE SILENCERS

AKE
highly dampening
with cleaning

“High-end” for biomass plants and thermal power plants



The image shows a large, blue, rectangular KSL silencer in the foreground, situated in an industrial room with large windows. To its right is a cutaway diagram of an ABGASCHALLDÄMPFER, a vertical cylindrical unit with a side entry and a flared top. The cutaway reveals internal sound-dampening layers. The text 'SILENCERS' is written in large, bold, white letters on the left. Below it, the text 'for tight installation situations' is in a smaller font. At the bottom right, the text 'KSL' is in bold, followed by 'with side entry' in a smaller font. On the far right, a vertical purple label reads 'ABGASCHALLDÄMPFER'.

SILENCERS

for tight installation situations

KSL
with side entry

ABGASCHALLDÄMPFER



Exhaust silencers FOR BOILERS



Absorption silencer
up to 15dB for EW-
ALBI

Absorption silencer
up to 15dB for EW-
ALBI

Absorption length
10 dB for ASD-B
ECO15 and ASD-B
ECO20

Absorption length
15 dB for ASD-B
ECO15 and ASD-B
ECO20

Absorption length
20 dB for ASD-B
ECO15 and ASD-B
ECO20

Absorption silencer
up to 15dB for
EW-FU

Absorption silencer
up to 15dB for EW-
ALBI



ASD-BECO15Ø		ASD-BECO20Ø		ASE-ECO10Ø		ASE-ECO15Ø		ASE-ECO20Ø		ASD-EW15Ø		ASD-ALBI...15Ø	
100	429,00 €	100	497,00 €	100	193,00 €	100	253,00 €	100	298,00 €	100	780,00 €	A 100	802,00 €
115	434,00 €	115	499,00 €	115	195,00 €	115	254,00 €	115	299,00 €	115	797,00 €	A 115	820,00 €
120	443,00 €	120	506,00 €	120	196,00 €	120	256,00 €	120	300,00 €	120	804,00 €	A 120	827,00 €
130	467,00 €	130	530,00 €	130	198,00 €	130	258,00 €	130	301,00 €	130	813,00 €	A 130	839,00 €
150	506,00 €	150	596,00 €	150	230,00 €	150	295,00 €	150	352,00 €	140	824,00 €	A 140	850,00 €
160	522,00 €	160	603,00 €	160	235,00 €	160	298,00 €	160	357,00 €	150	921,00 €	A 150	947,00 €
180	933,00 €	180	1.227,00 €	180	528,00 €	180	678,00 €	180	967,00 €	160	958,00 €	A 160	985,00 €
200	973,00 €	200	1.258,00 €	200	535,00 €	200	683,00 €	200	970,00 €	180	1.131,00 €	A 180	1.159,00 €
250	1.068,00 €	250	1.334,00 €	250	626,00 €	250	761,00 €	250	1.043,00 €	200	1.200,00 €	A 200	1.231,00 €
300	1.110,00 €	300	1.369,00 €	300	629,00 €	300	770,00 €	300	1.046,00 €	225	1.505,00 €	D 225	1.537,00 €
										250	1.542,00 €	C 250	1.576,00 €
										300	1.801,00 €	C 300	1.836,00 €
										350	2.284,00 €	C 350	2.321,00 €
										400	3.446,00 €	C 400	3.485,00 €
										450	3.861,00 €	F 450	3.905,00 €
										500	4.931,00 €	F 500	4.978,00 €
										550	5.459,00 €	F 550	5.512,00 €
										600	6.775,00 €	F 600	6.833,00 €

Absorption silencer
up to 25dB for
EW-FU

Absorption silencer
up to 25dB EW-
ALBI

Absorption silencer
up to 15 dB for DW-
ECO 2.0

Absorption silencer
up to 15 dB for DW-
ECO 2.0 AL

Absorption silencer
up to 25 dB for
DW-ECO 2.0

Absorption silencer
up to 25 dB for
DW-ECO 2.0 AL

Absorption silencer
up to 15dB for
DW-FU



ASD-EW25Ø		ASD-ALBI...25Ø		ASD-DWECO15Ø		ASD-DWECO-AL...15Ø		ASD-DWECO25Ø		ASD-DWECO-AL...25Ø		ASD-DW15Ø	
100	934,00 €	A 100	956,00 €	100	932,00 €	A 100	954,00 €	100	1.066,00 €	A 100	1.088,00 €	100	940,00 €
115	956,00 €	A 115	979,00 €	120	956,00 €	A 120	979,00 €	120	1.108,00 €	A 120	1.131,00 €	120	964,00 €
120	960,00 €	A 120	983,00 €	130	973,00 €	A 130	999,00 €	130	1.130,00 €	A 130	1.156,00 €	130	984,00 €
130	972,00 €	A 130	998,00 €	150	1.092,00 €	A 150	1.118,00 €	150	1.271,00 €	A 150	1.297,00 €	140	1.003,00 €
140	987,00 €	A 140	1.013,00 €	160	1.141,00 €	A 160	1.168,00 €	160	1.321,00 €	A 160	1.348,00 €	150	1.103,00 €
150	1.103,00 €	A 150	1.129,00 €	180	1.322,00 €	A 180	1.350,00 €	180	1.524,00 €	A 180	1.552,00 €	160	1.150,00 €
160	1.145,00 €	A 160	1.172,00 €	200	1.408,00 €	A 200	1.439,00 €	200	1.634,00 €	A 200	1.665,00 €	180	1.334,00 €
180	1.343,00 €	A 180	1.371,00 €	225	1.720,00 €	D 225	1.752,00 €	225	2.121,00 €	D 225	2.153,00 €	200	1.421,00 €
200	1.436,00 €	A 200	1.467,00 €	250	1.785,00 €	C 250	1.819,00 €	250	2.194,00 €	C 250	2.228,00 €	225	1.736,00 €
225	1.915,00 €	D 225	1.947,00 €	300	2.079,00 €	C 300	2.114,00 €	300	2.592,00 €	C 300	2.627,00 €	250	1.803,00 €
250	1.964,00 €	C 250	1.998,00 €	350	2.582,00 €	C 350	2.619,00 €	350	3.089,00 €	C 350	3.126,00 €	300	2.099,00 €
300	2.335,00 €	C 300	2.370,00 €	400	3.798,00 €	C 400	3.837,00 €	400	4.932,00 €	C 400	4.971,00 €	350	2.607,00 €
350	2.814,00 €	C 350	2.851,00 €									400	3.833,00 €
400	4.736,00 €	C 400	4.775,00 €									450	4.285,00 €
450	5.291,00 €	F 450	5.335,00 €									500	5.364,00 €
500	6.823,00 €	F 500	6.870,00 €									550	5.961,00 €
550	7.560,00 €	F 550	7.613,00 €									600	7.303,00 €
600	9.837,00 €	F 600	9.895,00 €										

- *1 The exhaust silencer can be flexibly expanded with an absorption element of 10 dB, 15 dB or 20 dB

Absorption silencer up to 15dB for DW-AL



Absorption silencer up to 25dB for DW-FU



Absorption silencer up to 25dB for DW-AL



Absorption silencer up to 15dB for EW-FU with integrated noise insulating core



Absorption silencer up to 15dB for EW-ALBI with integrated noise insulating core



Absorption silencer up to 25dB for EW-FU with integrated noise insulating core



Absorption silencer up to 25dB for EW-ALBI with integrated noise insulating core



ASD-DWAL...15Ø		ASD-DW25Ø		ASD-DWAL...25Ø		ASD-SDK-EW15Ø		ASD-SDK-ALBI...15Ø		ASD-SDK-EW25Ø		ASD-SDK-ALBI...25Ø	
A 100	962,00 €	100	1.075,00 €	A 100	1.097,00 €	300	2.166,00 €	C 300	2.201,00 €	300	2.829,00 €	C 300	2.864,00 €
A 120	987,00 €	120	1.119,00 €	A 120	1.142,00 €	350	2.706,00 €	C 350	2.743,00 €	350	3.355,00 €	C 350	3.392,00 €
A 130	1.010,00 €	130	1.141,00 €	A 130	1.167,00 €	400	3.920,00 €	C 400	3.959,00 €	400	5.385,00 €	C 400	5.424,00 €
A 140	1.029,00 €	140	1.161,00 €	A 140	1.187,00 €	450	4.426,00 €	F 450	4.470,00 €	450	6.052,00 €	F 450	6.096,00 €
A 150	1.129,00 €	150	1.283,00 €	A 150	1.309,00 €	500	5.688,00 €	F 500	5.735,00 €	500	7.964,00 €	F 500	8.011,00 €
A 160	1.177,00 €	160	1.333,00 €	A 160	1.360,00 €	550	6.294,00 €	F 550	6.347,00 €	550	8.814,00 €	F 550	8.867,00 €
A 180	1.362,00 €	180	1.540,00 €	A 180	1.568,00 €	600	7.718,00 €	F 600	7.776,00 €	600	11.321,00 €	F 600	11.379,00 €
A 200	1.452,00 €	200	1.652,00 €	A 200	1.683,00 €								
D 225	1.768,00 €	225	2.141,00 €	D 225	2.173,00 €								
C 250	1.837,00 €	250	2.214,00 €	C 250	2.248,00 €								
C 300	2.134,00 €	300	2.617,00 €	C 300	2.652,00 €								
C 350	2.644,00 €	350	3.118,00 €	C 350	3.155,00 €								
C 400	3.872,00 €	400	4.980,00 €	C 400	5.019,00 €								
F 450	4.329,00 €	450	5.581,00 €	F 450	5.625,00 €								
F 500	5.411,00 €	500	7.760,00 €	F 500	7.807,00 €								
F 550	6.014,00 €	550	8.573,00 €	F 550	8.626,00 €								
F 600	7.361,00 €	600	11.053,00 €	F 600	11.111,00 €								

Absorption silencer in 90° elbow design up to 25 dB for EW-FU



T-Absorption Silencer up to 10 dB for limited spaces, EW-FU



Absorption silencer at end cap up to 15 dB with storm collar and base plate for EW-ALBI



Absorption silencer at end cap up to 25 dB with storm collar and base plate for EW-ALBI



Absorption silencer at end cap up to 15 dB with base plate for EW-FU



Absorption silencer at end cap up to 25 dB with base plate for EW-FU



Silencer for chimney top, up to 5dB, also for concentric design



ASD-W25Ø		ASD-TØ		ASM-B15Ø		ASM-B25Ø		ASM-EW15Ø		ASM-EW25Ø		MSD-PP05Ø	
100	1.292,00 €	100	376,00 €	100	1.108,00 €	100	1.305,00 €	100	894,00 €	100	1.044,00 €	060	113,00 €
115	1.341,00 €	115	387,00 €	115	1.123,00 €	115	1.322,00 €	115	911,00 €	115	1.063,00 €	080	128,00 €
120	1.359,00 €	120	393,00 €	120	1.130,00 €	120	1.328,00 €	120	916,00 €	120	1.069,00 €	100	125,00 €
130	1.419,00 €	130	397,00 €	130	1.141,00 €	130	1.339,00 €	130	927,00 €	130	1.082,00 €	110	143,00 €
140	1.453,00 €	140	447,00 €	140	1.149,00 €	140	1.364,00 €	140	940,00 €	140	1.096,00 €	125	173,00 €
150	1.696,00 €	150	498,00 €	150	1.339,00 €	150	1.587,00 €	150	1.075,00 €	150	1.253,00 €	160	190,00 €
160	1.734,00 €	160	538,00 €	160	1.375,00 €	160	1.613,00 €	160	1.110,00 €	160	1.292,00 €	200	332,00 €
180	2.038,00 €	180	610,00 €	180	1.649,00 €	180	1.939,00 €	180	1.336,00 €	180	1.544,00 €	250	436,00 €
200	2.132,00 €	200	735,00 €	200	1.712,00 €	200	2.022,00 €	200	1.403,00 €	200	1.634,00 €		
225	2.503,00 €	225	865,00 €	225	2.154,00 €	225	2.674,00 €	225	1.735,00 €	225	2.135,00 €		
250	2.629,00 €	250	1.034,00 €	250	2.181,00 €	250	2.704,00 €	250	1.773,00 €	250	2.181,00 €		
				300	2.569,00 €	300	3.218,00 €	300	2.087,00 €	300	2.607,00 €		
				350	3.368,00 €	350	4.036,00 €	350	2.658,00 €	350	3.173,00 €		



Exhaust silencers FOR BOILERS



Silencer length
l=1000mm

Silencer length
l=500mm

Adaptor DW-FU/
ASS

Adaptor ASS/
DW-FU

Adaptor DW-ECO/
ASS

Adaptor ASS/DW-
ECO

End cap with lo-
cking band suitable
for ASS



*1



*1



ASS13Ø		ASS14Ø		DW-ASS37Ø		DW-ASS37AØ		DWEKO-ASS37Ø		DWEKO-ASS37AØ		DW-ASS32Ø	
080	435,00 €	080	307,00 €	080	135,00 €	080	135,00 €	080	130,00 €	080	130,00 €	080	99,00 €
100	480,00 €	100	348,00 €	100	138,00 €	100	138,00 €	100	132,00 €	100	132,00 €	100	103,00 €
115	507,00 €	115	357,00 €	115	140,00 €	115	140,00 €	115	135,00 €	115	135,00 €	115	106,00 €
130	543,00 €	130	379,00 €	130	142,00 €	130	142,00 €	130	137,00 €	130	137,00 €	130	110,00 €
150	578,00 €	150	401,00 €	150	145,00 €	150	145,00 €	150	138,00 €	150	138,00 €	150	118,00 €
160	616,00 €	160	429,00 €	160	147,00 €	160	147,00 €	160	140,00 €	160	140,00 €	160	120,00 €
180	650,00 €	180	457,00 €	180	150,00 €	180	150,00 €	180	145,00 €	180	145,00 €	180	122,00 €
200	687,00 €	200	494,00 €	200	158,00 €	200	158,00 €	200	153,00 €	200	153,00 €	200	126,00 €
225	775,00 €	225	528,00 €	225	169,00 €	225	169,00 €	225	163,00 €	225	163,00 €	225	133,00 €
250	831,00 €	250	572,00 €	250	171,00 €	250	171,00 €	250	166,00 €	250	166,00 €	250	149,00 €
300	967,00 €	300	659,00 €	300	191,00 €	300	191,00 €	300	180,00 €	300	180,00 €	300	173,00 €
350	1.082,00 €	350	735,00 €	350	210,00 €	350	210,00 €	350	202,00 €	350	202,00 €	350	203,00 €
400	1.227,00 €	400	831,00 €	400	258,00 €	400	258,00 €	400	248,00 €	400	248,00 €	400	235,00 €


Noise insulating core SDK,
l=1000mm up to 5 dB

Noise insulating core SDK,
l=1500mm up to 8 dB

Noise insulating core SDK,
l=2000mm up to 10 dB

Noise insulating core SDK,
l=3000mm up to 15 dB

Combined Silencer
up to 25dB for
EW-FU



SDK1Ø			SDK2Ø			SDK3Ø			SDK4Ø			KSD-EW25Ø	
100	NG70	421,00 €	100	NG70	575,00 €	100	NG70	775,00 €	100	NG70	1.054,00 €	150	2.191,00 €
115	NG70	426,00 €	115	NG70	577,00 €	115	NG70	778,00 €	115	NG70	1.060,00 €	160	2.274,00 €
130	NG100	494,00 €	130	NG100	671,00 €	130	NG100	914,00 €	130	NG100	1.254,00 €	180	2.888,00 €
150	NG100	496,00 €	150	NG100	673,00 €	150	NG100	933,00 €	150	NG100	1.261,00 €	200	3.267,00 €
180	NG120	543,00 €	180	NG120	737,00 €	180	NG120	1.012,00 €	180	NG120	1.395,00 €	225	3.526,00 €
200	NG150	634,00 €	200	NG150	864,00 €	200	NG150	1.190,00 €	200	NG150	1.645,00 €	250	3.900,00 €
225	NG180	639,00 €	225	NG180	868,00 €	225	NG180	1.196,00 €	225	NG180	1.653,00 €	300	4.872,00 €
250	NG200	735,00 €	250	NG200	996,00 €	250	NG200	1.369,00 €	250	NG200	1.901,00 €	350	5.483,00 €
300	NG220	795,00 €	300	NG220	1.075,00 €	300	NG220	1.487,00 €	300	NG220	2.538,00 €	400	6.952,00 €
350	NG250	880,00 €	350	NG250	1.190,00 €	350	NG250	1.640,00 €	350	NG250	2.795,00 €		
400	NG300	973,00 €	400	NG300	1.319,00 €	400	NG300	1.823,00 €	400	NG300	3.131,00 €		
450	NG315	1.141,00 €	450	NG315	1.550,00 €	450	NG315	2.152,00 €	450	NG315	3.726,00 €		
500	NG400	1.305,00 €	500	NG400	1.788,00 €	500	NG400	2.276,00 €	500	NG400	3.940,00 €		
600	NG70	1.647,00 €	600	NG70	2.274,00 €	600	NG70	2.907,00 €	600	NG70	5.054,00 €		

- *1 Connection only possible with a special transition element

Combined Silencer
up to 25dB for EW-
ALBI



KSD-ALBI...25Ø

A 150	2.217,00 €
A 160	2.301,00 €
A 180	2.916,00 €
A 200	3.298,00 €
C 250	3.934,00 €
C 300	4.907,00 €
C 350	5.520,00 €
C 400	6.991,00 €



Exhaust silencers FOR BOILERS AND CHP



Absorption Silencer
in PP up to 20 dB
for EW-PPS

Absorption Silencer
in PP up to 20 dB
for EW-PPS

Absorption Silencer
up to 20 dB for
EW-KL

Absorption Silencer
up to 25 dB for
EW-KL

Absorption Silencer
up to 35 dB for
EW-KL

Absorption Silencer
up to 15 dB for con-
centric pressure-
tight systems

Absorption Silencer
up to 20 dB for
concentric pressu-
re-tight systems



ASD-PP2Ø		ASD-PP3Ø		ASD-H20Ø		ASD-H25Ø		ASD-H35Ø		ASD-TWPL15Ø		ASD-TWPL20Ø	
060	729,00 €	060	875,00 €	060	522,00 €	060	666,00 €	060	812,00 €	080/125	1.126,00 €	080/125	1.170,00 €
080	784,00 €	080	903,00 €	080	614,00 €	080	788,00 €	080	967,00 €				
100	784,00 €	100	929,00 €	100	761,00 €	100	916,00 €	100	1.081,00 €				
110	811,00 €	110	950,00 €	130	927,00 €	130	1.132,00 €	130	1.340,00 €				
125	834,00 €	125	971,00 €										



Exhaust silencers FOR BOILERS AND CHP



Absorption Silencer
up to 25 dB for
concentric pressure-
tight systems

Resonance silencer
up to 20db/75Hz

Resonance silencer
up to 25db/100Hz



ASD-TWPL25Ø	RSD-PP202707Ø	RSD-PP252706Ø
080/125 1.237,00 €	080 781,00 €	080 664,00 €



Exhaust silencers FOR CHP



Reflection silencer
up to 35 dB with
aluminium flange

Absorption Silencer
up to 15dB for
EW-KL




Absorption Silencer
up to 25dB for
EW-KL

Absorption Silencer
up to 15 dB with
aluminium flange

Absorption Silencer
up to 25 dB with
aluminium flange

Absorption Silencer
up to 15dB for
EW-KL

Absorption Silencer
up to 25dB for
EW-KL



RED-FL35Ø	AED-KL15Ø	AED-KL25Ø	AED-FL15Ø	AED-FL25Ø	AEL-KL15Ø	AEL-KL25Ø
050 1.586,00 €	080 927,00 €	080 1.274,00 €	050 802,00 €	050 1.012,00 €	150 2.281,00 €	080 1.387,00 €
065 1.706,00 €	100 1.066,00 €	100 1.531,00 €	065 907,00 €	065 1.127,00 €	200 3.279,00 €	100 1.642,00 €
080 1.896,00 €	120 1.399,00 €	120 2.188,00 €	080 1.081,00 €	080 1.407,00 €		120 2.399,00 €
	130 1.417,00 €	130 2.235,00 €	100 1.252,00 €	100 1.694,00 €		130 2.449,00 €
	150 2.072,00 €	150 3.432,00 €	125 1.673,00 €	125 2.462,00 €		150 3.553,00 €
	200 3.050,00 €	200 4.993,00 €	150 2.274,00 €	150 3.495,00 €		200 5.401,00 €
			200 3.471,00 €	200 5.380,00 €		

Absorption Silencer
up to 15 dB with
aluminium flange

Absorption Silencer
up to 25 dB with
aluminium flange

Combined silencer
up to 35 dB with
aluminium flange

Combined silencer
up to 45 dB with
aluminium flange

Combined silencer
up to 35 dB with
aluminium flange

Combined silencer
up to 35 dB for
EW-KL

Combined silencer
up to 45 dB with
aluminium flange



AEL-FL15Ø		AEL-FL25Ø		KED-FL35Ø		KED-FL45Ø		KEL-FL35Ø		KED-KL35Ø		KED-KL45Ø	
150	2.473,00 €	050	1.177,00 €	050	1.970,00 €	050	2.391,00 €	050	2.131,00 €	080	2.843,00 €	080	3.170,00 €
200	3.704,00 €	065	1.333,00 €	065	2.206,00 €	065	2.694,00 €	065	2.341,00 €	100	3.899,00 €	100	4.219,00 €
		080	1.648,00 €	080	3.281,00 €	080	3.606,00 €	080	3.513,00 €	120	4.574,00 €	120	4.999,00 €
		100	1.956,00 €	100	4.178,00 €	100	4.497,00 €	100	4.450,00 €	130	4.626,00 €	130	5.050,00 €
		125	2.702,00 €	125	4.899,00 €	125	5.324,00 €	125	5.258,00 €	150	5.309,00 €	150	6.740,00 €
		150	3.840,00 €	150	5.700,00 €	150	7.130,00 €	150	6.125,00 €	200	7.084,00 €	200	8.663,00 €
		200	5.728,00 €	200	7.565,00 €	200	9.144,00 €	200	8.127,00 €				



Exhaust silencers FOR EMERGENCY GENERATOR

Combined silencer
up to 35 dB for
EW-KL

Absorption silencer
up to 20dB for DW-
POWER

Combined Silencer
up to 30dB for DW-
POWER



KEL-KL35Ø	
080	3.095,00 €
100	4.158,00 €
120	4.919,00 €
130	5.000,00 €
150	5.712,00 €
200	7.639,00 €

AGD-DWPW202873Ø		KGD-DWPW302874Ø	
100	1.599,00 €	100	4.847,00 €
150	3.512,00 €	150	6.790,00 €
200	5.094,00 €	200	8.570,00 €



Exhaust silencers FOR BIOMASS



Absorption silencer
up to 15 dB with
fleece including
flange according to
Jeremias standards

*1



AVD-F150

200	1.562,00 €
250	1.963,00 €
300	2.377,00 €
350	3.479,00 €
400	4.176,00 €
450	5.011,00 €
500	5.545,00 €



Exhaust silencers ACCESSORIES



Base support ver-
tical for Silencers
acoustic decoupled,
for outer diameter

Base support
vertical for silencers
h=1000mm, up to
1000kg

Adjustable support
800-1500mm

Mat for sound
decoupling suitable
for VL11

Adjustable foot
support, l=1000mm,
up to 250 kg, con-
sists of 2 pieces

Adjustable foot
support, l=1000mm,
up to 250 kg, con-
sists of 2 pieces

Adjustable foot
support, l=1000mm,
up to 250 kg, con-
sists of 2 pieces



Rgr.
EW



Rgr.
ZUAC



*2



*2



*2

ZUTE11500		ZUSD27940		VL110		ZUAC2275	ZUSD19811-10		ZUSD19811-20		ZUSD19811-30	
250	449,00 €	250	724,00 €	250	179,00 €	74,00 €	250	174,00 €	400	230,00 €	600	275,00 €
275	464,00 €	275	756,00 €	275	182,00 €		275	174,00 €	450	230,00 €	700	275,00 €
300	491,00 €	300	788,00 €	300	185,00 €		300	174,00 €	500	230,00 €	800	275,00 €
		325	822,00 €	325	198,00 €		325	174,00 €	600	230,00 €	850	275,00 €
		350	854,00 €	350	206,00 €		350	174,00 €	700	230,00 €	900	275,00 €
		400	920,00 €	375	212,00 €		375	174,00 €	800	230,00 €	950	275,00 €
		450	987,00 €	400	215,00 €		400	174,00 €				
		500	1.052,00 €	450	235,00 €		450	174,00 €				
		600	1.182,00 €	500	280,00 €		500	174,00 €				
				600	341,00 €		600	174,00 €				

- ^{*1} On request, the AVD-F can also be designed with inspection, angular or with a higher attenuation class.
- ^{*2} Recommended quantity: 3 pieces

Support bracket
for horizontal instal-
lation up to 250 kg,
2 pieces



Support bracket
for horizontal instal-
lation up to 500 kg,
2 pieces



Support bracket
for horizontal instal-
lation up to 500 kg,
2 pieces



Foot stand for
support plate
l=1000mm,
30x30mm, 1 pair,
up to 250 kg



Foot stand for
support plate
l=1000mm,
40x40mm, 1 pair,
up to 500 kg



Foot stand for
support plate
l=1000mm,
40x40mm, 1 pair,
up to 750 kg




Support plate for
welding, height
100mm up to 250
kg, 2 pieces




ZUSD1984-1Ø		ZUSD1984-2Ø		ZUSD1984-3Ø		ZUSD1977-1Ø		ZUSD1977-2Ø		ZUSD1977-3Ø		ZUSD1978-1Ø	
250	242,00 €	400	312,00 €	600	460,00 €	250	289,00 €	400	346,00 €	500	460,00 €	250	176,00 €
275	242,00 €	450	312,00 €	700	460,00 €	275	289,00 €	450	346,00 €	600	460,00 €	275	181,00 €
300	242,00 €	500	312,00 €	800	460,00 €	300	289,00 €	500	346,00 €	700	460,00 €	300	194,00 €
325	242,00 €	600	312,00 €	850	460,00 €	325	289,00 €	600	346,00 €	800	460,00 €	325	222,00 €
350	242,00 €	700	312,00 €	950	460,00 €	350	289,00 €	700	346,00 €	850	460,00 €	350	232,00 €
375	242,00 €	800	312,00 €			375	289,00 €	800	346,00 €	950	460,00 €	375	269,00 €
400	242,00 €					400	289,00 €					400	276,00 €
450	242,00 €					450	289,00 €					450	320,00 €
500	242,00 €											500	347,00 €
600	242,00 €												

Support plate for
welding, height
100mm up to 500
kg, 2 pieces



Support plate for
welding, height
100mm up to 750
kg consists of 2
pieces



Wall bracket 50mm



Adjustable wall bra-
cket 50-360mm



Adjustable wall bra-
cket 50-360mm



Mat for sound
decoupling suitable
for VL293



Ceiling suspen-
sion with sound
absorbing layer for
threaded rod M8,
up to max. 23 kg



ZUSD1978-2Ø		ZUSD1978-3Ø		VL09Ø		VL293Ø		VL293Ø		ZUAC2274		VL16VØ	
400	547,00 €	600	1.012,00 €	250	75,00 €	250	133,00 €	350	163,00 €		61,00 €	250	157,00 €
450	634,00 €	700	1.155,00 €	275	79,00 €	275	137,00 €	375	166,00 €			275	162,00 €
500	680,00 €	800	1.371,00 €	300	93,00 €	300	140,00 €	400	167,00 €			300	166,00 €
600	824,00 €	850	1.470,00 €	325	103,00 €	325	153,00 €	450	209,00 €			325	172,00 €
700	940,00 €	950	1.803,00 €	350	111,00 €			500	265,00 €			350	176,00 €
800	1.082,00 €			375	122,00 €			600	315,00 €			375	185,00 €
				400	130,00 €							400	195,00 €
				450	147,00 €							450	205,00 €
				500	205,00 €							500	242,00 €
				600	272,00 €							600	262,00 €



Exhaust silencers

ACCESORIES



Support bracket for vertical installation up to 250 kg, 2 pieces

Support bracket for vertical installation up to 500 kg, 2 pieces


Support bracket for vertical installation up to 750 kg, 2 pieces

Cantilevers type II 500mm

Cantilevers Type III 750mm

Cantilevers type IV 1030mm

Lifting bracket horizontal with plaster plate up to 250 kg, 2 pieces



Rgr. DW



Rgr. DW



Rgr. DW



ZUSD1985-1Ø		ZUSD1985-2Ø		ZUSD1985-3Ø		DW392	DW393	DW407	ZUSD1979H-1Ø	
250	242,00 €	400	312,00 €	600	460,00 €	137,00 €	167,00 €	274,00 €	250	100,00 €
275	242,00 €	450	312,00 €	700	460,00 €				275	100,00 €
300	242,00 €	500	312,00 €	800	460,00 €				300	100,00 €
325	242,00 €	600	312,00 €	850	460,00 €				325	100,00 €
350	242,00 €	700	312,00 €	950	460,00 €				350	100,00 €
375	242,00 €	800	312,00 €						375	100,00 €
400	242,00 €								400	100,00 €
450	242,00 €								450	100,00 €
500	242,00 €								500	100,00 €
600	242,00 €								600	100,00 €

Lifting bracket horizontal with plaster plate up to 500 kg, 2 pieces

Lifting bracket horizontal with plaster plate up to 750 kg, 2 pieces

Lifting bracket vertical with plaster plate up to 250 kg, 2 pieces

Lifting bracket vertical with plaster plate up to 500 kg, 2 pieces

Lifting bracket vertical with plaster plate up to 750 kg, 2 pieces

Lifting bracket U-Profile up to 250 kg, 2 pieces

Lifting bracket U-Profile up to 500 kg, 2 pieces



ZUSD1979H-2Ø		ZUSD1979H-3Ø		ZUSD1979V-1Ø		ZUSD1979V-2Ø		ZUSD1979V-3Ø		ZUSD1980-1Ø	ZUSD1980-2Ø
400	111,00 €	600	142,00 €	250	78,00 €	400	100,00 €	600	133,00 €	250	149,00 €
450	111,00 €	700	142,00 €	275	78,00 €	450	100,00 €	700	133,00 €	275	149,00 €
500	111,00 €	800	142,00 €	300	78,00 €	500	100,00 €	800	133,00 €	300	149,00 €
600	111,00 €	850	142,00 €	325	78,00 €	600	100,00 €	850	133,00 €	325	149,00 €
700	111,00 €	900	142,00 €	350	78,00 €	700	100,00 €	950	133,00 €	350	149,00 €
800	111,00 €	950	142,00 €	375	78,00 €	800	100,00 €			375	149,00 €
				400	78,00 €					400	149,00 €
				450	78,00 €					450	149,00 €
				500	78,00 €					500	149,00 €
				600	78,00 €					600	149,00 €

Lifting bracket
U-Profile up to 750
kg, 2 pieces

Closing cap plastic
for drain 1/2" (up to
200°C)


Closing cap plastic
for drain 3/4" (up
to 200°C)

1/2" threaded nipple

1/2" female socket

1/2" female socket
with screw

Rubber buffer, scre-
wed on both sides



€
NET



€
NET



Rgr.
EW



Rgr.
EW



Rgr.
EW



Rgr.
ZUAC

ZUSD1980-3Ø		750ADK1/2	750ADK3/4	FU128	FU126	FU125	ZUAC2321
600	320,00 €	5,00 €	5,00 €	23,00 €	31,00 €	58,00 €	52,00 €
700	320,00 €						
800	320,00 €						
850	320,00 €						
950	320,00 €						

Fitting 1/2" with
inner thread 1/2" sui-
table for ZUAC2300,
ZUAC2301, ZUAC2302,
ZUAC2303 and
ZUTE1904

Fitting 1/2" to plug-in
sleeve Ø22mm sui-
table for ZUAC2300,
ZUAC2301, ZUAC2302,
ZUAC2303 and
ZUTE1904

Siphon with 90mm
water trap height
(P1)

Siphon with 150mm
water trap height
(P1)

Siphon with
200mm water trap
height (M1)

Siphon with 220mm
water trap height
(M1)

Siphon with inte-
grated non-return
ball, water seal
height 90mm (P1)



Rgr.
EW



Rgr.
EW



Rgr.
PP



Rgr.
PP



Rgr.
PP



Rgr.
PP



Rgr.
PP

750FITTINGÜ-22 1/2	750FITTINGV-22	130-PP46	130-PP46-1	130-PP46-2	130-PP46-3	130-PP1946
94,00 €	47,00 €	25,00 €	27,00 €	37,00 €	49,00 €	85,00 €



Exhaust silencers

ACCESORIES



Siphon with integrated non-return ball, water seal height 150mm (P1)

Siphon with integrated non-return ball, water seal height 200mm (M1)

Siphon with integrated non-return ball, water seal height 220mm (M1)

Screw connection 87° with internal thread 3/4" for siphon 130-PP46 (required when installing the condensate drain trap 130-PP111 vertically)

Siphon with 200mm water trap height including 1/2" female socket P1/M1

Siphon to the centric P1/M1

Siphon to the right P1/M1

						
Rgr. PP	Rgr. PP	Rgr. PP	Rgr. PP	Rgr. EW	Rgr. EW	Rgr. EW
130-PP1946-1	130-PP1946-2	130-PP1946-3	130-PP1510	ALBI46V	ZUAC2300	ZUAC2301
85,00 €	102,00 €	129,00 €	23,00 €	69,00 €	66,00 €	66,00 €

Siphon to the left P1/M1

Gasket silicone up to 200°C

Gasket EPDM 120°C

Fabric compensators for structure-borne noise absorption

Standard factory flange

				
Rgr. EW	Rgr. EW	Rgr. EW		*1 € NET
ZUAC2302	ALBI26Ø	ALBI367Ø		JWNF-F1125Ø
66,00 €	100 22,00 €	100 22,00 €	auf Anfrage	100 23,00 €
	115 23,00 €	115 23,00 €		120 29,00 €
	120 23,00 €	120 23,00 €		130 29,00 €
	130 26,00 €	130 26,00 €		150 35,00 €
	140 26,00 €	140 26,00 €		160 40,00 €
	150 26,00 €	150 26,00 €		180 40,00 €
	160 27,00 €	160 27,00 €		200 45,00 €
	180 28,00 €	180 28,00 €		250 53,00 €
	200 31,00 €	200 31,00 €		300 94,00 €
	225 32,00 €	250 34,00 €		350 101,00 €
	250 34,00 €	300 35,00 €		400 116,00 €
	300 35,00 €	350 37,00 €		450 129,00 €
	350 37,00 €	400 39,00 €		500 145,00 €
	400 39,00 €			600 204,00 €
	450 44,00 €			
	500 47,00 €			
	600 58,00 €			

*1 for further flanges we will send you our extra flange overview

Sound measurement ON EXHAUST SYSTEMS

Whenever the noise emissions of an exhaust system must fall below certain limits or noise problems caused by the heat generator must be eliminated, we recommend a professional sound measurement.

Our specially trained staff measures the noise emissions at the chimney outlet in accordance with DIN EN 45 635 Part 47. The data obtained can then be used for an optimal silencer design.

Scope of services for sound measurement

- On-site assessment of the system
- Measurement of the emission sound level at the chimney outlet
- Use of a sound level meter of the highest accuracy class 1
- Measurement of the resting/background noise level
- Testing for low-frequency noise

Measurement report with total level and sound spectrum

Price from 500 euros (plus travel and overnight stay if necessary)



Interested in a sound measurement of your project?

Our experts will be happy to advise you!

Tel. +49 9832 - 68 68 998

Silencer@jeremias.de



INDUSTRIAL STEEL CHIMNEYS

DEPARTMENT	CONTACT	TEL +49 9832 68 68-	E-MAIL
AUTHORIZED REPRESENTATIVE	Peter Veit	108	peter.veil@jeremias.de
SALES MANAGEMENT	Sebastian Müller	4710	sebastian.mueller@jeremias.de
TECHNICAL MANAGEMENT	Martin Niederlöhner	14	martin.niederloehner@jeremias.de
PROJECT MANAGEMENT	Harald Höhenberger	992	harald.hoehenberger@jeremias.de
	Markus Pawlak	991	markus.pawlak@jeremias.de
	Malik Gücberk	995	malik.guecberk@jeremias.de
	Manuel Endmeier	9522	manuel.endmeier@jeremias.de
SALES	Matthias Kunkel	18	matthias.kunkel@jeremias.de
	Philipp Banczyk	358	philipp.banczyk@jeremias.de
	Nadine Ziegler	9616	nadine.ziegler@jeremias.de
FINANCIAL ACCOUNTING	Wolfgang Roth	36	wolfgang.roth@jeremias.de





YOUR PROJECT IS IN GOOD HANDS WITH US!

Our experts advise you personally on everything from chimney design, planning, production up to installation..

TOGETHER WITH YOU

we plan all the necessary process steps and are happy to take into account your individual requirements and wishes.

THIS IS HOW WE DEVELOP

the most optimal chimney solution for your project and turn even the most demanding projects into a great success.

OUR RANGE OF SERVICES INCLUDES:

- Complete project management
- Personal advice
- Planning
- Construction
- Production
- Transportation
- Assembly
- Maintenance / condition monitoring

GERMANY

Jeremias Abgastechnik GmbH

Opfenrieder Str. 12
D-91717 Wassertrüdingen
Phone: +49 9832 6868-50
E-Mail: info@jeremias.de
www.jeremias.de/en

POLAND

www.jeremias.pl

USA

www.jeremiasinc.com

SPAIN

www.jeremias.es

CROATIA

www.jeremias.hr

ITALY

www.jeremias.it

CZECH REPUBLIC

www.jeremias.cz

FINLAND

www.jeremias.fi

FRANCE

www.jeremias.fr

UNITED KINGDOM

www.jeremias.uk

Jeremias high quality products to be installed only by selected experts.

The expert in your area: